

# LISTA DE APLICACIONES - BUYERS GUIDE


## 610300 E C



8 424073 088352

Weight: 50

O.E.M.	MAKE
190 3651	IVECO



## 610300 E C



315 mm.

**WVA**

29087  
29145  
29163  
29179  
29184

**MAKE**

DAF  
IVECO

MERCEDES-BENZ

NEOPLAN

SETRA



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

**DAF**

### CF 65 01.01-05.13

**Platform/Chassis**

FA 65.180 (CE 136 C)	Diesel	5880	136	185	01.01-05.13	■	■
FA 65.220 (CE 162 C)	Diesel	5880	162	220	01.01-05.13	■	■
FA 65.250 (CE 184 C)	Diesel	5880	184	250	01.01-05.13	■	■

### CF 75 01.01-12.19

**Platform/Chassis**

FA 75.250 (PE 183 C)	Diesel	9186	183	249	01.01-05.13	■	■
FA 75.250 (PR 183 S)	Diesel	9186	183	249	01.01-05.13	■	■
FAG 75.250, FAN 75.250 (PE 183 C)	Diesel	9186	183	249	01.01-05.13	■	■
FAG 75.250, FAN 75.250 (PR 183 S)	Diesel	9186	183	249	01.01-05.13	■	■
FAR 75.250, FAS 75.250 (PE 183 C)	Diesel	9186	183	249	01.01-05.13	■	■
FAR 75.250, FAS 75.250 (PR 183 S)	Diesel	9186	183	249	01.01-05.13	■	■
FAT 75.250 (PE 183 C)	Diesel	9186	183	249	01.01-05.13	■	■
FAT 75.250 (PR 183 S)	Diesel	9186	183	249	01.01-05.13	■	■
FA 75.310 (PE 228 C)	Diesel	9186	228	310	01.01-05.13	■	■
FA 75.310 (PR 228 S)	Diesel	9186	228	310	01.01-05.13	■	■
FAG 75.310, FAN 75.310 (PE 228 C)	Diesel	9186	228	310	01.01-05.13	■	■
FAG 75.310, FAN 75.310 (PR 228 S)	Diesel	9186	228	310	01.01-05.13	■	■
FAR 75.310, FAS 75.310 (PE 228 C)	Diesel	9186	228	310	01.01-05.13	■	■
FAR 75.310, FAS 75.310 (PR 228 S)	Diesel	9186	228	310	01.01-05.13	■	■
FAT 75.310 (PE 228 C)	Diesel	9186	228	310	01.01-05.13	■	■
FAT 75.310 (PR 228 S)	Diesel	9186	228	310	01.01-05.13	■	■
FA 75.360 (PE 265 C)	Diesel	9186	265	360	01.01-05.13	■	■
FA 75.360 (PR 265 S)	Diesel	9186	265	360	01.01-05.13	■	■
FAG 75.360, FAN 75.360 (PE 265 C)	Diesel	9186	265	360	01.01-05.13	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FAG 75.360, FAN 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FAR 75.360, FAS 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FAR 75.360, FAS 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FAT 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FAT 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
<b>CF 75 01.01-12.19</b>				<b>Truck Tractor</b>				
FT 75.250 (PE 183 C)	Diesel		9186	183	249	01.01-05.13	■	■
FT 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FT 75.310 (PE 228 C)	Diesel		9186	228	310	01.01-05.13	■	■
FT 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FT 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FT 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
<b>CF 85 01.01-05.13</b>				<b>Platform/Chassis</b>				
FA 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FAD 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FAG 85.340, FAN 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FAR 85.340, FAS 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FAT 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FA 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FAD 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FAG 85.380, FAN 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FAR 85.380, FAS 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FAT 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FA 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FAD 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FAG 85.430, FAN 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FAR 85.430, FAS 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FAT 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FTT 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FA 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FAD 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FAG 85.480, FAN 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FAR 85.480, FAS 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FAT 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
<b>CF 85 01.01-05.13</b>				<b>Truck Tractor</b>				
FT 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FTG 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FTT 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FT 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FTG 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FTT 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FT 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FT 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FTG 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FTT 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
<b>LF 55 01.01-</b>				<b>Platform/Chassis</b>				
FA 55.180 (CE 136 C)	Diesel		5880	136	185	01.01-	■	■
FA 55.220 (CE 162 C)	Diesel		5880	162	220	01.01-	■	■
FA 55.250 (CE 184 C)	Diesel		5880	184	250	01.01-	■	■
FA 55.220 (GR 165 S1)	Diesel		6691	165	224	05.06-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

FAN 55.220 (GR 165 S1)	Diesel		6691	165	224	05.06-	■	■
FA 55.250 (GR 184 S1)	Diesel		6691	184	250	05.06-	■	■
FAN 55.250 (GR 184 S1)	Diesel		6691	184	250	05.06-	■	■
FA 55.290 (GR 210 S1)	Diesel		6691	210	286	05.06-	■	■
FAN 55.290 (GR 210 S1)	Diesel		6691	210	286	05.06-	■	■
<b>XF 105 10.05-</b>				<b>Platform/Chassis</b>				
FA 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■
FAS 105.410, FAR 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■
FA 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■
FAS 105.460, FAR 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■
FA 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■
FAS 105.510, FAR 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■
<b>XF 105 10.05-</b>				<b>Truck Tractor</b>				
FT 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■
FT 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■
FT 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■
<b>XF 95 01.02-12.06</b>				<b>Platform/Chassis</b>				
FA 95.380 (XE 280 C)	Diesel		12580	280	381	09.02-12.06	■	■
FA 95.430 (XE 315 C)	Diesel		12580	315	428	09.02-12.06	■	■
FA 95.480 (XE 355 C)	Diesel		12580	355	483	09.02-12.06	■	■
FA 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
<b>XF 95 01.02-12.06</b>				<b>Truck Tractor</b>				
FT 95.380 (XE 280 C)	Diesel		12580	280	381	09.02-12.06	■	■
FT 95.430 (XE 315 C)	Diesel		12580	315	428	09.02-12.06	■	■
FT 95.480 (XE 355 C)	Diesel		12580	355	483	09.02-12.06	■	■
FT 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
<b>IVECO</b>								
<b>EuroCargo I-III 01.91-09.15</b>				<b>Dump Truck</b>				
130 E 18 K tector, 130 E 18 DK tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
150 E 18 K tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
130 E 24 K tector, 130 E 24 DK tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■
150 E 24 K tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■
180 E 24 K tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■
130 E 28 K tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 K tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 K tector (F4AE3681E)	Diesel		5883	202	275	09.00-09.15	■	■
180 E 28 K tector (F4AE0681A)	Diesel		5883	202	275	09.00-09.15	■	■
180 E 28 K tector (F4AE3681E)	Diesel		5883	202	275	09.00-09.15	■	■
<b>EuroCargo I-III 01.91-09.15</b>				<b>Platform/Chassis</b>				
140 E 18 W tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
150 E 18 tector (F4AE0681E)	Diesel		5883	134	181	09.00-09.15	■	■
180 E 21 tector (F4AE0681C)	Diesel		5883	154	209	09.00-09.15	■	■
180 E 21 tector (F4AE0681D)	Diesel		5883	154	209	09.00-09.15	■	■
130 E 24 tector, 130 E 24 D tector, 130 E 24 DP tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■
140 E 24 W tector, 140 E 24 WS tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■
150 E 24 tector, 150 E 25 tector (F4AE0681B)	Diesel		5883	176	240	09.00-09.15	■	■
150 E 24 tector, 150 E 25 tector (F4AE3681D)	Diesel		5883	176	240	09.00-09.15	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

180 E 24, 180 E 25 tector (F4AE0681B)		Diesel		5883	176	240	09.00-09.15	■	■
180 E 24, 180 E 25 tector (F4AE3681D)		Diesel		5883	176	240	09.00-09.15	■	■
130 E 28 tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
150 E 28 tector (F4AE3681E)		Diesel		5883	202	275	09.00-09.15	■	■
180 E 28 tector, 180 E 28 P tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
180 E 28 tector, 180 E 28 P tector (F4AE3681E)		Diesel		5883	202	275	09.00-09.15	■	■
<b>EuroCargo I-III 01.91-09.15</b>					<b>Truck Tractor</b>				
320 E 28 T tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
<b>EuroRider 01.92-</b>									
391.12.35	01/96-	Diesel		11995			01.92-	■	■
<b>EuroStar 01.93-10.02</b>					<b>Platform/Chassis</b>				
LD 190 E 38 P (8460.41L TCA)		Diesel		9498	276	375	01.93-02.02	■	■
LD 240 E 38 (8460.41L.5020)		Diesel		9498	276	375	01.93-02.02	■	
LD 260 E 38 P (8460.41L TCA)		Diesel		9498	276	375	01.93-02.02	■	■
LD 190 E 39 P, LD 190 E 39 FP (F3AE0681E)		Diesel		10308	287	390	11.99-02.02	■	■
LD 260 E 39 P, LD 260 E 39 FP (F3AE0681E)		Diesel		10308	287	390	11.99-02.02	■	
LD 190 E 40 (F3AE0681B)		Diesel		10308	294	400	09.00-02.02	■	■
LD 260 E 40 (F3AE0681B)		Diesel		10308	294	400	09.00-02.02	■	
LD 190 E 43, LD 190 E 43 P, LD 190 E 43 FP (F3AE0681D)		Diesel		10308	316	430	11.99-02.02	■	■
LD 260 E 43 Y/PS, LD 260 E 43 FP (F3AE0681D)		Diesel		10308	316	430	01.93-02.02	■	■
LD 190 E 42, LD 190 E 42 P (8210.42L(TCA))		Diesel		13798	309	420	01.93-02.02	■	■
LD 190 E 42, LD 190 E 42 P (8210.42L.400)		Diesel		13798	309	420	01.93-02.02	■	■
LD 240 E 42 FS, LD 240 E 42 PS (8210.42L (TCA))		Diesel		13798	309	420	01.93-02.02	■	
LD 240 E 42 FS, LD 240 E 42 PS (8210.42L.400)		Diesel		13798	309	420	01.93-02.02	■	
LD 260 E 42 P (8210.42L.)		Diesel		13798	309	420	01.93-02.02	■	■
LD 190 E 47 (8210.42M. TCA)		Diesel		13798	345	469	01.93-02.02	■	■
LD 240 E 47 PS (8210.42M. TCA)		Diesel		13798	345	469	01.93-02.02	■	
LD 260 E 47 (8210.42M. TCA)		Diesel		13798	345	469	01.93-02.02	■	■
LD 190 E 52 (8280.42S. TCA)		Diesel		17173	378	514	01.93-02.02	■	
LD 240 E 52 PS (8280.42S. TCA)		Diesel		17173	378	514	01.93-02.02	■	
LD 260 E 52 (8280.42S. TCA)		Diesel		17173	378	514	01.93-02.02	■	■
<b>EuroStar 01.93-10.02</b>					<b>Truck Tractor</b>				
LD 400 E 38 TX/P, LD 440 E 38 TX/P (8460.41L TCA)		Diesel		9498	276	375	01.93-02.02	■	
LD 400 E 38 TX/P, LD 440 E 38 TX/P (8460.41L.5020)		Diesel		9498	276	375	01.93-02.02	■	
LD 400 E 38 TX/P, LD 440 E 38 TX/P (8460.41N)		Diesel		9498	276	375	01.93-02.02	■	
LD 440 E 38 T (8460.41L TCA)		Diesel		9498	276	375	01.93-02.02	■	■
LD 440 E 38 T (8460.41N)		Diesel		9498	276	375	01.93-02.02	■	■
LD 440 E 38 TZ (8460.41L TCA)		Diesel		9498	276	375	01.93-02.02	■	■
LD 440 E 38 TZ (8460.41N)		Diesel		9498	276	375	01.93-02.02	■	■
LD 440 E 39 T, LD 440 E 39 T/P (F3AE0681E)		Diesel		10308	287	390	11.99-02.02	■	■
LD 440 E 40 T (F3AE0681B)		Diesel		10308	294	400	09.00-02.02	■	■
LD 440 E 40 TX/P (F3AE0681B)		Diesel		10308	294	400	01.01-02.02	■	■
LD 440 E 43 T/P (F3AE0681D)		Diesel		10308	316	430	01.93-02.02	■	■
LD 440 E 43 TX/P (F3AE0681D)		Diesel		10308	316	430	11.99-02.02	■	■
LD 440 E 48 T/P (F3BE0681E)		Diesel		12882	353	480	01.01-02.02	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

LD 400 E 42 TX/P, LD 440 E 42 TX/P (8210.42L.)	Diesel		13798	309	420	01.93-02.02	■	
LD 440 E 42 T/P (8210.42L(TCA))	Diesel		13798	309	420	01.93-02.02	■	■
LD 440 E 42 T/P (8210.42L.)	Diesel		13798	309	420	01.93-02.02	■	■
LD 440 E 42 TZ (8210.42L.)	Diesel		13798	309	420	01.93-02.02	■	■
LD 440 E 47 T/P (8210.42M. TCA)	Diesel		13798	345	469	01.93-02.02	■	■
LD 440 E 47 TZ (8210.42M. TCA)	Diesel		13798	345	469	01.93-02.02	■	■
LD 440 E 52 T (8280.42S. TCA)	Diesel		17173	378	514	01.93-02.02	■	■
LD 440 E 52 TZ (8280.42S. TCA)	Diesel		17173	378	514	01.93-02.02	■	■
<b>EuroTech MH 01.98-</b>				<b>Dump Truck</b>				
190 E 24 K (F2BE0681D)	Diesel		7790	180	245	09.98-	■	■
190 E 27 K (F2BE0681C)	Diesel		7790	200	272	09.98-	■	■
190 E 27 K (F2BE0681F)	Diesel		7790	200	272	09.98-	■	■
190 E 31 K (F2BE0681B)	Diesel		7790	228	310	09.98-	■	■
<b>EuroTech MH 01.98-</b>				<b>Platform/Chassis</b>				
190 E 24, 190 E 24 /P (F2BE0681D)	Diesel		7790	180	245	09.98-	■	■
260 E 24 Y/P, 260 E 24 Y/PS, 260 E 24 Y/PT (F2BE0681D)	Diesel		7790	180	245	11.99-	■	■
190 E 27, 190 E 27 /P (F2BE0681C)	Diesel		7790	200	272	09.98-	■	■
190 E 27, 190 E 27 /P (F2BE0681F)	Diesel		7790	200	272	09.98-	■	■
260 E 27 Y/P, 260 E 27 Y/PS, 260 E 27 RY/PS, 260 E 27 RY/PT (F2BE0681C)	Diesel		7790	200	272	11.99-	■	■
260 E 27 Y/P, 260 E 27 Y/PS, 260 E 27 RY/PS, 260 E 27 RY/PT (F2BE0681F)	Diesel		7790	200	272	11.99-	■	■
190 E 31, 190 E 31 /P (F2BE0681B)	Diesel		7790	228	310	09.98-	■	■
260 E 31 Y/P, 260 E 31 Y/PS, 260 E 31 Y/PT (F2BE0681B)	Diesel		7790	228	310	11.99-	■	■
190 E 35, 190 E 35 /P, 190 E 35 /FP (F2BE0681A)	Diesel		7790	259	352	09.98-	■	■
260 E 35 Y/P, 260 E 35 Y/PT, 260 E 35 Y/TN (F2BE0681A)	Diesel		7790	259	352	11.99-	■	■
<b>EuroTech MH 01.98-</b>				<b>Truck Tractor</b>				
400 E 31 TP, 440 E 31 T, 440 E 31 TP (F2BE0681B)	Diesel		7790	228	310	09.98-	■	■
400 E 35 TP, 440 E 35 T, 440 E 35 T/P, 440 E 35 Y/FP (F2BE0681A)	Diesel		7790	259	352	09.98-	■	■
<b>EuroTech MP 01.92-</b>				<b>Platform/Chassis</b>				
240 E 30 PS (8460.41C. TCA)	Diesel		9498	221	301	01.97-	■	
180 E 34 (8460.41K.406)	Diesel		9498	254	345	01.92-12.93	■	
190 E 34 (8460.41K.406)	Diesel		9498	254	345	01.93-	■	
240 E 34 (8460.41K. TCA)	Diesel		9498	254	345	09.95-12.96	■	
180 E 38 (8460.41L.5020)	Diesel		9498	276	375	01.92-12.93	■	
190 E 38 (8460.41L TCA)	Diesel		9498	276	375	01.93-	■	
240 E 38 (8460.41L.5020)	Diesel		9498	276	375	01.92-	■	
260 E 38 P (8460.41N)	Diesel		9498	276	375	01.94-	■	
190 E 39, 190 E 39 /P, 190 E39 /FP (F3AE0681E)	Diesel		10308	287	390	11.99-	■	
260 E 39 Y, 260 E 39 Y/P, 260 E 39 Y/FP, 260 E 39 Y/FS (F3AE0681E)	Diesel		10308	287	390	11.99-	■	
190 E 40 /P (F3AE0681B)	Diesel		10308	294	400	01.01-	■	
260 E 40 (F3AE0681B)	Diesel		10308	294	400	01.01-	■	
190 E 43, 190 E 43 /P (F3AE0681D)	Diesel		10308	316	430	01.01-	■	
260 E 43 Y, 260 E 43 Y/P (F3AE0681D)	Diesel		10308	316	430	11.99-	■	
180 E 42 (8210.42L.400)	Diesel		13798	309	420	01.92-12.93	■	
190 E 42, 190 E 42 /P (8210.42L.400)	Diesel		13798	309	420	01.93-	■	
240 E 42 (8210.42L.400)	Diesel		13798	309	420	01.92-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

260 E 42 (8210.42L.400)	Diesel		13798	309	420	01.94-	■	
<b>EuroTech MP 01.92-</b>				<b>Truck Tractor</b>				
400 E 34 T, 440 E 34 T (8460.41K.406)	Diesel		9498	254	345	01.92-	■	
400 E 38 T, 440 E 38 T, 440 E 38 T /P (8460.41L.5020)	Diesel		9498	276	375	01.92-	■	
400 E 38 T, 440 E 38 T, 440 E 38 T /P (8460.41N)	Diesel		9498	276	375	01.92-	■	
400 E 38 TXP (8460.41L.5020)	Diesel		9498	276	375	11.93-12.96	■	
400 E 38 TXP (8460.41N)	Diesel		9498	276	375	11.93-12.96	■	
440 E 38 TZ (8460.41L TCA)	Diesel		9498	276	375	01.93-	■	■
440 E 39 T, 440 E 39 T/P, 440 E 39 T/FP-CT (F3AE0681E)	Diesel		10308	287	390	11.99-	■	
440 E 39 TX/P (F3AE0681E)	Diesel		10308	287	390	11.99-	■	
440 E 40 T/P (F3AE0681B)	Diesel		10308	294	400	09.00-	■	
440 E 40 TX/P (F3AE0681B)	Diesel		10308	294	400	01.01-	■	
440 E 43 T, 440 E 43 T/P (F3AE0681D)	Diesel		10308	316	430	11.99-	■	
400 E 42 T, 440 E 42 T, 440 E 42 T/P (8210.42L(TCA))	Diesel		13798	309	420	01.92-	■	
400 E 42 T, 440 E 42 T, 440 E 42 T/P (8210.42L.400)	Diesel		13798	309	420	01.92-	■	
440 E 42 TZ (8210.42L.400)	Diesel		13798	309	420	01.93-	■	■
<b>EuroTech MT 01.92-08.98</b>				<b>Dump Truck</b>				
180 E 24 K (8360.46R.416 TCA)	Diesel		7685	176	239	01.93-12.96	■	■
190 E 24 K (8360.46R.416 TCA)	Diesel		7685	176	239	01.97-08.98	■	■
180 E 27 K (8360.46.417 TCA)	Diesel		7685	196	267	01.92-12.96	■	■
190 E 27 K (8360.46.417 TCA)	Diesel		7685	196	267	01.97-08.98	■	■
190 E 30 K (8460.41C.320)	Diesel		9498	221	301	01.97-08.98	■	■
<b>EuroTech MT 01.92-08.98</b>				<b>Platform/Chassis</b>				
180 E 24 (8360.46R.416 TCA)	Diesel		7685	176	239	01.92-12.96	■	■
190 E 24 (8360.46R.416 TCA)	Diesel		7685	176	239	01.97-08.98	■	■
180 E 27 (8360.46.417 TCA)	Diesel		7685	196	267	01.92-12.96	■	■
190 E 27 (8360.46.417 TCA)	Diesel		7685	196	267	01.97-08.98	■	■
180 E 30 R (8460.41C.320)	Diesel		9498	221	301	01.92-12.96	■	■
190 E 30 (8460.41C.320)	Diesel		9498	221	301	01.97-08.98	■	■
180 E 34 R (8460.41K.406)	Diesel		9498	254	345	01.92-12.93	■	■
<b>EuroTech MT 01.92-08.98</b>				<b>Truck Tractor</b>				
400 E 30 T (8460.41C.320)	Diesel		9498	221	301	01.92-08.98	■	■
<b>EuroTrakker 01.93-12.06</b>				<b>Concrete Mixer</b>				
MP 260 E 31 HB Cursor (F2BE0681B)	01/01-	Diesel	7790	228	310	11.99-11.04	■	■
MP 340 E 35 HB Cursor (F2BE0681A)		Diesel	7790	259	352	01.01-11.04	■	■
MP 340 E 38 HB Cursor (F3BE0681G)		Diesel	12882	280	380	01.01-11.04	■	■
MP 340 E 44 HB Cursor (F3BE0681C)		Diesel	12882	324	440	01.01-11.04	■	■
<b>EuroTrakker 01.93-12.06</b>				<b>Dump Truck</b>				
MP 190 E 31 H Cursor (F2BE0681B)		Diesel	7790	228	310	09.99-11.04	■	■
MP 190 E 31 W Cursor (F2BE0681B)		Diesel	7790	228	310	09.99-11.04	■	■
MP 260 E 31 H Cursor (F2BE0681B)		Diesel	7790	228	310	09.99-11.04	■	■
MP 190 E 35 H Cursor (F2BE0681A)		Diesel	7790	259	352	09.99-11.04	■	■
MP 190 E 35 W Cursor (F2BE0681A)		Diesel	7790	259	352	09.99-11.04	■	■
MP 260 E 35 H Cursor (F2BE0681A)		Diesel	7790	259	352	01.00-11.04	■	■
MP 260 E 35 W Cursor (F2BE0681A)		Diesel	7790	259	352	09.99-11.04	■	■
MP 340 E 35 H Cursor (F2BE0681A)		Diesel	7790	259	352	09.99-11.04	■	■
MP 190 E 30 H (8460.41C.)		Diesel	9498	221	301	01.93-11.04	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

MP 190 E 30 W (8460.41C.)		Diesel		9498	221	301	01.93-11.04	■	■
MP 260 E 30 H (8460.41C.)		Diesel		9498	221	301	01.93-11.04	■	■
MP 190 E 34 H (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 190 E 34 W (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 260 E 34 H (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 260 E 34 W (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 340 E 34 H (8460.41K.)	01/94-	Diesel		9498	254	345	01.93-11.04	■	■
MP 380 E 34 H (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 190 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 260 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 260 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 340 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 380 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 380 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 410 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 190 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	09.00-11.04	■	■
MP 260 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 260 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 340 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 380 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 380 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 410 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 190 E 37 H (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 190 E 37 W (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 260 E 37 H (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 260 E 37 W (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 340 E 37 H (8210.42K.)	01/94-	Diesel		13798	272	370	01.93-11.04	■	■
MP 380 E 37 H (8210.42K.)	01/94-	Diesel		13798	272	370	01.93-11.04	■	■
MP 380 E 37 W (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 410 E 37 H (8210.42K.)	01/94-	Diesel		13798	272	370	01.93-11.04	■	■
MP 190 E 42 H (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 190 E 42 W (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 190 E 42 W (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 260 E 42 H (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 260 E 42 W (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 260 E 42 W (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 340 E 42 H (8210.42L.)	01/95-	Diesel		13798	309	420	01.93-11.04	■	■
MP 380 E 42 H (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 380 E 42 W (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 410 E 42 H (8210.42L.)	01/94-	Diesel		13798	309	420	01.93-11.04	■	■
<b>EuroTrakker 01.93-12.06</b>					<b>Platform/Chassis</b>				
MP 190 E 31 H Cursor (F2BE0681B)		Diesel		7790	228	310	09.99-11.04	■	■
MP 190 E 31 W Cursor (F2BE0681B)		Diesel		7790	228	310	09.99-11.04	■	■
MP 260 E 31 H Cursor (F2BE0681B)		Diesel		7790	228	310	09.99-11.04	■	■
MP 190 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 190 E 35 W Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 260 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	01.00-11.04	■	■
MP 260 E 35 W Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 340 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 190 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 260 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

MP 260 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 340 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 380 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 380 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 410 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 190 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	09.00-11.04	■	■
MP 260 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.00-11.04	■	■
MP 260 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 340 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 380 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 380 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 410 E 42 W (8210.42L(TCA))	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 410 E 42 W (8210.42L.)	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
<b>EuroTrakker 01.93-12.06</b>					<b>Truck Tractor</b>				
MP 400 E 34 HT (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 400 E 34 HT (8460.41K. TCA)		Diesel		9498	254	345	01.93-11.04	■	■
MP 440 E 34 HT (8460.41K.)	01/94-	Diesel		9498	254	345	01.93-11.04	■	■
MP 440 E 34 HT (8460.41K. TCA)	01/94-	Diesel		9498	254	345	01.93-11.04	■	■
MP 400 E 37 HT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 37 HT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 37 WT (8210.42K(TCA))	01/97-	Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 37 WT (8210.42K.)	01/97-	Diesel		13798	272	370	01.93-11.04	■	■
MP 440 E 37 HT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 440 E 37 HT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 HT (8210.42K(TCA))	01/94-	Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 HT (8210.42K.)	01/94-	Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 WT (8210.42K(TCA))	01/97-	Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 WT (8210.42K.)	01/97-	Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 42 HT (8210.42L(TCA))	01/95-	Diesel		13798	309	420	01.93-11.04	■	■
MP 400 E 42 HT (8210.42L.)	01/95-	Diesel		13798	309	420	01.93-11.04	■	■
MP 400 E 42 WT (8210.42L(TCA))	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 400 E 42 WT (8210.42L.)	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 440 E 42 HT (8210.42L(TCA))	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 440 E 42 HT (8210.42L.)	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 HT (8210.42L(TCA))	01/94-	Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 HT (8210.42L.)	01/94-	Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 WT (8210.42L(TCA))	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 WT (8210.42L.)	01/97-	Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 47 HT (8210.42M. TCA)	01/98-	Diesel		13798	345	469	01.93-11.04	■	■
<b>Stralis 02.02-</b>					<b>Platform/Chassis</b>				
AD 190S30, AD 190S31, AT 190S31 (F2BE0681B)		Diesel		7790	218	296	06.03-	■	■
AD 190S30, AD 190S31, AT 190S31 (F2BE0681E)		Diesel		7790	218	296	06.03-	■	■
AD 190S30, AD 190S31, AT 190S31 (F2BE3681C)		Diesel		7790	218	296	06.03-	■	■
AD 260S31, AT 260S31 (F2BE0681B)		Diesel		7790	228	310	06.03-	■	■
AD 260S31, AT 260S31 (F2BE3681C)		Diesel		7790	228	310	06.03-	■	■
AD 190S35, AT 190S35, AD 190S36, AT 190S36 (F2BE0681A)		Diesel		7790	259	352	06.03-	■	■
AD 190S35, AT 190S35, AD 190S36, AT 190S36 (F2BE3681A)		Diesel		7790	259	352	06.03-	■	■
AD 260S35, AT 260S35, AD 260S36, AT 260S36 (F2BE0681A)		Diesel		7790	259	352	06.03-	■	■



# LISTA DE APLICACIONES - BUYERS GUIDE

AD 260S35, AT 260S35, AD 260S36, AT 260S36 (F2BE3681A)		Diesel		7790	259	352	06.03-	■	■
AS 260S43 (F3AE0681D)		Diesel		10300	316	430	02.02-	■	■
AD 190S40, AT 190S40 (F3AE0681B)		Diesel		10308	294	400	03.03-	■	■
AD 190S40, AT 190S40 (F3AE0681H)		Diesel		10308	294	400	03.03-	■	■
AD 260S40, AT 260S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■
AD 260S40, AT 260S40 (F3AE0681H)		Diesel		10308	294	400	06.03-	■	■
AS 190S40 (F3AE0681B)	01/03-	Diesel		10308	294	400	02.02-	■	■
AS 190S40 (F3AE0681H)	01/03-	Diesel		10308	294	400	02.02-	■	■
AS 260S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AS 260S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■
AD 190S43, AT 190S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AD 260S43, AT 260S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AS 190S43 (F3AE0681D)	01/03-	Diesel		10308	316	430	02.02-	■	■
AS 260S48, AT260S48 (F3BE0681E)		Diesel		12880	353	480	02.02-	■	■
AS 190S48 (F3BE0681E)	01/03-	Diesel		12882	353	480	02.02-	■	■
AS 260S48 (F3BE0681E)	01/03-	Diesel		12882	353	480	02.02-	■	■
AS 260S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■
AS 260S54 (F3BE0681A)	01/03-	Diesel		12882	397	540	02.02-	■	■
<b>Stralis 02.02-</b>					<b>Truck Tractor</b>				
AD 440S35, AT 440S35, AD 440S36, AT 440S36 (F2BE0681A)		Diesel		7790	259	352	06.03-	■	■
AD 440S35, AT 440S35, AD 440S36, AT 440S36 (F2BE3681A)		Diesel		7790	259	352	06.03-	■	■
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■
AD 440S40, AT 440S40 (F3AE0681H)		Diesel		10308	294	400	06.03-	■	■
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■
AS 440S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AS 440S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■
AS 440S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AD 440S43, AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AD 440S43, AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AS 440S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■
AS 440S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■
AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AS 440S54, ES 440S54 (F3BE0681A)	01/03-	Diesel		12880	397	540	02.02-	■	■
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 440S48 (F3BE0681E)	01/03-	Diesel		12882	353	480	02.02-	■	■
AS 440S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■
AS 440S54 (F3BE0681A)	01/03-	Diesel		12882	397	540	02.02-	■	■
<b>Trakker 09.04-</b>					<b>Dump Truck</b>				
AD 190T31, AT 190T31 (F2BE0681B)		Diesel		7790	228	310	10.04-10.07	■	
AD 190T31 W, AT 190T31 W (F2BE0681B)		Diesel		7790	228	310	10.04-12.12	■	
AD 260T31, AT 260T31 (F2BE0681B)		Diesel		7790	228	310	10.04-	■	
AD 190T35, AD 190T36, AT 190T35, AT 190T36 (F2BE0681A)		Diesel		7790	259	352	10.04-12.12	■	
AD 190T35, AD 190T36, AT 190T35, AT 190T36 (F2BE3681A)		Diesel		7790	259	352	10.04-12.12	■	
AD 190T35 W, AD 190T36 W, AT 190T35 W, AT 190T36 W (F2BE0681A)		Diesel		7790	259	352	10.04-10.07	■	
AD 190T35 W, AD 190T36 W, AT 190T35 W, AT 190T36 W (F2BE3681A)		Diesel		7790	259	352	10.04-10.07	■	
AD 260T35, 260T36, 380T36, AT 260T35, 260T36, 380T36 (F2BE0681A)		Diesel		7790	259	352	10.04-12.12	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

AD 260T35, 260T36, 380T36, AT 260T35, 260T36, 380T36 (F2BE3681A)	Diesel		7790	259	352	10.04-12.12	■	
AD 190T38, AT 190T38 (F3BE0681G)	Diesel		12882	280	380	10.04-12.12	■	
AD 190T38 W, AT 190T38 W (F3BE0681G)	Diesel		12882	280	380	10.04-10.07	■	
AD 260T38 , AT 260T38 (F3BE0681G)	Diesel		12882	280	380	10.04-	■	
AD 190T44, AD 190T45, AT 190T44, AT 190T45 (F3BE0681C)	Diesel		12882	324	440	10.04-12.12	■	
AD 190T44, AD 190T45, AT 190T44, AT 190T45 (F3BE3681C)	Diesel		12882	324	440	10.04-12.12	■	
AD 190T44 W, AD 190T45 W, AT 190T44 W, AD 190T45W (F3BE0681C)	Diesel		12882	324	440	10.04-12.12	■	
AD 190T44 W, AD 190T45 W, AT 190T44 W, AD 190T45W (F3BE3681C)	Diesel		12882	324	440	10.04-12.12	■	
<b>MERCEDES-BENZ</b>								
<b>ACTROS 04.96-10.03</b>				<b>Concrete Mixer</b>				
2631B (OM 541.920)	Diesel		11946	230	313	04.97-10.02	■	■
2631B (OM 541.940)	Diesel		11946	230	313	04.97-10.02	■	■
3331 B (OM 541.920)	Diesel		11946	230	313	04.97-10.02	■	■
3331 B (OM 541.940)	Diesel		11946	230	313	04.97-10.02	■	■
2635 B (OM 541.922)	Diesel		11946	260	354	04.97-10.02	■	■
2635 B (OM 541.942)	Diesel		11946	260	354	04.97-10.02	■	■
3335 B (OM 541.922)	Diesel		11946	260	354	04.97-10.02	■	■
3335 B (OM 541.942)	Diesel		11946	260	354	04.97-10.02	■	■
2640 B (OM 541.923)	Diesel		11946	290	394	04.97-10.02	■	■
2640 B (OM 541.944)	Diesel		11946	290	394	04.97-10.02	■	■
3340 B (OM 541.923)	Diesel		11946	290	394	04.97-10.02	■	■
3340 B (OM 541.944)	Diesel		11946	290	394	04.97-10.02	■	■
2643 B (OM 541.925)	Diesel		11946	315	428	04.97-10.02	■	■
2643 B (OM 541.946)	Diesel		11946	315	428	04.97-10.02	■	■
<b>ACTROS 04.96-10.03</b>				<b>Dump Truck</b>				
1831AK (OM 541.926)	Diesel		11946	230	313	04.97-10.02	■	■
1831AK (OM 541.941)	Diesel		11946	230	313	04.97-10.02	■	■
1831K (OM 541.920)	Diesel		11946	230	313	04.97-10.02	■	■
1831K (OM 541.940)	Diesel		11946	230	313	04.97-10.02	■	■
2031 AK (OM 541.926)	Diesel		11946	230	313	09.96-10.02	■	■
2031 AK (OM 541.941)	Diesel		11946	230	313	09.96-10.02	■	■
2031 K (OM 541.920)	Diesel		11946	230	313	04.97-10.02	■	■
2031 K (OM 541.940)	Diesel		11946	230	313	04.97-10.02	■	■
2631 K (OM 541.920)	Diesel		11946	230	313	04.97-10.02	■	■
2631 K (OM 541.940)	Diesel		11946	230	313	04.97-10.02	■	■
3331 AK (OM 541.926)	Diesel		11946	230	313	04.97-10.02	■	■
3331 AK (OM 541.941)	Diesel		11946	230	313	04.97-10.02	■	■
3331 K (OM 541.920)	Diesel		11946	230	313	04.97-10.02	■	■
3331 K (OM 541.940)	Diesel		11946	230	313	04.97-10.02	■	■
1835 AK (OM 541.927)	Diesel		11946	260	354	04.97-10.02	■	■
1835 AK (OM 541.943)	Diesel		11946	260	354	04.97-10.02	■	■
1835 K (OM 541.922)	Diesel		11946	260	354	04.97-10.02	■	■
1835 K (OM 541.942)	Diesel		11946	260	354	04.97-10.02	■	■
2635 K, 2635 LK (OM 541.922)	Diesel		11946	260	354	04.97-10.02	■	■
2635 K, 2635 LK (OM 541.942)	Diesel		11946	260	354	04.97-10.02	■	■
3335 K (OM 541.922)	Diesel		11946	260	354	04.97-10.02	■	■
3335 K (OM 541.942)	Diesel		11946	260	354	04.97-10.02	■	■
1840 AK (OM 541.924)	Diesel		11946	290	394	04.97-10.02	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1840 AK (OM 541.945)		Diesel		11946	290	394	04.97-10.02	■	■
1840 K (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
1840 K (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
2040 AK (OM 541.924)		Diesel		11946	290	394	09.96-10.02	■	■
2040 AK (OM 541.945)		Diesel		11946	290	394	09.96-10.02	■	■
2640 K, 2640 LK (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
2640 K, 2640 LK (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
3340 AK (OM 541.924)		Diesel		11946	290	394	04.97-10.02	■	■
3340 AK (OM 541.945)		Diesel		11946	290	394	04.97-10.02	■	■
3340 K (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3340 K (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
1843 AK (OM 541.921)		Diesel		11946	315	428	04.97-10.02	■	■
1843 AK (OM 541.947)		Diesel		11946	315	428	04.97-10.02	■	■
1843 K (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
1843 K (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
2643 K, 2643 LK (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
2643 K, 2643 LK (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
3343 AK (OM 541.921)		Diesel		11946	315	428	04.97-10.02	■	■
3343 AK (OM 541.947)		Diesel		11946	315	428	04.97-10.02	■	■
3343 K (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3343 K (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
1848 AK (OM 542.925)		Diesel		15928	350	476	04.97-10.02	■	■
1848 K (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
1848 K (OM 542.940)		Diesel		15928	350	476	04.97-10.02	■	■
2648 K, 2648 LK (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
2648 K, 2648 LK (OM 542.940)		Diesel		15928	350	476	04.97-10.02	■	■
3348 AK (OM 542.925)		Diesel		15928	350	476	04.97-10.02	■	■
3348 K (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
3348 K (OM 542.940)		Diesel		15928	350	476	04.97-10.02	■	■
2653 K, 2653 LK (OM 542.920)		Diesel		15928	390	530	04.97-10.02	■	■
2653 K, 2653 LK (OM 542.942)		Diesel		15928	390	530	04.97-10.02	■	■
2657 K, 2657 LK (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
2657 K, 2657 LK (OM 542.944)		Diesel		15928	420	571	04.97-10.02	■	■
<b>ACTROS 04.96-10.03</b>					<b>Platform/Chassis</b>				
1831, 1831 L (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
2031 (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
2031A (OM 541.926)		Diesel		11946	230	313	04.97-10.02	■	■
2531, 2531 L (OM 541.920)		Diesel		11946	230	313	09.96-10.02	■	■
2531, 2531 L (OM 541.940)		Diesel		11946	230	313	09.96-10.02	■	■
2631, 2631 L (OM 541.920)	01/97-	Diesel		11946	230	313	04.96-10.02	■	■
3331 (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
3331 A (OM 541.926)		Diesel		11946	230	313	04.97-10.02	■	■
1835, 1835 L (OM 541.922)		Diesel		11946	260	354	04.96-10.02	■	■
2035 A (OM 541.927)		Diesel		11946	260	354	04.97-10.02	■	■
2035 A (OM 541.943)		Diesel		11946	260	354	04.97-10.02	■	■
2535 L (OM 541.922)		Diesel		11946	260	354	09.96-10.02	■	■
2535 L (OM 541.942)		Diesel		11946	260	354	09.96-10.02	■	■
2635, 2635 L (OM 541.922)	01/97-	Diesel		11946	260	354	04.96-10.02	■	■
3335 (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
1840, 1840 L (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
2040 (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2540, 2540 L (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■
2540, 2540 L (OM 541.944)		Diesel		11946	290	394	09.96-10.02	■	■
2640, 2640 L (OM 541.923)	01/97-	Diesel		11946	290	394	04.96-10.02	■	■
3340 (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3340 A (OM 541.924)		Diesel		11946	290	394	04.97-10.02	■	■
1843, 1843 L (OM 541.925)		Diesel		11946	315	428	04.96-10.02	■	■
2543, 2543 L (OM 541.925)		Diesel		11946	315	428	09.96-10.02	■	■
2543, 2543 L (OM 541.946)		Diesel		11946	315	428	09.96-10.02	■	■
2643, 2643 L (OM 541.925)	01/97-	Diesel		11946	315	428	04.96-10.02	■	■
3343 (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3346 (OM 541.948)		Diesel		11946	335	456	04.97-10.02	■	■
1848, 1848 L (OM 542.921)		Diesel		15928	350	476	04.96-10.02	■	■
2548, 2548 L (OM 542.921)		Diesel		15928	350	476	09.96-10.02	■	■
2648, 2648 L (OM 542.921)		Diesel		15928	350	476	04.96-10.02	■	■
3348 (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
1853, 1853 L (OM 542.920)		Diesel		15928	390	530	04.96-10.02	■	■
2553, 2553 L (OM 542.920)		Diesel		15928	390	530	09.96-10.02	■	■
2653, 2653 L (OM 542.920)	01/97-	Diesel		15928	390	530	04.96-10.02	■	■
3353 (OM 542.920)		Diesel		15928	390	530	04.97-10.02	■	■
3353 AS (OM 542.920)		Diesel		15928	390	530	04.97-10.02	■	■
3353 AS (OM 542.926)		Diesel		15928	390	530	04.97-10.02	■	■
3353 AS (OM 542.943)		Diesel		15928	390	530	04.97-10.02	■	■
1857 L (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
2557 L (OM 542.922)		Diesel		15928	420	571	09.96-10.02	■	■
2657 L (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
3357 (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
<b>ACTROS 04.96-10.03</b>					<b>Truck Tractor</b>				
1831 S, 1831 LS (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
1831 S, 1831 LS (OM 541.940)		Diesel		11946	230	313	04.96-10.02	■	■
2031AS (OM 541.926)		Diesel		11946	230	313	04.96-10.02	■	■
2031AS (OM 541.941)		Diesel		11946	230	313	04.96-10.02	■	■
2031S (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
2031S (OM 541.940)		Diesel		11946	230	313	04.96-10.02	■	■
2531 LS (OM 541.920)		Diesel		11946	230	313	09.96-10.02	■	■
2531 LS (OM 541.940)		Diesel		11946	230	313	09.96-10.02	■	■
3331 AS (OM 541.926)		Diesel		11946	230	313	04.97-10.02	■	■
3331 AS (OM 541.941)		Diesel		11946	230	313	04.97-10.02	■	■
3331 S (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
3331 S (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
1835 S, 1835 LS (OM 541.922)		Diesel		11946	260	354	04.96-10.02	■	■
1835 S, 1835 LS (OM 541.942)		Diesel		11946	260	354	04.96-10.02	■	■
2535 LS (OM 541.922)		Diesel		11946	260	354	09.96-10.02	■	■
2535 LS (OM 541.942)		Diesel		11946	260	354	09.96-10.02	■	■
3335 S (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
1840 S, 1840 LS (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
1840 S, 1840 LS (OM 541.944)		Diesel		11946	290	394	04.96-10.02	■	■
2040 AS (OM 541.924)		Diesel		11946	290	394	04.96-10.02	■	■
2040 AS (OM 541.945)		Diesel		11946	290	394	04.96-10.02	■	■
2040 S (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
2040 S (OM 541.944)		Diesel		11946	290	394	04.96-10.02	■	■
2540 LS (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2540 LS (OM 541.944)	Diesel	11946	290	394	09.96-10.02	■	■
2640 S, 2640 LS (OM 541.923)	Diesel	11946	290	394	09.96-10.02	■	■
2640 S, 2640 LS (OM 541.944)	Diesel	11946	290	394	09.96-10.02	■	■
3340 AS (OM 541.924)	Diesel	11946	290	394	04.97-10.02	■	■
3340 AS (OM 541.945)	Diesel	11946	290	394	04.97-10.02	■	■
3340 S (OM 541.923)	Diesel	11946	290	394	04.97-10.02	■	■
1843 S, 1843 LS (OM 541.925)	Diesel	11946	315	428	04.96-10.02	■	■
1843 S, 1843 LS (OM 541.946)	Diesel	11946	315	428	04.96-10.02	■	■
2543 LS (OM 541.925)	Diesel	11946	315	428	09.96-10.02	■	■
2543 LS (OM 541.946)	Diesel	11946	315	428	09.96-10.02	■	■
2643 S, 2643 LS (OM 541.925)	Diesel	11946	315	428	04.97-10.02	■	■
2643 S, 2643 LS (OM 541.946)	Diesel	11946	315	428	04.97-10.02	■	■
3343 AS (OM 541.921)	Diesel	11946	315	428	04.97-10.02	■	■
3343 AS (OM 541.947)	Diesel	11946	315	428	04.97-10.02	■	■
3343 S (OM 541.925)	Diesel	11946	315	428	04.97-10.02	■	■
3343 S (OM 541.946)	Diesel	11946	315	428	04.97-10.02	■	■
1848 S, 1848 LS (OM 542.921)	Diesel	15928	350	476	04.96-10.02	■	■
1848 S, 1848 LS (OM 542.940)	Diesel	15928	350	476	04.96-10.02	■	■
2548 LS (OM 542.921)	Diesel	15928	350	476	09.96-10.02	■	■
2548 LS (OM 542.940)	Diesel	15928	350	476	09.96-10.02	■	■
2648 S, 2648 LS (OM 542.921)	Diesel	15928	350	476	09.96-10.02	■	■
2648 S, 2648 LS (OM 542.940)	Diesel	15928	350	476	09.96-10.02	■	■
3348 AS (OM 542.925)	Diesel	15928	350	476	04.97-10.02	■	■
3348 S (OM 542.921)	Diesel	15928	350	476	04.97-10.02	■	■
1853 S, 1853 LS (OM 542.920)	Diesel	15928	390	530	04.96-10.02	■	■
1853 S, 1853 LS (OM 542.942)	Diesel	15928	390	530	04.96-10.02	■	■
2053 S (OM 542.920)	Diesel	15928	390	530	04.96-10.02	■	■
2053 S (OM 542.942)	Diesel	15928	390	530	04.96-10.02	■	■
2553 LS (OM 542.920)	Diesel	15928	390	530	09.96-10.02	■	■
2553 LS (OM 542.942)	Diesel	15928	390	530	09.96-10.02	■	■
2653 S, 2653 LS (OM 542.920)	Diesel	15928	390	530	09.96-10.02	■	■
2653 S, 2653 LS (OM 542.942)	Diesel	15928	390	530	09.96-10.02	■	■
3353 S (OM 542.920)	Diesel	15928	390	530	04.97-10.02	■	■
3353 S (OM 542.942)	Diesel	15928	390	530	04.97-10.02	■	■
1857 LS (OM 542.922)	Diesel	15928	420	571	04.97-10.02	■	■
1857 LS (OM 542.944)	Diesel	15928	420	571	04.97-10.02	■	■
2657 S, 2657 LS (OM 542.922)	Diesel	15928	420	571	04.97-10.02	■	■
2657 S, 2657 LS (OM 542.944)	Diesel	15928	420	571	04.97-10.02	■	■
3357 S (OM 542.922)	Diesel	15928	420	571	04.97-10.02	■	■
3357 S (OM 542.944)	Diesel	15928	420	571	04.97-10.02	■	■
<b>ACTROS MP2 / MP3 10.02-</b>				<b>Dump Truck</b>			
2032 AK (OM 541.920)	Diesel	11946	230	313	04.03-	■	■
2032 AK (OM 541.926)	Diesel	11946	230	313	04.03-	■	■
2032 AK (OM 541.940)	Diesel	11946	230	313	04.03-	■	■
2032 AK (OM 541.941)	Diesel	11946	230	313	04.03-	■	■
2032 AK (OM 541.997)	Diesel	11946	230	313	04.03-	■	■
2032 K (OM 541.920)	Diesel	11946	230	313	04.03-	■	■
2032 K (OM 541.940)	Diesel	11946	230	313	04.03-	■	■
2032 K (OM 541.970)	Diesel	11946	230	313	04.03-	■	■
2032 K (OM 541.996)	Diesel	11946	230	313	04.03-	■	■
1832 AK (OM 541.940)	Diesel	11946	235	320	04.03-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1832 AK (OM 541.971)	Diesel	11946	235	320	04.03-	■	■
1832 AK (OM 541.997)	Diesel	11946	235	320	04.03-	■	■
1832 K (OM 541.940)	Diesel	11946	235	320	04.03-	■	■
1832 K (OM 541.970)	Diesel	11946	235	320	04.03-	■	■
1832 K (OM 541.996)	Diesel	11946	235	320	04.03-	■	■
2632 K, LK (OM 541.940)	Diesel	11946	235	320	04.03-	■	■
2632 K, LK (OM 541.970)	Diesel	11946	235	320	04.03-	■	■
2632 K, LK (OM 541.996)	Diesel	11946	235	320	04.03-	■	■
1836 AK (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
1836 AK (OM 541.999)	Diesel	11946	265	360	04.03-	■	■
1836 K (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
1836 K (OM 541.972)	Diesel	11946	265	360	04.03-	■	■
1836 K (OM 541.998)	Diesel	11946	265	360	04.03-	■	■
2636 K, LK (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
2636 K, LK (OM 541.972)	Diesel	11946	265	360	04.03-	■	■
2636 K, LK (OM 541.998)	Diesel	11946	265	360	04.03-	■	■
2041 AK (OM 541.924)	Diesel	11946	290	394	04.03-	■	■
2041 AK (OM 541.944)	Diesel	11946	290	394	04.03-	■	■
2041 AK (OM 541.945)	Diesel	11946	290	394	04.03-	■	■
2041 AK (OM 541.991)	Diesel	11946	290	394	04.03-	■	■
2041 K (OM 541.923)	Diesel	11946	290	394	04.03-	■	■
2041 K (OM 541.944)	Diesel	11946	290	394	04.03-	■	■
2041 K (OM 541.974)	Diesel	11946	290	394	04.03-	■	■
2041 K (OM 541.990)	Diesel	11946	290	394	04.03-	■	■
1841 K (OM 541.944)	Diesel	11946	300	408	04.03-	■	■
1841 K (OM 541.974)	Diesel	11946	300	408	04.03-	■	■
1841 K (OM 541.990)	Diesel	11946	300	408	04.03-	■	■
1841 L, LL (OM 541.944)	Diesel	11946	300	408	04.03-	■	■
1841 L, LL (OM 541.974)	Diesel	11946	300	408	04.03-	■	■
2641 K, LK (OM 541.944)	Diesel	11946	300	408	04.03-	■	■
2641 K, LK (OM 541.974)	Diesel	11946	300	408	04.03-	■	■
2641 K, LK (OM 541.990)	Diesel	11946	300	408	04.03-	■	■
1844 AK (OM 541.921)	Diesel	11946	315	428	04.03-	■	■
1844 AK (OM 541.946)	Diesel	11946	315	428	04.03-	■	■
1844 AK (OM 541.947)	Diesel	11946	315	428	04.03-	■	■
1844 AK (OM 541.993)	Diesel	11946	315	428	04.03-	■	■
1844 K (OM 541.925)	Diesel	11946	315	428	04.03-	■	■
1844 K (OM 541.946)	Diesel	11946	315	428	04.03-	■	■
1844 K (OM 541.976)	Diesel	11946	315	428	04.03-	■	■
1844 K (OM 541.992)	Diesel	11946	315	428	04.03-	■	■
2644 K, LK (OM 541.946)	Diesel	11946	320	435	04.03-	■	■
2644 K, LK (OM 541.976)	Diesel	11946	320	435	04.03-	■	■
2644 K, LK (OM 541.992)	Diesel	11946	320	435	04.03-	■	■
1846 AK (OM 541.948)	Diesel	11946	335	456	04.03-	■	■
1846 AK (OM 541.949)	Diesel	11946	335	456	04.03-	■	■
1846 AK (OM 541.981)	Diesel	11946	335	456	04.03-	■	■
1846 AK (OM 541.995)	Diesel	11946	335	456	04.03-	■	■
1846 K (OM 541.948)	Diesel	11946	335	456	04.03-	■	■
1846 K (OM 541.980)	Diesel	11946	335	456	04.03-	■	■
1846 K (OM 541.994)	Diesel	11946	335	456	04.03-	■	■
2646 K, LK (OM 541.948)	Diesel	11946	335	456	04.03-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2646 K, LK (OM 541.980)	Diesel		11946	335	456	04.03-	■	■
2646 K, LK (OM 541.994)	Diesel		11946	335	456	04.03-	■	■
1850, 1851 K (OM 542.940)	Diesel		15928	370	503	04.03-	■	■
1850, 1851 K (OM 542.960)	Diesel		15928	370	503	04.03-	■	■
1850 AK, 1851 AK (OM 542.940)	Diesel		15928	370	503	04.03-	■	■
1850 AK, 1851 AK (OM 542.941)	Diesel		15928	370	503	04.03-	■	■
1850 AK, 1851 AK (OM 542.960)	Diesel		15928	370	503	04.03-	■	■
1850 AK, 1851 AK (OM 542.961)	Diesel		15928	370	503	04.03-	■	■
2650 K, 2651 K, LK (OM 542.940)	Diesel		15928	370	503	04.03-	■	■
2650 K, 2651 K, LK (OM 542.960)	Diesel		15928	370	503	04.03-	■	■
2654 K, LK, 2655 K, LK (OM 542.942)	Diesel		15928	395	537	04.03-	■	■
2654 K, LK, 2655 K, LK (OM 542.962)	Diesel		15928	395	537	04.03-	■	■
2658 K, LK (OM 542.944)	Diesel		15928	425	578	04.03-	■	■
<b>ACTROS MP2 / MP3 10.02-</b>				<b>Platform/Chassis</b>				
2032 (OM 541.920)	Diesel		11946	230	313	04.03-	■	■
2032 (OM 541.940)	Diesel		11946	230	313	04.03-	■	■
2032 A, AE (OM 541.926)	Diesel		11946	230	313	04.03-	■	■
2032 A, AE (OM 541.940)	Diesel		11946	230	313	04.03-	■	■
2032 A, AE (OM 541.941)	Diesel		11946	230	313	04.03-	■	■
2532, L, LL (OM 541.920)	Diesel		11946	230	312	04.03-	■	■
2532, L, LL (OM 541.940)	Diesel		11946	230	312	04.03-	■	■
2532, L, LL (OM 541.970)	Diesel		11946	230	312	04.03-	■	■
2532, L, LL (OM 541.996)	Diesel		11946	230	312	04.03-	■	■
1832, L, LL (OM 541.940)	Diesel		11946	235	320	04.03-	■	■
1832, L, LL (OM 541.970)	Diesel		11946	235	320	04.03-	■	■
2632, L, LL (OM 541.940)	Diesel		11946	235	320	04.03-	■	■
2632, L, LL (OM 541.970)	Diesel		11946	235	320	04.03-	■	■
2632, L, LL (OM 541.996)	Diesel		11946	235	320	04.03-	■	■
2036 (OM 541.922)	Diesel		11946	260	354	04.03-	■	■
2036 (OM 541.942)	Diesel		11946	260	354	04.03-	■	■
2036 A, AE (OM 541.927)	Diesel		11946	260	354	04.03-	■	■
2036 A, AE (OM 541.942)	Diesel		11946	260	354	04.03-	■	■
2036 A, AE (OM 541.943)	Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.922)	Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.942)	Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.943)	Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.972)	Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.998)	Diesel		11946	260	354	04.03-	■	■
1836, L, LL (OM 541.942)	Diesel		11946	265	360	04.03-	■	■
2636, L, LL (OM 541.942)	Diesel		11946	265	360	04.03-	■	■
2636, L, LL (OM 541.972)	Diesel		11946	265	360	04.03-	■	■
2636, L, LL (OM 541.998)	Diesel		11946	265	360	04.03-	■	■
2041 (OM 541.944)	Diesel		11946	290	394	04.03-	■	■
2041 (OM 541.974)	Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.923)	Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.944)	Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.974)	Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.990)	Diesel		11946	290	394	04.03-	■	■
1841, L, LL (OM 541.944)	Diesel		11946	300	408	04.03-	■	■
1841, L, LL (OM 541.974)	Diesel		11946	300	408	04.03-	■	■
2641, L, LL (OM 541.944)	Diesel		11946	300	408	04.03-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2641, L, LL (OM 541.974)	Diesel	11946	300	408	04.03-	■	■
2641, L, LL (OM 541.990)	Diesel	11946	300	408	04.03-	■	■
2044 (OM 541.946)	Diesel	11946	315	428	04.03-	■	■
2044 (OM 541.976)	Diesel	11946	315	428	04.03-	■	■
2544, L, LL (OM 541.925)	Diesel	11946	315	428	04.03-	■	■
2544, L, LL (OM 541.946)	Diesel	11946	315	428	04.03-	■	■
2544, L, LL (OM 541.976)	Diesel	11946	315	428	04.03-	■	■
2544, L, LL (OM 541.992)	Diesel	11946	315	428	04.03-	■	■
1844, L, LL (OM 541.946)	Diesel	11946	320	435	04.03-	■	■
1844, L, LL (OM 541.976)	Diesel	11946	320	435	04.03-	■	■
2644, L, LL (OM 541.946)	Diesel	11946	320	435	04.03-	■	■
2644, L, LL (OM 541.976)	Diesel	11946	320	435	04.03-	■	■
2644, L, LL (OM 541.992)	Diesel	11946	320	435	04.03-	■	■
1846, L, LL (OM 541.948)	Diesel	11946	335	456	04.03-	■	■
1846, L, LL (OM 541.980)	Diesel	11946	335	456	04.03-	■	■
2046 (OM 541.948)	Diesel	11946	335	456	04.03-	■	■
2046 (OM 541.980)	Diesel	11946	335	456	04.03-	■	■
2546, L, LL (OM 541.948)	Diesel	11946	335	456	04.03-	■	■
2546, L, LL (OM 541.980)	Diesel	11946	335	456	04.03-	■	■
2546, L, LL (OM 541.994)	Diesel	11946	335	456	04.03-	■	■
2646, L, LL (OM 541.948)	Diesel	11946	335	456	04.03-	■	■
2646, L, LL (OM 541.980)	Diesel	11946	335	456	04.03-	■	■
2646, L, LL (OM 541.994)	Diesel	11946	335	456	04.03-	■	■
2548, L,LL (OM 541.948)	Diesel	11946	350	476	04.03-	■	■
2548, L,LL (OM 541.978)	Diesel	11946	350	476	04.03-	■	■
1850, 1851, L, LL (OM 542.940)	Diesel	15928	370	503	04.03-	■	■
1850, 1851, L, LL (OM 542.960)	Diesel	15928	370	503	04.03-	■	■
2650, L, 2651,L, LL (OM 542.940)	Diesel	15928	370	503	04.03-	■	■
1854, L (OM 542.942)	Diesel	15928	395	537	04.03-	■	■
1854, L (OM 542.962)	Diesel	15928	395	537	04.03-	■	■
2654, L, 2655, L, LL (OM 542.942)	Diesel	15928	395	537	04.03-	■	■
2654, L, 2655, L, LL (OM 542.962)	Diesel	15928	395	537	04.03-	■	■
1858, L (OM 542.944)	Diesel	15928	425	578	04.03-	■	■
2658 L (OM 542.944)	Diesel	15928	425	578	04.03-	■	■
<b>ACTROS MP2 / MP3 10.02-</b>				<b>Truck Tractor</b>			
2032 AS (OM 541.926)	Diesel	11946	230	313	04.03-	■	■
2032 AS (OM 541.941)	Diesel	11946	230	313	04.03-	■	■
2032 S (OM 541.920)	Diesel	11946	230	313	04.03-	■	■
2032 S (OM 541.940)	Diesel	11946	230	313	04.03-	■	■
1832, LS, LLS (OM 541.940)	Diesel	11946	235	320	04.03-	■	■
1832, LS, LLS (OM 541.970)	Diesel	11946	235	320	04.03-	■	■
2632 LS (OM 541.940)	Diesel	11946	235	320	04.03-	■	■
2632 LS (OM 541.970)	Diesel	11946	235	320	04.03-	■	■
2632 LS (OM 541.996)	Diesel	11946	235	320	04.03-	■	■
2036 AS (OM 541.927)	Diesel	11946	260	354	04.03-	■	■
2036 AS (OM 541.943)	Diesel	11946	260	354	04.03-	■	■
2036 S (OM 541.942)	Diesel	11946	260	354	04.03-	■	■
2036 S (OM 541.972)	Diesel	11946	260	354	04.03-	■	■
1836 LS, LLS (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
2636 LS (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
2636 LS (OM 541.972)	Diesel	11946	265	360	04.03-	■	■



# LISTA DE APLICACIONES - BUYERS GUIDE

2636 LS (OM 541.998)		Diesel		11946	265	360	04.03-	■	■
2041 AS (OM 541.924)		Diesel		11946	290	394	04.03-	■	■
2041 S (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
2041 S (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
2041 S (OM 541.974)		Diesel		11946	290	394	04.03-	■	■
1841 LS, LLS (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
1841 LS, LLS (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
2641 S, LS (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
2641 S, LS (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
2641 S, LS (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
2044 AS (OM 541.921)		Diesel		11946	315	428	04.03-	■	■
2044 AS (OM 541.947)		Diesel		11946	315	428	04.03-	■	■
2044 S (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2044 S (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2044 S (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.992)		Diesel		11946	315	428	04.03-	■	■
1844 LS, LLS (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
1844 LS, LLS (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
1846 LS, LLS (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
1846 LS, LLS (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2046 S (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2046 S (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2646 S, LS (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2646 S, LS (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2646 S, LS (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
1850, 1851 LS, LLS (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
1850, 1851 LS, LLS (OM 542.960)		Diesel		15928	370	503	04.03-	■	■
2050S (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
2050S (OM 542.941)		Diesel		15928	370	503	04.03-	■	■
2650 S, LS (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
2654 S, LS (OM 542.920)		Diesel		15928	390	530	04.03-	■	■
2654 S, LS (OM 542.942)		Diesel		15928	390	530	04.03-	■	■
1854 LS (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
1858 LS (OM 542.944)		Diesel		15928	425	578	10.02-	■	■
2658 LS (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
<b>ATEGO 01.98-10.04</b>					<b>Concrete Mixer</b>				
2628B (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
<b>ATEGO 01.98-10.04</b>					<b>Dump Truck</b>				
1823 K (OM 906.920)		Diesel		6374	170	231	04.98-10.04	■	■
1828 K (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
2628K (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
<b>ATEGO 01.98-10.04</b>					<b>Platform/Chassis</b>				
1823, 1823 L (OM 906.920)		Diesel		6374	170	231	01.98-10.04	■	■
1823, 1823 L (OM 906.925)		Diesel		6374	170	231	01.98-10.04	■	■
2523 L (OM 906.920)		Diesel		6374	170	231	04.98-10.04	■	■
1828, 1828 L (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
1828, 1828 L (OM 906.926)		Diesel		6374	205	279	04.98-10.04	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2528 L (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
2528 L (OM 906.926)		Diesel		6374	205	279	04.98-10.04	■	■
2628 (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
<b>ATEGO 01.98-10.04</b>					<b>Truck Tractor</b>				
1823 LS (OM 906.920)		Diesel		6374	170	231	04.98-10.04	■	■
1828 LS (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
<b>AXOR 09.01-12.05</b>					<b>Dump Truck</b>				
1823 K (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■
2523 K (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■
<b>AXOR 09.01-12.05</b>					<b>Platform/Chassis</b>				
1823 (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■
2523 (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■
2623 L (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■
2528 (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■	■
2628 L (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■	■
<b>AXOR 09.01-12.05</b>					<b>Truck Tractor</b>				
1835 LS (OM 457.937)		Diesel		11967	260	354	01.02-10.04	■	■
1840LS (OM 457.937)		Diesel		11967	295	401	01.02-10.04	■	■
1843 LS (OM 457.937)		Diesel		11967	315	428	01.02-10.04	■	■
<b>DCA</b>					<b>Air Suspension Unit</b>				
DCA	01/00-						01.53-		■
<b>DLS</b>					<b>Air Suspension Unit</b>				
DLS 10Loch	01/00-						01.53-		■
DLS 8 Loch	01/00-						01.53-		■
<b>ECONIC 01.98-</b>					<b>Municipal Vehicle</b>				
1823 L, 1823 LL (OM 906.924)		Diesel		6374	170	231	03.98-	■	■
1823 L, 1823 LL (OM 906.940)		Diesel		6374	170	231	03.98-	■	■
1823 L, 1823 LL (OM 906.951)		Diesel		6374	170	231	03.98-	■	■
1828 L, 1828 LL (OM 906.941)		Diesel		6374	205	279	03.98-	■	■
1828 L, 1828 LL (OM 906.952)		Diesel		6374	205	279	03.98-	■	■
2628 LL (OM 906.941)		Diesel		6374	205	279	03.98-	■	■
2628 LL (OM 906.952)		Diesel		6374	205	279	03.98-	■	■
2628 LL (OM 906.941)		Diesel		6374	205	279	01.98-	■	■
2628 LL (OM 906.952)		Diesel		6374	205	279	01.98-	■	■
<b>O 350 TOURISMO (O 350) 09.94-</b>					<b>Bus</b>				
Tourismo RHD, SHD (OM 457.944)		Diesel		11967	260	354	09.03-	■	■
Tourismo RHD, SHD (OM 457.944)		Diesel		11967	310	422	09.03-	■	■
<b>O 403 01.95-12.06</b>					<b>Bus</b>				
O 403 SHD (OM 457.944)		Diesel		11967	260	354	09.03-	■	■
O 403 SHD (OM 457.944)		Diesel		11967	310	422	09.03-	■	■
<b>O 520 CITO (O 520) 09.98-</b>					<b>Bus</b>				
130 kW (OM 904.942)		Diesel		4249	130	177	06.99-	■	■
<b>O 530 CITARO (O 530) 01.98-</b>					<b>Bus</b>				
Citaro N (OM 906.931)		Diesel		6374	170	231	01.98-	■	■
Citaro N (OM 909.900)		Diesel		6374	170	231	01.98-	■	■
Citaro N (OM 909.911)		Diesel		6374	170	231	01.98-	■	■
Citaro N (OM 906.962)		Diesel		6374	180	245	04.99-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

Citaro N (OM 906.963)	Diesel	6374	180	245	04.99-	■	■
Citaro G	Diesel	6374	185	252	01.98-	■	■
Citaro G (OM 906.930)	Diesel	6374	205	279	01.99-	■	■
Citaro G (OM 906.960)	Diesel	6374	205	279	01.99-	■	■
Citaro G (OM 906.961)	Diesel	6374	205	279	01.99-	■	■
Citaro G (OM 909.901)	Diesel	6374	205	279	01.99-	■	■
Citaro G (OM 909.921)	Diesel	6374	205	279	01.99-	■	■
Citaro N (OM 906.930)	Diesel	6374	205	279	01.98-	■	■
Citaro N (OM 906.960)	Diesel	6374	205	279	01.98-	■	■
Citaro N (OM 906.961)	Diesel	6374	205	279	01.98-	■	■
Citaro N (OM 909.901)	Diesel	6374	205	279	01.98-	■	■
Citaro N (OM 909.921)	Diesel	6374	205	279	01.98-	■	■
Citaro N (OM 906.930)	Diesel	6374	205	279	01.99-	■	■
Citaro N (OM 906.960)	Diesel	6374	205	279	01.99-	■	■
Citaro N (OM 909.901)	Diesel	6374	205	279	01.99-	■	■
Citaro N (OM 909.921)	Diesel	6374	205	279	01.99-	■	■
Citaro N (OM 457.942)	Diesel	11967	185	252	01.98-	■	■
Citaro N, Citaro MUE (OM 457.934)	Diesel	11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.942)	Diesel	11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.949)	Diesel	11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.950)	Diesel	11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.959)	Diesel	11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.973)	Diesel	11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.942)	Diesel	11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.950)	Diesel	11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.951)	Diesel	11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.957)	Diesel	11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.959)	Diesel	11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.973)	Diesel	11967	260	354	01.98-	■	■
<b>O 530 CITARO (O 530) 01.98-</b>				<b>Bus</b>			
Citaro NG (M 476.932)	Gasolina	11967	185	252	06.00-	■	■
Citaro NG (M 476.933)	Gasolina	11967	185	252	06.00-	■	■
Citaro NG (M 476.934)	Gasolina	11967	185	252	06.00-	■	■
Citaro GNG (M 476.930)	Gasolina	11967	240	326	04.00-	■	■
Citaro NG (M 476.930)	Gasolina	11967	240	326	04.00-	■	■
Citaro NG (M 476.933)	Gasolina	11967	240	326	04.00-	■	■
Citaro NG (M 476.934)	Gasolina	11967	240	326	04.00-	■	■
<b>O 580 TRAVEGO (O 580) 10.99-</b>				<b>Bus</b>			
O 580-15 RH/RHD (OM 457.940)	Diesel	11967	260	354	10.99-	■	■
O 580-15 RH/RHD (OM 457.944)	Diesel	11967	260	354	10.99-	■	■
O 580-15 RH/RHD (OM 457.953)	Diesel	11967	260	354	10.99-	■	■
O 580-15 RH/RHD (OM 457.961)	Diesel	11967	260	354	10.99-	■	■
O 580-15 RH/RHD (OM 457.936)	Diesel	11967	300	408	10.99-	■	■
O 580-15 RH/RHD (OM 457.938)	Diesel	11967	300	408	10.99-	■	■
O 580-15 RHD (OM 457.944)	Diesel	11967	310	422	10.99-	■	■
O 580-15 RHD (OM 457.953)	Diesel	11967	310	422	10.99-	■	■
O 580-16 RHD, O 580-17 RHD (OM 457.944)	Diesel	11967	310	422	10.99-	■	■
O 580-17 RHD (OM 542.948)	Diesel	15928	320	435	10.99-	■	■
O 580-17 RHD (OM 542.948)	Diesel	15928	350	476	10.99-	■	■
O 580-17 RHD (OM 542.966)	Diesel	15928	350	476	10.99-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

TE					Trailer Axle				
TE5/1C7-9	01/00-						01.53-	■	
TE5/2C7-9	01/00-						01.53-	■	
TE5/3C7-9	01/00-						01.53-	■	
TE5/4C7-10,5	01/00-						01.53-	■	
TE5/5C7-9	01/00-						01.53-	■	
TE5/6C7-9	01/00-						01.53-	■	
TE5/8C7-9	01/00-						01.53-	■	
TL					Trailer Axle				
TL5/1C7-9	01/00-						01.53-	■	
TZ					Trailer Axle				
TZ5/2C7-10,5	01/00-						01.53-	■	
TZ5/8C 7-9	01/00-						01.53-	■	
NEOPLAN									
Centroliner 10.98-					Bus				
N 4411 (D 0826 LOH 17)		Diesel		6871	162	220	10.98-	■	■
N 4416 (D 0826 LOH 17)		Diesel		6871	162	220	10.98-12.04	■	■
N 4416 (D 0826 LUH 12)		Diesel		6871	162	220	10.98-12.04	■	■
N 4416 (D 0836 LOH 03)		Diesel		6871	162	220	10.98-12.04	■	■
N 4416 (D 0826 LUH 13)		Diesel		6871	191	260	01.99-12.01	■	■
N 4411 (D 0836 LOH 02)		Diesel		6871	206	280	10.98-	■	■
N 4416 (D 2866 LUH 22)		Diesel		11967	191	260	01.99-12.01	■	■
N 4420 (D 2866 LUH 22)		Diesel		11967	191	260	01.99-	■	■
N 4421 (D 2866 LUH 22)		Diesel		11967	191	260	01.99-	■	■
N 4416 (D 2866 LUH 20)		Diesel		11967	228	310	01.99-12.01	■	■
N 4420 (D 2866 LOH 25)		Diesel		11967	228	310	01.99-	■	■
N 4420 (D 2866 LUH 20)		Diesel		11967	228	310	01.99-	■	■
N 4421 (D 2866 LOH 25)		Diesel		11967	228	310	01.99-	■	■
N 4421 (D 2866 LUH 20)		Diesel		11967	228	310	01.99-	■	■
N 4420 (D 2866 LUH 21)		Diesel		11967	257	350	01.99-	■	■
N 4421 (D 2866 LUH 21)		Diesel		11967	257	350	01.99-	■	■
Cityliner 04.73-					Bus				
N 116 (DS 11.34)		Diesel		11020	228	310	09.90-	■	
N 116 (DSC 11.21)		Diesel		11020	228	310	09.90-	■	
N 116 (DSC 11.18)		Diesel		11020	267	363	09.90-09.93	■	
N 116 (DSC 11.22)		Diesel		11020	280	381	09.92-	■	
N 116 (WS 268 G)		Diesel		11627	268	364	09.92-	■	
N 116 (WS 295 G)		Diesel		11627	295	401	09.92-	■	
N 116 (D 2866 TOH)	01/92-	Diesel		11967	229	311	09.90-09.92	■	
N 116 (D 2866 KOH/373)	01/92-	Diesel		11967	272	370	09.90-	■	
N 116 (D 2866 LOH 07)	01/92-	Diesel		11967	272	370	09.90-	■	
N 116 (D 2866 LOH 06)		Diesel		11967	309	420	09.92-	■	
N 116 (D 2866 LOH 20)		Diesel		11967	309	420	09.92-	■	
N 116 (BF 8 L 513-225)		Diesel		12763	225	306	09.90-09.92	■	
N 116 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	
N 116/3 HC (D 2876 LOH 02)		Diesel		12816	338	460	09.04-	■	
Euroliner 07.97-					Bus				
N 3316 KL, N 3316 ÜL (D 2866 LUH 25)		Diesel		11967	265	360	04.99-12.06	■	■
N 3316 Ü, N 3316 K (D 2866 LUH 30)		Diesel		11967	301	410	10.98-12.06	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

N 3318/3 Ü (D 2866 LUH 30)		Diesel		11967	301	410	07.97-12.06	■	■
Jetliner 09.73-09.93					Bus				
N 208 (D 0826 LOH 02)		Diesel		6871	140	190	09.92-09.93	■	
N 208 (D 0826 LOH 03)		Diesel		6871	169	230	09.90-09.93	■	
N 208 (D 0826 LOH 04)		Diesel		6871	169	230	09.90-09.93	■	
N 214, N 216 (DS 11.34)		Diesel		11020	228	310	09.90-09.93	■	
N 214, N 216 (DSC 11.21)		Diesel		11020	228	310	09.90-09.93	■	
N 214, N 216 (DSC 11.18)		Diesel		11020	267	363	09.90-09.92	■	
N 214, N 216 (DSC 11.22)		Diesel		11020	280	381	09.92-09.93	■	
N 214, N 216 (WS 268 G)		Diesel		11627	268	364	09.92-09.93	■	
N 214, N 216 (WS 295 G)		Diesel		11627	295	401	09.92-09.93	■	
N 214, N 216 (D 2866 TOH)		Diesel		11967	229	311	09.90-09.92	■	
N 214, N 216 (D 2866 KOH/373)		Diesel		11967	272	370	09.90-09.93	■	
N 214, N 216 (D 2866 LOH 07)		Diesel		11967	272	370	09.90-09.93	■	
N 214, N 216 (D 2866 LOH 03)		Diesel		11967	309	420	09.90-09.93	■	
N 214, N 216 (D 2866 LOH 06)		Diesel		11967	309	420	09.90-09.93	■	
N 214, N 216 (D 2866 LOH 20)		Diesel		11967	309	420	09.90-09.93	■	
N 213 (BF 8 L 513-225)		Diesel		12763	225	306	09.90-09.92	■	
N 214, N 216 (BF 8 L 513-225)		Diesel		12763	225	306	09.90-09.92	■	
N 213 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	
N 214, N 216 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	
N 216 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	
Low Chassis 01.92-					Bus				
N 4008, N4009, N4010, N4011	01/92-	Diesel					01.92-	■	
N 4014, N4016, N4024, N4026	01/92-	Diesel					01.92-	■	
Regioliner 01.92-					Bus				
N 3014	01/92-	Diesel					01.92-	■	
N 3016	01/92-	Diesel					01.92-	■	
Skyliner 09.73-					Bus				
N 122/3 (DSC 11.22)		Diesel		11020	280	381	09.92-	■	
N 122/3 (WS 268 G)		Diesel		11627	268	364	09.92-	■	
N 122/3 (WS 295 G)		Diesel		11627	295	401	09.92-	■	
N 122/3 (D 2866 KOH/373)		Diesel		11967	272	370	09.90-	■	
N 122/3 (D 2866 LOH 07)		Diesel		11967	272	370	09.90-	■	
N 122/3 (D 2866 LOH 03)		Diesel		11967	309	420	09.90-	■	
N 122/3 (D 2866 LOH 06)		Diesel		11967	309	420	09.90-	■	
N 122/3 (D 2866 LOH 20)		Diesel		11967	309	420	09.90-	■	
N 122/3 L (D 2876 LOH 21)		Diesel		12816	390	530	09.04-	■	
Spaceliner 09.79-09.93					Bus				
N 117 (DS 11.34)		Diesel		11020	228	310	09.90-	■	
N 117 (DSC 11.21)		Diesel		11020	228	310	09.90-	■	
N 117/3 (DSC 11.18)		Diesel		11020	267	363	09.90-09.93	■	
N 117 (DSC 11.22)		Diesel		11020	280	381	09.92-	■	
N 117/3 (DSC 11.22)		Diesel		11020	280	381	09.92-	■	
N 117 (WS 268 G)		Diesel		11627	268	364	09.92-	■	
N 117/3 (WS 268 G)		Diesel		11627	268	364	09.92-	■	
N 117 (WS 295 G)		Diesel		11627	295	401	09.92-	■	
N 117/3 (WS 295 G)		Diesel		11627	295	401	09.92-	■	
N 117 (D 2866 KOH/373)		Diesel		11967	272	370	09.90-	■	
N 117 (D 2866 LOH 07)		Diesel		11967	272	370	09.90-	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

N 117/3 (D 2866 LOH 07)		Diesel		11967	272	370	09.92-	■	
N 117 (D 2866 LOH 03)		Diesel		11967	309	420	09.90-	■	
N 117 (D 2866 LOH 06)		Diesel		11967	309	420	09.90-	■	
N 117 (D 2866 LOH 20)		Diesel		11967	309	420	09.90-	■	
N 117/3 (D 2866 LOH 06)		Diesel		11967	309	420	09.92-	■	
N 117/3 (D 2866 LOH 20)		Diesel		11967	309	420	09.92-	■	
N 117 (BF 8 L 513-225)		Diesel		12763	225	306	09.90-09.92	■	
N 117 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	
<b>Starliner 09.96-</b>					<b>Bus</b>				
N 516 (D 2866 LOH 23)		Diesel		11967	294	400	09.96-	■	■
N 516/3 (D 2866 LOH 23)		Diesel		11967	294	400	09.96-	■	■
N 516 (D 2866 LOH 29)		Diesel		11967	301	410	09.02-	■	■
N 516/3 (D 2866 LOH 29)		Diesel		11967	301	410	09.02-	■	■
N 516 (D 2876 LOH 01)		Diesel		12816	338	460	09.96-	■	■
N 516/3 (D 2876 LOH 01)		Diesel		12816	338	460	09.96-	■	■
N 5218 SHD (D 2876 LOH 20)		Diesel		12816	353	480	05.05-	■	■
N 5218 SHD (D 2876 LOH 21)		Diesel		12816	390	530	05.05-	■	■
N 516		Diesel		14618	280	381	09.96-	■	■
N 516/3		Diesel		14618	280	381	09.96-	■	■
<b>Tourliner 09.02-</b>					<b>Bus</b>				
N 2216 SHD (D 2066 LOH 03)		Diesel		10518	294	400	06.06-	■	■
N 2216 SHD (D 2066 LOH 04)		Diesel		10518	324	440	06.06-	■	■
N 2216 SHDL (D 2066 LOH 04)		Diesel		10518	324	440	06.06-	■	■
N 2216 SHD (D 2866 LOH 34)		Diesel		11967	301	410	01.03-	■	■
N 2216 SHDL (D 2866 LOH 34)		Diesel		11967	301	410	01.03-	■	■
N 2216 SHD (D 2876 LOH 03)		Diesel		12816	338	460	01.03-	■	■
N 2216 SHDL (D 2876 LOH 03)		Diesel		12816	338	460	01.03-	■	■
<b>Transliner 12.88-</b>					<b>Bus</b>				
N 314, N 316 (D 2865 LU 05)		Diesel		9973	198	270	09.93-	■	
N 314, N 316 (D 2865 LUH02)		Diesel		9973	198	270	09.93-	■	
N 321/3 (D 2865 LU 05)		Diesel		9973	198	270	09.93-	■	
N 321/3 (D 2865 LUH02)		Diesel		9973	198	270	09.93-	■	
N 316 (D 2865 LOH 02)		Diesel		9973	235	320	09.93-	■	
N 321/3 (D 2865 LOH 02)		Diesel		9973	235	320	09.93-	■	
N 314, N 316 (DSC 11.21)		Diesel		11020	235	320	09.93-	■	
N 321/3 (DSC 11.21)		Diesel		11020	235	320	09.93-	■	
N 316 (DSC 11.18)		Diesel		11020	267	363	09.90-09.92	■	
N 316 (DSC 11.22)		Diesel		11020	280	381	09.92-	■	
N 316 (WS 268 G)		Diesel		11627	268	364	09.92-	■	
N 316 (WS 295 G)		Diesel		11627	295	401	09.92-	■	
N 316 (D 2866 UH)		Diesel		11967	185	252	09.90-09.93	■	
N 316 (D 2866 TUH)		Diesel		11967	229	311	09.90-09.93	■	
N 316 (D 2866 KOH/373)		Diesel		11967	272	370	09.92-	■	
N 316 (D 2866 LOH 07)		Diesel		11967	272	370	09.92-	■	
N 316 (D 2866 LOH 06)		Diesel		11967	309	420	09.92-	■	
N 316 (D 2866 LOH 20)		Diesel		11967	309	420	09.92-	■	
N 316 (BF 8 L 513-225)		Diesel		12763	225	306	09.90-09.92	■	
N 321/3 (BF 8 L 513-225)		Diesel		12763	225	306	09.90-09.92	■	
N 316 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	
N 321/3 (BF 8 L 513-243)		Diesel		12763	243	330	09.90-09.92	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

Trendliner 09.04-										Bus	
N 3516 Ü		Diesel		11967	228	310	09.04-	<div></div>	<div></div>	<div></div>	
N 3516 Ü (D 2866 LUH 29)		Diesel		11967	265	360	09.04-				
N 3516/3 ÜL		Diesel		11967	301	410	09.04-				
N 3516 Ü		Diesel		11967	301	410	09.04-				
SETRA											
300 Series 09.91-02.02					Bus						
S313UL, S315H, S315UL, S315NF		Diesel		11967	220	299	09.91-02.02	<div></div>	<div></div>	<div></div>	
S321UL		Diesel		11967	220	299	09.91-02.02				
S319NF, S319UL		Diesel		11967	257	350	09.91-02.02				
S315GT, S315GT-HD, S315HD, S315HDH (OM 446.930)		Diesel		14618	280	381	09.91-02.02				
S315GT, S315GT-HD, S315HD, S315HDH (OM 446.931)		Diesel		14618	280	381	09.91-02.02				
S317GT-HD, S317HD, S317HDH, S319GT-HD (OM 442.980)		Diesel		14618	320	435	09.91-02.02				
S328DT	01/94-	Diesel		14618	385	524	09.91-02.02	<div></div>			
400 Series 06.01-					Bus						
TopClass S 411 HD (OM 541.950)		Diesel		11946	260	354	10.01-	<div></div>	<div></div>	<div></div>	
ComfortClass S 415 GT (OM 457.941)		Diesel		11967	185	252	10.03-				
ComfortClass S 415 GT (OM 457.941)		Diesel		11967	220	299	10.03-				
ComfortClass S 415 GT (OM 457.952)		Diesel		11967	220	299	10.03-				
ComfortClass S 415 GT (OM 457.965)		Diesel		11967	220	299	10.03-				
ComfortClass S 415 GT (OM 457.941)		Diesel		11967	260	354	10.03-				
ComfortClass S 415 GT (OM 457.944)		Diesel		11967	260	354	10.03-				
ComfortClass S 415 GT (OM 457.952)		Diesel		11967	260	354	10.03-				
ComfortClass S 415 GT (OM 457.953)		Diesel		11967	260	354	10.03-				
ComfortClass S 415 GT (OM 457.961)		Diesel		11967	260	354	10.03-				
ComfortClass S 415 GT (OM 457.965)		Diesel		11967	260	354	10.03-				
ComfortClass S 417 GT-HD (OM 457.944)		Diesel		11967	260	354	10.03-				
ComfortClass S 417 GT-HD (OM 457.953)		Diesel		11967	260	354	10.03-				
ComfortClass S 417 GT-HD (OM 457.961)		Diesel		11967	260	354	10.03-				
TopClass S 415 HD (OM 457.944)		Diesel		11967	260	354	10.01-				
TopClass S 415 HD (OM 457.953)		Diesel		11967	260	354	10.01-				
TopClass S 415 HD (OM 457.961)		Diesel		11967	260	354	10.01-				
ComfortClass S 415 GT (OM 457.941)		Diesel		11967	300	408	10.03-				
ComfortClass S 415 GT (OM 457.944)		Diesel		11967	300	408	10.03-				
ComfortClass S 415 GT (OM 457.952)		Diesel		11967	300	408	10.03-				
ComfortClass S 415 GT (OM 457.965)		Diesel		11967	300	408	10.03-				
TopClass S 415 HDH (OM 457.944)		Diesel		11967	310	422	10.01-				
TopClass S 415 HDH (OM 457.953)		Diesel		11967	310	422	10.01-				
ComfortClass S 417 GT-HD (OM 457.944)		Diesel		11967	315	422	10.03-				
ComfortClass S 417 GT-HD (OM 457.953)		Diesel		11967	315	422	10.03-				
ComfortClass S 417 GT-HD (OM 457.961)		Diesel		11967	315	422	10.03-				
S 417 GT-HD	01/03-	Diesel		11995	260	354	06.01-				
S 417 GT-HD	01/03-	Diesel		11995	310	422	06.01-				
TopClass S 416 HDH (OM 542.948)		Diesel		15928	320	435	10.02-				
TopClass S 431 DT (OM 542.948)		Diesel		15928	320	435	10.02-				