


# LISTA DE APLICACIONES - BUYERS GUIDE

## 610335 E C



Weight: 48

O.E.M.	MAKE
81 50822 6015	MAN



## 610335 E C



290 mm.

**WVA**  
29131

**MAKE**  
MAN



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

**MAN**

**TGA 03.00-**

**Concrete Mixer**

35.310, 35.320 (D 2066 LF 04)	Diesel	10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 35)	Diesel	10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 39)	Diesel	10518	228	310	02.04-	■	■
37.310, 37.320 (D 2066 LF 04)	Diesel	10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 35)	Diesel	10518	228	310	12.04-	■	■
37.310, 37.320 (D 2066 LF 39)	Diesel	10518	228	310	12.04-	■	■
32.350, 32.360 (D 2066 LF 03)	Diesel	10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 13)	Diesel	10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 33)	Diesel	10518	257	350	02.04-	■	■
32.350, 32.360 (D 2066 LF 38)	Diesel	10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 03)	Diesel	10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 13)	Diesel	10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 33)	Diesel	10518	257	350	02.04-	■	■
35.350, 35.360 (D 2066 LF 38)	Diesel	10518	257	350	02.04-	■	■
37.350, 37.360 (D 2066 LF 03)	Diesel	10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 13)	Diesel	10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 33)	Diesel	10518	257	350	12.04-	■	■
37.350, 37.360 (D 2066 LF 38)	Diesel	10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 03)	Diesel	10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 07)	Diesel	10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 13)	Diesel	10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 33)	Diesel	10518	257	350	12.04-	■	■
41.350, 41.360 (D 2066 LF 38)	Diesel	10518	257	350	12.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

35.390, 35.400 (D 2066 LF 02)	Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 12)	Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 32)	Diesel		10518	287	390	02.04-	■	■
35.390, 35.400 (D 2066 LF 37)	Diesel		10518	287	390	02.04-	■	■
37.390, 37.400 (D 2066 LF 02)	Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 12)	Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 32)	Diesel		10518	287	390	12.04-	■	■
37.390, 37.400 (D 2066 LF 37)	Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 02)	Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 06)	Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 12)	Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 32)	Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 37)	Diesel		10518	287	390	12.04-	■	■
32.430, 32.440 (D 2066 LF 01)	Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 11)	Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 31)	Diesel		10518	316	430	05.04-	■	■
32.430, 32.440 (D 2066 LF 36)	Diesel		10518	316	430	05.04-	■	■
35.430, 35.440 (D 2066 LF 01)	Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 11)	Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 31)	Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 36)	Diesel		10518	316	430	02.04-	■	■
41.430, 41.440 (D 2066 LF 01)	Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 11)	Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 31)	Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 36)	Diesel		10518	316	430	12.04-	■	■
32.310 (D 2866 LF26)	Diesel		11967	228	310	01.02-	■	■
32.360 (D 2866 LF27)	Diesel		11967	265	360	01.02-	■	■
33.360 (D 2866 LF27)	Diesel		11967	265	360	01.01-	■	■
32.410 (D 2866 LF28)	Diesel		11967	301	410	01.02-	■	■
33.410 (D 2866 LF28)	Diesel		11967	301	410	10.00-	■	■
32.480 (D 2676 LF 01)	Diesel		12419	353	480	02.06-	■	■
32.480 (D 2676 LF 05)	Diesel		12419	353	480	02.06-	■	■
35.480 (D 2676 LF 01)	Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)	Diesel		12419	353	480	02.04-	■	■
37.480 (D 2676 LF 01)	Diesel		12419	353	480	02.06-	■	■
37.480 (D 2676 LF 05)	Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 01)	Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 03)	Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 05)	Diesel		12419	353	480	02.06-	■	■
32.460 (D 2876 LF 04)	Diesel		12816	338	460	01.02-	■	■
33.460 (D 2876 LF 04)	Diesel		12816	338	460	09.02-	■	■
32.480 (D 2876 LF 12)	Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)	Diesel		12816	353	480	09.02-	■	■
<b>TGA 03.00-</b>				<b>Dump Truck</b>				
18.310, 18.320 (D 2066 LF 04)	Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)	Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)	Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)	Diesel		10518	228	310	05.04-	■	■
35.310, 35.320 (D 2066 LF 04)	Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 35)	Diesel		10518	228	310	02.04-	■	■
35.310, 35.320 (D 2066 LF 39)	Diesel		10518	228	310	02.04-	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

40.390, 40.400 (D 2066 LF 06)		Diesel		10518	287	390	06.05-	■	■
41.390, 41.400 (D 2066 LF 02)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 06)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 12)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 32)		Diesel		10518	287	390	12.04-	■	■
41.390, 41.400 (D 2066 LF 37)		Diesel		10518	287	390	12.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
35.430, 35.440 (D 2066 LF 01)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 11)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 31)		Diesel		10518	316	430	02.04-	■	■
35.430, 35.440 (D 2066 LF 36)		Diesel		10518	316	430	02.04-	■	■
37.430, 37.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
37.430, 37.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
40.430 (D 2066 LF 01)		Diesel		10518	316	430	06.05-	■	■
41.430, 41.440 (D 2066 LF 01)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 11)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
41.430, 41.440 (D 2066 LF 36)		Diesel		10518	316	430	12.04-	■	■
18.310, 18.320 (D 2866 LF26)	01/01-	Diesel		11967	228	310	12.00-	■	■
18.310, 18.320 (D 2866 LF36)	01/01-	Diesel		11967	228	310	12.00-	■	■
32.310 (D 2866 LF26)		Diesel		11967	228	310	01.02-	■	■
35.310 (D 2866 LF26)		Diesel		11967	228	310	06.03-	■	■
18.360 (D 2866 LF27)	01/01-	Diesel		11967	265	360	12.00-	■	■
18.360 (D 2866 LF37)	01/01-	Diesel		11967	265	360	12.00-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	01.01-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	01.01-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
41.360 (D 2866 LF37)		Diesel		11967	265	360	09.03-	■	■
18.410, 18.420 (D 2866 LF28)	01/01-	Diesel		11967	301	410	12.00-	■	■
18.410, 18.420 (D 2866 LF32)	01/01-	Diesel		11967	301	410	12.00-	■	■
32.410 (D 2866 LF28)		Diesel		11967	301	410	01.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	09.02-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	10.03-	■	■
40.410 (D 2866 LF28)		Diesel		11967	301	410	04.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

40.410 (D 2866 LF32)		Diesel		11967	301	410	04.04-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	09.03-	■	■
41.410 (D 2866 LF32)		Diesel		11967	301	410	09.03-	■	■
33.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
35.480 (D 2676 LF 01)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	02.04-	■	■
37.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
37.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
18.460 (D 2876 LF 04)	01/01-	Diesel		12816	338	460	12.00-	■	■
18.460 (D 2876 LF 07)	01/01-	Diesel		12816	338	460	12.00-	■	■
32.460 (D 2876 LF 04)		Diesel		12816	338	460	01.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 07)		Diesel		12816	338	460	09.02-	■	■
35.460 (D 2876 LF 04)		Diesel		12816	338	460	10.03-	■	■
40.460 (D 2876 LF 07)		Diesel		12816	338	460	04.04-	■	■
41.460 (D 2876 LF 07)		Diesel		12816	338	460	09.03-	■	■
32.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	10.03-	■	■
40.480 (D 2876 LF 12)		Diesel		12816	353	480	04.04-	■	■
40.480 (D 2876 LF 25)		Diesel		12816	353	480	04.04-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	06.05-	■	■
41.480 (D 2876 LF 25)		Diesel		12816	353	480	06.05-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	07.03-	■	■
35.530 (D 2876 LF 13)		Diesel		12816	390	530	04.04-	■	■
<b>TGA 03.00-</b>					<b>Municipal Vehicle</b>				
26.310 (D 2866 LF26)	01/01-	Diesel		11967	228	310	12.00-	■	■
26.310 (D 2866 LF36)	01/01-	Diesel		11967	228	310	12.00-	■	■
26.360 (D 2866 LF27)	01/01-	Diesel		11967	265	360	12.00-	■	■
26.360 (D 2866 LF37)	01/01-	Diesel		11967	265	360	12.00-	■	■
26.410 (D 2866 LF28)	01/01-	Diesel		11967	301	410	12.00-	■	■
26.410 (D 2866 LF32)	01/01-	Diesel		11967	301	410	12.00-	■	■
26.460 (D 2876 LF 04)	01/01-	Diesel		12816	338	460	12.00-	■	■
26.460 (D 2876 LF 07)	01/01-	Diesel		12816	338	460	12.00-	■	■
<b>TGA 03.00-</b>					<b>Platform/Chassis</b>				
26.280 (D 0836 LF 41)		Diesel		6871	206	280	11.02-	■	■
26.330 (D 0836 LF 44)		Diesel		6871	240	326	11.02-	■	■
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 28)		Diesel		10518	228	310	05.04-	■	■

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

## LISTA DE APLICACIONES - BUYERS GUIDE

[illegible]

# LISTA DE APLICACIONES - BUYERS GUIDE

41.430, 41.440 (D 2066 LF 31)		Diesel		10518	316	430	12.04-	■	■
18.310, 18.320 (D 2866 LF26)	01/01-	Diesel		11967	228	310	04.00-	■	■
18.310, 18.320 (D 2866 LF36)	01/01-	Diesel		11967	228	310	04.00-	■	■
26.310 (D 2866 LF26)	01/01-	Diesel		11967	228	310	09.00-	■	■
26.310 (D 2866 LF36)	01/01-	Diesel		11967	228	310	09.00-	■	■
28.310 (D 2866 LF26)		Diesel		11967	228	310	09.02-	■	■
32.310 (D 2866 LF26)		Diesel		11967	228	310	01.02-	■	■
18.360 (D 2866 LF27)	01/01-	Diesel		11967	265	360	04.00-	■	■
18.360 (D 2866 LF37)	01/01-	Diesel		11967	265	360	04.00-	■	■
26.360 (D 2866 LF27)	01/01-	Diesel		11967	265	360	09.00-	■	■
26.360 (D 2866 LF37)	01/01-	Diesel		11967	265	360	09.00-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
32.360 (D 2866 LF27)		Diesel		11967	265	360	01.02-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
41.360 (D 2866 LF27)		Diesel		11967	265	360	01.03-	■	■
41.360 (D 2866 LF37)		Diesel		11967	265	360	01.03-	■	■
18.410, 18.420 (D 2866 LF28)	01/01-	Diesel		11967	301	410	04.00-	■	■
18.410, 18.420 (D 2866 LF32)	01/01-	Diesel		11967	301	410	04.00-	■	■
26.410 (D 2866 LF28)	01/01-	Diesel		11967	301	410	04.00-	■	■
26.410 (D 2866 LF32)	01/01-	Diesel		11967	301	410	04.00-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
32.410 (D 2866 LF28)		Diesel		11967	301	410	01.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	09.02-	■	■
35.410 (D 2866 LF28)		Diesel		11967	301	410	10.03-	■	■
41.410 (D 2866 LF28)		Diesel		11967	301	410	09.03-	■	■
41.410 (D 2866 LF32)		Diesel		11967	301	410	09.03-	■	■
32.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
32.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
33.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
35.480 (D 2676 LF 01)		Diesel		12419	353	480	02.04-	■	■
35.480 (D 2676 LF 05)		Diesel		12419	353	480	02.04-	■	■
37.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
37.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 01)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 02)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 03)		Diesel		12419	353	480	02.06-	■	■
41.480 (D 2676 LF 05)		Diesel		12419	353	480	02.06-	■	■
18.460 (D 2876 LF 04)	01/01-	Diesel		12816	338	460	04.00-	■	■
18.460 (D 2876 LF 07)	01/01-	Diesel		12816	338	460	04.00-	■	■
26.460 (D 2876 LF 04)	01/01-	Diesel		12816	338	460	04.00-	■	■
26.460 (D 2876 LF 07)	01/01-	Diesel		12816	338	460	04.00-	■	■
28.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■



# LISTA DE APLICACIONES - BUYERS GUIDE

32.460 (D 2876 LF 04)		Diesel		12816	338	460	01.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 07)		Diesel		12816	338	460	09.02-	■	■
35.460 (D 2876 LF 04)		Diesel		12816	338	460	10.03-	■	■
41.460 (D 2876 LF 07)		Diesel		12816	338	460	09.03-	■	■
28.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
32.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
35.480 (D 2876 LF 12)		Diesel		12816	353	480	10.03-	■	■
41.480 (D 2876 LF 12)		Diesel		12816	353	480	06.05-	■	■
41.480 (D 2876 LF 25)		Diesel		12816	353	480	06.05-	■	■
18.510 (D 2876 LF 05)	01/01-	Diesel		12816	375	510	09.00-	■	■
26.510 (D 2876 LF 05)	01/01-	Diesel		12816	375	510	12.00-	■	■
28.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
33.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
28.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
35.530 (D 2876 LF 13)		Diesel		12816	390	530	04.04-	■	■
<b>TGA 03.00-</b>					<b>Truck Tractor</b>				
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 28)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 04)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 14)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 35)		Diesel		10518	228	310	05.04-	■	■
18.310, 18.320 (D 2066 LF 39)		Diesel		10518	228	310	05.04-	■	■
18.350 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
18.350 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
18.350, 18.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 03)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 07)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 13)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 33)		Diesel		10518	257	350	05.04-	■	■
33.350, 33.360 (D 2066 LF 38)		Diesel		10518	257	350	05.04-	■	■
18.390 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
18.390, 18.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 02)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 06)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 12)		Diesel		10518	287	390	05.04-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

33.390, 33.400 (D 2066 LF 32)		Diesel		10518	287	390	05.04-	■	■
33.390, 33.400 (D 2066 LF 37)		Diesel		10518	287	390	05.04-	■	■
40.390, 40.400 (D 2066 LF 02)		Diesel		10518	287	390	06.05-	■	■
40.390, 40.400 (D 2066 LF 06)		Diesel		10518	287	390	06.05-	■	■
18.430 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
18.430, 18.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 01)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 11)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 31)		Diesel		10518	316	430	05.04-	■	■
33.430, 33.440 (D 2066 LF 36)		Diesel		10518	316	430	05.04-	■	■
40.430 (D 2066 LF 01)		Diesel		10518	316	430	06.05-	■	■
18.310 (D 2866 LF26)	01/01-	Diesel		11967	228	310	04.00-	■	■
18.310 (D 2866 LF36)	01/01-	Diesel		11967	228	310	04.00-	■	■
26.310 (D 2866 LF26)	01/01-	Diesel		11967	228	310	12.00-	■	■
26.310 (D 2866 LF36)	01/01-	Diesel		11967	228	310	12.00-	■	■
28.310 (D 2866 LF26)		Diesel		11967	228	310	09.02-	■	■
18.360 (D 2866 LF27)	01/01-	Diesel		11967	265	360	04.00-	■	■
18.360 (D 2866 LF37)	01/01-	Diesel		11967	265	360	04.00-	■	■
26.360 (D 2866 LF27)	01/01-	Diesel		11967	265	360	12.00-	■	■
26.360 (D 2866 LF37)	01/01-	Diesel		11967	265	360	12.00-	■	■
28.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	10.00-	■	■
33.360 (D 2866 LF27)		Diesel		11967	265	360	09.02-	■	■
33.360 (D 2866 LF37)		Diesel		11967	265	360	09.02-	■	■
18.410 (D 2866 LF28)	01/01-	Diesel		11967	301	410	04.00-	■	■
18.410 (D 2866 LF32)	01/01-	Diesel		11967	301	410	04.00-	■	■
26.410 (D 2866 LF28)	01/01-	Diesel		11967	301	410	12.00-	■	■
26.410 (D 2866 LF32)	01/01-	Diesel		11967	301	410	12.00-	■	■
28.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	10.00-	■	■
33.410 (D 2866 LF28)		Diesel		11967	301	410	09.02-	■	■
33.410 (D 2866 LF32)		Diesel		11967	301	410	09.02-	■	■
40.410 (D 2866 LF28)		Diesel		11967	301	410	04.04-	■	■
40.410 (D 2866 LF32)		Diesel		11967	301	410	04.04-	■	■
33.480 (D 2676 LF 01)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 02)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 03)		Diesel		12419	353	480	01.06-	■	■
33.480 (D 2676 LF 05)		Diesel		12419	353	480	01.06-	■	■
18.460 (D 2876 LF 04)	01/01-	Diesel		12816	338	460	04.00-	■	■
18.460 (D 2876 LF 07)	01/01-	Diesel		12816	338	460	04.00-	■	■
26.460 (D 2876 LF 04)	01/01-	Diesel		12816	338	460	12.00-	■	■
26.460 (D 2876 LF 07)	01/01-	Diesel		12816	338	460	12.00-	■	■
28.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 04)		Diesel		12816	338	460	09.02-	■	■
33.460 (D 2876 LF 07)		Diesel		12816	338	460	09.02-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

40.460 (D 2876 LF 07)		Diesel		12816	338	460	04.04-	■	■
28.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 12)		Diesel		12816	353	480	09.02-	■	■
33.480 (D 2876 LF 25)		Diesel		12816	353	480	09.02-	■	■
40.480 (D 2876 LF 12)		Diesel		12816	353	480	04.04-	■	■
40.480 (D 2876 LF 25)		Diesel		12816	353	480	04.04-	■	■
18.510 (D 2876 LF 05)	01/01-	Diesel		12816	375	510	04.00-	■	■
26.510 (D 2876 LF 05)	01/01-	Diesel		12816	375	510	12.00-	■	■
28.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
33.510 (D 2876 LF 05)		Diesel		12816	375	510	09.02-	■	■
28.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
33.530 (D 2876 LF 13)		Diesel		12816	390	530	07.03-	■	■
41.530 (D 2876 LF 13)		Diesel		12816	390	530	09.02-	■	■
41.660 (D 2840 LF25)		Diesel		18273	485	660	09.02-	■	■
<b>TGM 05.05-</b>					<b>Platform/Chassis</b>				
18.240 (D 0836 LFL 40)		Diesel		6871	176	240	10.05-03.22	■	■
18.240 (D 0836 LFL 53)		Diesel		6871	176	240	10.05-03.22	■	■
18.280 (D 0836 LFL 41)		Diesel		6871	206	280	10.05-03.22	■	■
18.280 (D 0836 LFL 54)		Diesel		6871	206	280	10.05-03.22	■	■
18.330 (D 0836 LFL 44)		Diesel		6871	240	326	10.05-03.22	■	■
18.330 (D 0836 LFL 55)		Diesel		6871	240	326	10.05-03.22	■	■