


LISTA DE APLICACIONES - BUYERS GUIDE

610453 E C



Weight: 36

O.E.M.	MAKE
435 542 00 17	MERCEDES-BENZ



610453 E C



310 mm.

WVA
20392
20554
29581
MAKE
MERCEDES-BENZ



Trac.	CC	Kw	CV		
					Front / Rear

MERCEDES-BENZ

MB II (W661) 11.99-05.05						Van (LCVs-N1 Segment)			
100 /426	01/74-	Diesel	RWD			55	75	11.99-	■
MB1000 01.76-						Van (LCVs-N1 Segment)			
1000	01/76-	Diesel	RWD					01.76-	■ ■
MB120 01.73-						Van (LCVs-N1 Segment)			
125/416	01/73-	Diesel	RWD			55	75	01.73-	■
MB65 01.73-						Van (LCVs-N1 Segment)			
65	01/74-	Diesel	RWD			53	72	01.73-	■ ■
MB70 01.73-						Van (LCVs-N1 Segment)			
70/406	01/74-	Diesel	RWD			53	72	01.73-	■
MB700 01.73-						Van (LCVs-N1 Segment)			
700 Turbo	01/76-	Diesel	RWD			48	65	01.73-	■ ■
MB80 01.73-						Van (LCVs-N1 Segment)			
80 /406	01/74-	Diesel	RWD			53	72	01.73-	■
84/406	01/74-	Diesel	RWD			53	72	01.73-	■
MB90 01.73-						Van (LCVs-N1 Segment)			
99/406	01/73-	Diesel	RWD			55	75	01.73-	■
MB900 01.73-						Van (LCVs-N1 Segment)			
900/406	01/78-	Diesel	RWD					01.73-	■ ■
MB-TRAC 07.73-12.91						Tractor			
65/70, 700, 800 (OM 314.956)		Diesel			3782	48	65	07.73-12.91	■ ■

LISTA DE APLICACIONES - BUYERS GUIDE

65/70, 700, 800 (OM 314.957)		Diesel		3782	48	65	07.73-12.91	■	■
900 (OM 314.970)		Diesel		3782	63	85	09.81-12.91	■	■
700, 800 (OM 364.908)		Diesel		3972	50	68	02.87-12.91	■	■
700, 800 (OM 364.909)		Diesel		3972	50	68	02.87-12.91	■	■
900 (OM 364.951)		Diesel		3972	66	90	03.87-12.91	■	■
1000 (OM 353.985)		Diesel		5675	70	95	12.82-12.87	■	■
UNIMOG 01.55-					Cab with engine				
U 60T, U 600T (OM 616.911)		Diesel		2404	38	52	01.77-05.88	■	■
U 60T, U 600T (OM 616.915)		Diesel		2404	38	52	01.77-05.88	■	■
U 60T, U 600T (OM 616.931)		Diesel		2404	38	52	01.77-05.88	■	■
U 60T, U 600T (OM 616.932)		Diesel		2404	38	52	01.77-05.88	■	■
U 65 T, U 70 T (OM 352.919)	01/76-	Diesel		5675	48	65	01.62-01.88	■	■
U 80 T, U 90 T (OM 352.903)	01/76-	Diesel		5675	59	80	05.66-	■	■
U 80 T, U 90 T (OM 352.984)	01/76-	Diesel		5675	59	80	05.66-	■	■
U 100, U 110T, U 1100T (OM 353.901)	-12/92	Diesel		5675	74	100	01.77-	■	■
U 100, U 110T, U 1100T (OM 353.940)	-12/92	Diesel		5675	74	100	01.77-	■	■
U 100, U 110T, U 1100T (OM 353.980)	-12/92	Diesel		5675	74	100	01.77-	■	■
U 1000T (OM 353.940)		Diesel		5675	81	110	01.77-12.82	■	■
U 1000T (OM 353.980)		Diesel		5675	81	110	01.77-12.82	■	■
U 1200T (OM 356.954)	01/92-	Diesel		5958	92	125	01.88-	■	■
U 1200T (OM 366.949)	01/92-	Diesel		5958	92	125	01.88-	■	■
UNIMOG 01.55-									
U 1000	01/73-	Diesel					01.55-	■	■
U 1150	01/73-	Diesel					01.55-	■	■
U 1200	01/73-	Diesel					01.55-	■	■
U 1250	01/73-	Diesel					01.55-	■	■
U 1350	01/73-	Diesel					01.55-	■	■
U 1400	01/73-	Diesel					01.55-	■	■
U 1450	01/73-	Diesel					01.55-	■	■
U 1550	01/73-	Diesel					01.55-	■	■
U 1600	01/73-	Diesel					01.55-	■	■
U 1650	01/73-	Diesel					01.55-	■	■
U 900	01/73-	Diesel					01.55-	■	■
U 125	01/76-	Diesel			92	125	01.55-	■	■
UNIMOG 01.55-					Platform/Chassis				
U 1650	01/92-	Diesel					01.55-	■	■
U 100	01/76-	Diesel			74	100	01.55-	■	■
U 110	01/76-	Diesel			81	110	01.55-	■	■
U 45 (OM 615.911)		Diesel		2197	33	45	01.66-04.71	■	■
U S 404 (OM 615.911)	01/73-	Diesel		2197	33	45	01.68-	■	■
U 600 (OM 616.942)	-12/92	Diesel		2399	38	52	05.88-	■	■
U 600 (OM 616.943)	-12/92	Diesel		2399	38	52	05.88-	■	■
U 600 (OM 616.942)	-12/92	Diesel		2399	38	52	05.88-		■
U 600 (OM 616.943)	-12/92	Diesel		2399	38	52	05.88-		■
U 650,U 650L (OM 616.942)	-12/92	Diesel		2399	38	52	05.88-	■	■
U 650,U 650L (OM 616.943)	-12/92	Diesel		2399	38	52	05.88-	■	■
U 650,U 650L (OM 616.942)	-12/92	Diesel		2399	38	52	05.88-	■	■
U 650,U 650L (OM 616.943)	-12/92	Diesel		2399	38	52	05.88-	■	■
U 52, U 60, U 600,U 600L (OM 616.911)		Diesel		2404	38	52	01.77-05.88	■	■
U 52, U 60, U 600,U 600L (OM 616.915)		Diesel		2404	38	52	01.77-05.88	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

U 52, U 60, U 600,U 600L (OM 616.931)		Diesel		2404	38	52	01.77-05.88	■	■
U 52, U 60, U 600,U 600L (OM 616.932)		Diesel		2404	38	52	01.77-05.88	■	■
U 54 (OM 314.916)		Diesel		3780	40	54	04.66-03.72	■	■
U 72 ,U 80 (OM 314.917)		Diesel		3780	48	65	01.69-01.77	■	■
U 800 (OM 314.917)		Diesel		3780	53	72	01.77-03.90	■	■
U 800 (OM 314.917)		Diesel		3780	53	72	05.88-03.90	■	■
U 800L (OM 314.917)		Diesel		3780	53	72	01.77-03.90	■	■
U 66, U 72 (OM 314.917)	01/76-	Diesel		3780	55	75	03.69-01.88	■	■
U 300 (OM 904.927)		Diesel		4249	110	150	03.00-	■	■
U 3000 (OM 900.920)		Diesel		4249	110	150	09.02-	■	■
U 3000 (OM 904.953)		Diesel		4249	110	150	09.02-	■	■
U 300 (OM 904.928)		Diesel		4249	130	177	03.00-	■	■
U 65, U 70 (OM 312.954)	01/76-	Diesel		4580	48	65	01.62-01.88	■	■
U 65, U 70 (OM 352.919)	01/76-	Diesel		5675	48	65	01.62-01.88	■	■
U 80, U 84, U 90 (OM 352.903)	01/76-	Diesel		5675	62	84	05.69-01.88	■	■
U 80, U 84, U 90 (OM 353.902)	01/76-	Diesel		5675	62	84	05.69-01.88	■	■
U 900 (OM 353.902)		Diesel		5675	62	84	01.77-	■	
U 900 (OM 353.902)	-12/92	Diesel		5675	62	84	05.88-	■	■
U 1000 (OM 353.962)		Diesel		5675	70	95	01.77-05.88	■	■
U 100, U 110, U 1100L (OM 353.901)		Diesel		5675	74	100	01.77-05.88		■
U 100, U 110, U 1100L (OM 353.940)		Diesel		5675	74	100	01.77-05.88		■
U 100, U 110, U 1100L (OM 353.980)		Diesel		5675	74	100	01.77-05.88		■
U 1150,U 1150L (OM 353.940)		Diesel		5675	81	110	05.88-	■	
U 1150,U 1150L (OM 353.940)		Diesel		5675	81	110	05.88-	■	
U 900 (OM 353.940)		Diesel		5675	81	110	01.77-01.88	■	■
U 1150L (OM 353.907)		Diesel		5675	92	125	05.88-	■	■
U 1200 (OM 353.973)		Diesel		5675	92	125	02.82-05.88	■	■
U 1200 (OM 353.995)		Diesel		5675	92	125	02.82-05.88	■	■
U 125, U 1100L (OM 353.907)		Diesel		5675	92	125	01.77-01.88	■	■
U 1250 (OM 353.973)		Diesel		5675	92	125	12.84-05.88		■
U 1250 (OM 353.995)		Diesel		5675	92	125	12.84-05.88		■
U 1300,U 1300L (OM 353.961)		Diesel		5675	92	125	01.77-05.88	■	■
U 1300,U 1300L (OM 353.973)		Diesel		5675	92	125	01.77-05.88	■	■
U 1000 (OM 356.914)		Diesel		5958	75	102	01.88-	■	
U 1000 (OM 366.915)		Diesel		5958	75	102	01.88-	■	
U 900 (OM 356.912)		Diesel		5958	81	110	11.88-	■	■
U 900 (OM 366.939)		Diesel		5958	81	110	11.88-	■	■
U 1200 (OM 356.950)	-12/88	Diesel		5958	92	125	01.88-	■	■
U 1200 (OM 356.954)	-12/88	Diesel		5958	92	125	01.88-	■	■
U 1200 (OM 366.949)	-12/88	Diesel		5958	92	125	01.88-	■	■
U 1250,U 1250L (OM 356.950)	01/92-	Diesel		5958	92	125	01.88-	■	■
U 1250,U 1250L (OM 356.954)	01/92-	Diesel		5958	92	125	01.88-	■	■
U 1250,U 1250L (OM 366.949)	01/92-	Diesel		5958	92	125	01.88-	■	■
U 1350L (OM 366.955)	01/92-	Diesel		5958	100	136	05.88-	■	■
U 1400 (OM 357.912)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.947)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.948)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.955)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1400 (OM 366.956)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 357.912)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.947)	01/92-	Diesel		5958	100	136	01.88-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

U 1450,U 1450L (OM 366.948)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.955)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1450,U 1450L (OM 366.956)	01/92-	Diesel		5958	100	136	01.88-	■	■
U 1550L (OM 356.955)		Diesel		5958	114	155	01.92-	■	■
U 1550L (OM 356.956)		Diesel		5958	114	155	01.92-	■	■
U 1550L (OM 366.963)		Diesel		5958	125	170	01.92-	■	■
U 1600 (OM 356.980)	01/92-	Diesel		5958	177	241	05.91-	■	■
U 1600 (OM 357.945)	01/92-	Diesel		5958	177	241	05.91-	■	■
U 1650,U 1650L (OM 356.980)	01/92-	Diesel		5958	177	241	05.91-	■	■
U 1650,U 1650L (OM 357.945)	01/92-	Diesel		5958	177	241	05.91-	■	■
UNIMOG 01.55-					Platform/Chassis				
U S 404 (M 180.952)	01/73-	Gasolina		2195	60	82	01.55-12.76	■	■
U S 404 (M 180.953)	01/73-	Gasolina		2195	60	82	01.55-12.76	■	■