

LISTA DE APLICACIONES - BUYERS GUIDE

610720 E C



Weight:

O.E.M.	MAKE
34356792572	MINI
6792572	MINI

610720 E C



815 mm.

MAKE
MINI



Trac.	CC	Kw	CV	Front / Rear
-------	----	----	----	--------------

MINI

MINI (R57) 10.07-06.15					Convertible (Supermini car-B Segment)			
One (N16 B16 A)	Gasolina	FWD	1598	72	98	09.09-06.15	■	
Cooper (N16 B16 A)	Gasolina	FWD	1598	85	115	11.11-04.15	■	
Cooper (N16 B16 A)	Gasolina	FWD	1598	90	122	03.10-06.15	■	
Cooper (N16 B16 A)	Gasolina	FWD	1598	90	122	11.11-04.15	■	
Cooper S (N14 B16 A)	Gasolina	FWD	1598	120	163	10.07-06.15	■	
Cooper S (N18 B16 A)	Gasolina	FWD	1598	120	163	10.07-06.15	■	
Cooper S (N18 B16 A)	Gasolina	FWD	1598	120	163	11.11-04.15	■	
Cooper S (N18 B16 A)	Gasolina	FWD	1598	135	184	02.10-06.15	■	
Cooper S (N18 B16 A)	Gasolina	FWD	1598	135	184	11.11-04.15	■	
Cooper S (N18 B16 A)	Gasolina	FWD	1598	147	200	02.10-06.15	■	
Cooper S JCW (N18 B16 A)	Gasolina	FWD	1598	147	200	11.11-04.15	■	
John Cooper Works (N14 B16 C)	Gasolina	FWD	1598	155	211	08.08-05.15	■	
John Cooper Works (N18 B16 C)	Gasolina	FWD	1598	155	211	08.08-05.15	■	
John Cooper Works (N14 B16 C)	Gasolina	FWD	1598	155	211	11.11-04.15	■	
John Cooper Works (N18 B16 C)	Gasolina	FWD	1598	155	211	11.11-04.15	■	
Cooper D (N47 C16 A)	Diesel	FWD	1598	82	112	05.09-11.13	■	
Cooper D (N47 C20 A)	Diesel	FWD	1995	82	112	02.11-05.15	■	
Cooper SD (N47 C20 A)	Diesel	FWD	1995	100	136	01.11-05.15	■	
Cooper SD (N47 C20 A)	Diesel	FWD	1995	100	136	11.11-04.15	■	
Cooper SD (N47 C20 A)	Diesel	FWD	1995	105	143	06.09-05.15	■	
Cooper SD (N47 C20 A)	Diesel	FWD	1995	105	143	11.11-04.15	■	

LISTA DE APLICACIONES - BUYERS GUIDE

MINI (R58) 12.10-05.15					Coupe (Supermini car-B Segment)			
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	12.10-04.15	■
1.6 Cooper (N16 B16 A)		Gasolina	FWD	1598	88	120	10.14-05.15	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	12.10-04.15	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	12.10-04.15	■
Cooper S (N14 B16 A)		Gasolina	FWD	1598	135	184	12.10-04.15	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	135	184	12.10-04.15	■
Cooper S JCW (N18 B16 A)		Gasolina	FWD	1598	147	200	12.10-04.15	■
John Cooper Works (N14 B16 C)		Gasolina	FWD	1598	155	211	12.10-05.15	■
John Cooper Works (N18 B16 C)		Gasolina	FWD	1598	155	211	12.10-05.15	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	12.10-05.15	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	12.10-05.15	■
MINI (R56) 11.05-01.14					Hatchback (Supermini car-B Segment)			
One (N16 B16 A)		Gasolina	FWD	1598	55	75	03.10-11.13	■
One (N16 B16 A)		Gasolina	FWD	1598	72	98	03.10-11.13	■
Cooper (N12 B16 A)		Gasolina	FWD	1598	85	115	09.06-11.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	09.06-11.13	■
Cooper (N12 B16 A)		Gasolina	FWD	1598	88	120	10.06-02.12	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	88	120	10.06-02.12	■
Cooper (N12 B16 A)		Gasolina	FWD	1598	90	122	09.09-11.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	09.09-11.13	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	03.10-11.13	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	135	184	03.10-11.13	■
Cooper S John Cooper Works (N18 B16 A)		Gasolina	FWD	1598	147	200	01.12-11.13	■
John Cooper Works (N14 B16 C)		Gasolina	FWD	1598	155	211	11.07-11.13	■
John Cooper Works (N18 B16 C)		Gasolina	FWD	1598	155	211	11.07-11.13	■
Cooper D (9HZ (DV6TED4))		Diesel	FWD	1560	80	109	11.06-09.10	■
Cooper D (W16 D16 (9HZ))		Diesel	FWD	1560	80	109	11.06-09.10	■
One D (N47 C16 A)		Diesel	FWD	1598	66	90	07.10-11.13	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	06.10-11.13	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	02.11-11.13	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	02.11-11.13	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	105	143	02.11-11.13	■
MINI CLUBMAN (R55) 10.06-12.15					Estate (Supermini car-B Segment)			
One (N16 B16 A)		Gasolina	FWD	1598	72	98	03.10-06.14	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	85	115	03.10-06.14	■
Cooper (N12 B16 A)		Gasolina	FWD	1598	88	120	10.07-12.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	88	120	10.07-12.13	■
Cooper (N16 B16 A)		Gasolina	FWD	1598	90	122	03.10-06.14	■
Cooper S (N14 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.14	■
Cooper S (N14 B16 AB)		Gasolina	FWD	1598	120	163	10.07-06.14	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	120	163	10.07-06.14	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	135	184	03.10-06.14	■
Cooper S (N18 B16 A)		Gasolina	FWD	1598	147	200	03.10-06.14	■
John Cooper Works (N14 B16 C)		Gasolina	FWD	1598	155	211	11.07-06.14	■
John Cooper Works (N18 B16 C)		Gasolina	FWD	1598	155	211	11.07-06.14	■
One D (N47 C16 A)		Diesel	FWD	1598	66	90	03.10-06.14	■
Cooper D (N47 C16 A)		Diesel	FWD	1598	82	112	03.10-06.14	■
Cooper D (N47 C20 A)		Diesel	FWD	1995	82	112	02.11-06.14	■
Cooper SD (N47 C20 A)		Diesel	FWD	1995	100	136	02.11-06.14	■

LISTA DE APLICACIONES - BUYERS GUIDE

Cooper SD (N47 C20 A)	Diesel	FWD	1995	105	143	02.11-06.14	■
MINI CLUBVAN (R55) 12.12-06.14				Estate Van (Supermini car-B Segment)			
One (N16 B16 A)	Gasolina	FWD	1598	72	98	12.12-06.14	■
Cooper (N16 B16 A)	Gasolina	FWD	1598	90	122	12.12-06.14	■
Cooper D (N47 C16 A)	Diesel	FWD	1598	82	112	12.12-06.14	■
Cooper D (N47 C20 A)	Diesel	FWD	1995	82	112	12.12-06.14	■