

LISTA DE APLICACIONES - BUYERS GUIDE

78BD3578-1



Weight:

O.E.M.	MAKE
34106880076	BMW
34108858706	BMW
34116860912	BMW
43512WAA02	TOYOTA
6860912	BMW
6880076	BMW

78BD3578-1



MAKE
ALPINA
BMW
TOYOTA



Trac.	CC	Kw	CV		
					Front / Rear

ALPINA

XD3 (G01) 07.18-

SUV (Luxury Crossover SUV-J Segment)

BITURBO A las 4 ruedas	Diesel	4WD	2993	290	394	04.22-	■
------------------------	--------	-----	------	-----	-----	--------	---

BMW

2 Serie II (G42, G87) 08.21-

Coupe (Compact car-C Segment)

218i	M technique	Gasolina	RWD	1998	115	156	07.22-	■
220 i	M technique	Gasolina	RWD	1998	135	184	08.21-	■
230 i	M technique	Gasolina	RWD	1998	180	245	04.22-	■
230 i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	08.21-	■
230 i xDrive (B48 B20 B)		Gasolina	4WD	1998	190	258	08.21-	■
M240 i	not M sport pak., Eq.V_ Motorsport	Gasolina	RWD	2998	275	374	07.22-	■
M240 i xDrive	not M technique	Gasolina	4WD	2998	275	374	08.21-	■
M240 i (B58 B30 B)	not M sport pak.	Gasolina	RWD	2998	285	387	07.22-	■
M240 i xDrive (B58 B30 B)	not M sport pak.	Gasolina	4WD	2998	285	387	08.22-	■
220 d Mild-Hybrid	M technique	Diesel/el éc.	RWD	1995	140	190	08.21-	■

3 Serie VII (G20, G80, G28) 11.18-

Saloon (Compact executive car-D Segment)

320 i 1.6 (B48 B16 A)	M technique	Gasolina	RWD	1597	125	170	03.19-	■
318i (B48 B20 A)	M technique	Gasolina	RWD	1998	115	156	03.20-	■
320i (B48 B20 A)	M technique	Gasolina	RWD	1998	135	184	03.19-	■
320i (B48 B20 B)	M technique	Gasolina	RWD	1998	135	184	03.19-	■
320 i xDrive (B48 B20 A)	M technique	Gasolina	4WD	1998	135	184	07.19-	■
330i	M technique	Gasolina	RWD	1998	180	245	07.22-	■
330 i xDrive	M technique	Gasolina	4WD	1998	180	245	07.22-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330i (B46 B20 B)	M technique	Gasolina	RWD	1998	190	258	11.18-	■
330i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	11.18-	■
330 i xDrive (B46 B20 B)	M technique	Gasolina	4WD	1998	190	258	11.18-	■
330 i xDrive (B48 B20 B)	M technique	Gasolina	4WD	1998	190	258	11.18-	■
330 Li (B48 B20 B)	M technique	Gasolina	RWD	1998	190	255	02.21-	■
M 340 i xDrive (B58 B30 B)	not M technique	Gasolina	4WD	2998	275	374	07.19-	■
M 340 i	not M sport pak.	Gasolina	RWD	2998	285	387	03.19-	■
M 340 i xDrive (B58 B30 B)	not M technique	Gasolina	4WD	2998	285	387	03.19-	■
2.0 320i ActiveFlex (B42T20A)	M technique	Gasol./Et anol	RWD	1998	135	184	01.21-	■
320 e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	150	204	07.20-	■
330 e Plug-in-Hybrid (B46 B20 B)	M technique	Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)	M technique	Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-	■
M 340 i Mild-Hybrid xDrive (B58 B30 B)	not M technique	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 340 i Mild-Hybrid xDrive (JA1)	not M technique	Gasol./el éc.	4WD	2998	275	374	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	90	122	08.20-	■
316 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	90	122	08.20-	■
318 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	100	136	04.20-	■
318 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	100	136	04.20-	■
318 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	110	150	04.20-	■
318 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	110	150	04.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	03.20-	■
330 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	210	286	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	2993	210	286	11.20-	■
M340 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	04.20-	■
M340 d Mild-Hybrid xDrive (JA1)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	04.20-	■
316 d (B47 D20 B)	M technique	Diesel	RWD	1995	85	116	11.20-	■
316 d (B47 D20 B)	M technique	Diesel	RWD	1995	90	122	03.20-	■
318 d (B47 D20 B)	M technique	Diesel	RWD	1995	100	136	03.19-03.20	■
318 d (B47 D20 B)	M technique	Diesel	RWD	1995	110	150	03.19-03.20	■
320 d (B47 D20 B)	M technique	Diesel	RWD	1995	120	163	11.18-02.20	■
320 d xDrive (B47 D20 B)	M technique	Diesel	4WD	1995	120	163	11.18-02.20	■
320 d (B47 D20 B)	M technique	Diesel	RWD	1995	140	190	11.18-	■
320 d xDrive (B47 D20 B)	M technique	Diesel	4WD	1995	140	190	11.18-02.20	■
330 d (B57 D30 A)	M technique	Diesel	RWD	2993	195	265	03.19-	■
330 d xDrive (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring (G21, G81) 07.19-					Estate (Compact executive car-D Segment)			
318i (B48 B20 A)	M technique	Gasolina	RWD	1998	115	156	03.20-	■
320i (B46 B20 B)	M technique	Gasolina	RWD	1998	135	184	11.19-	■
320i (B48 B20 A)	M technique	Gasolina	RWD	1998	135	184	11.19-	■
330i	M technique, not M sport pak.	Gasolina	RWD	1998	180	245	07.19-	■
330 i xDrive	M technique, not M sport pak.	Gasolina	4WD	1998	180	245	07.19-	■
330i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	07.19-	■
330 i xDrive (B48 B20 B)	M technique	Gasolina	4WD	1998	190	258	07.19-	■
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	11.19-	■
M 340 i xDrive (B58 B30 B)	not M sport pak.	Gasolina	4WD	2998	285	387	11.19-	■
320 e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid xDrive	M technique	Gasol./el éc.	4WD	1998	150	204	03.21-	■
330 e Plug-in-Hybrid (B48 B20 A)	M sport pak.	Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid (GC1)	M sport pak.	Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-	■
M 340 i Mild-Hybrid xDrive (B58 B30 B)	not M sport pak.	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 340 i Mild-Hybrid xDrive (JA1)	not M sport pak.	Gasol./el éc.	4WD	2998	275	374	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	90	122	07.20-	■
316 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	90	122	07.20-	■
318 d Mild-Hybrid (B47 D20 B)	not M sport pak.	Diesel/el éc.	RWD	1995	100	136	08.20-	■
318 d Mild-Hybrid (JA1)	not M sport pak.	Diesel/el éc.	RWD	1995	100	136	08.20-	■
318 d Mild-Hybrid (B47 D20 B)	not M sport pak.	Diesel/el éc.	RWD	1995	110	150	08.20-	■
318 d Mild-Hybrid (JA1)	not M sport pak.	Diesel/el éc.	RWD	1995	110	150	08.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	120	163	03.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

320 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	03.20-	■
330 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	2993	210	286	11.20-	■
M340 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	04.20-	■
M340 d Mild-Hybrid xDrive (JA1)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	04.20-	■
316 d (B47 D20 B)	M technique	Diesel	RWD	1995	85	116	11.20-	■
316 d (B47 D20 B)	M technique	Diesel	RWD	1995	90	122	11.20-	■
318 d (B47 D20 B)	Blue Caliper, M technique	Diesel	RWD	1995	100	136	11.19-07.20	■
318 d (B47 D20 B)	Blue Caliper, M technique	Diesel	RWD	1995	110	150	11.19-07.20	■
320 d (B47 D20 B)	M technique	Diesel	RWD	1995	120	163	07.19-02.20	■
320 d xDrive (B47 D20 B)	M technique	Diesel	4WD	1995	120	163	07.19-02.20	■
320 d (B47 D20 B)	M technique	Diesel	RWD	1995	140	190	07.19-02.20	■
320 d xDrive (B47 D20 B)	M technique	Diesel	4WD	1995	140	190	07.19-02.20	■
330 d (B57 D30 A)	M technique	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring Van (G21) 07.19-					Estate Van (Compact executive car-D Segment)			
320i (B46 B20 B)	M technique	Gasolina	RWD	1998	135	184	11.19-	■
320i (B48 B20 A)	M technique	Gasolina	RWD	1998	135	184	11.19-	■
330i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	07.19-	■
M 340 i xDrive (B58 B30 B)	not M sport pak.	Gasolina	4WD	2998	275	374	11.19-	■
320 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	03.20-	■
318 d		Diesel	RWD	1995	110	150	11.19-06.22	■
320 d (B47 D20 B)	M technique	Diesel	RWD	1995	140	190	07.19-02.20	■
320 d xDrive (B47 D20 B)	M technique	Diesel	4WD	1995	140	190	07.19-02.20	■
330 d (B57 D30 A)	M technique	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	11.19-	■
4 Serie II (G23, G83) 11.20-					Convertible (Compact executive car-D Segment)			
420 i (B48 B20 A)	M technique	Gasolina	RWD	1998	135	184	11.20-	■
430 i	M technique	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	M technique	Gasolina	4WD	1998	180	245	07.21-	■
430 i (B46 B20 B)	M technique	Gasolina	RWD	1998	190	258	11.20-	■
430 i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

430 i xDrive (B46 B20 B)	M technique	Gasolina	4WD	1998	190	258	07.21-	■
M440 i Mild-Hybrid	not M sport pak.	Gasol./el éc.	RWD	2998	275	374	07.21-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	not M sport pak.	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid xDrive (JA1)	not M sport pak.	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 440 i Mild Hybrid (B58 B30 B,JA1)	not M sport pak.	Gasol./el éc.	RWD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	not M sport pak.	Gasol./el éc.	4WD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (JA1)	not M sport pak.	Gasol./el éc.	4WD	2998	285	387	11.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	120	163	11.20-	■
420 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	120	163	11.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	140	190	11.20-	■
420 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	140	190	11.20-	■
430 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	RWD	2993	210	286	07.21-	■
430 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	2993	210	286	07.21-	■
M440 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	11.21-	■
M440 d Mild-Hybrid xDrive (JA1)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	11.21-	■
4 Serie II (G22, G82) 07.20-					Coupe (Compact executive car-D Segment)			
420 i 1.6 (B48 B16 A)	M technique	Gasolina	RWD	1597	125	170	11.20-	■
420 i (B46 B20 B)	M technique	Gasolina	RWD	1998	135	184	07.20-	■
420 i (B48 B20 A)	M technique	Gasolina	RWD	1998	135	184	07.20-	■
420 i xDrive	M technique	Gasolina	4WD	1998	135	184	07.21-	■
430 i	M sport pak.	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	M sport pak.	Gasolina	4WD	1998	180	245	07.21-	■
430 i (B46 B20 B)	M technique	Gasolina	RWD	1998	190	258	07.20-	■
430 i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	07.20-	■
430 i xDrive (B46 B20 B)	M technique	Gasolina	4WD	1998	190	258	07.21-	■
M440 i Mild-Hybrid	not sports package	Gasol./el éc.	RWD	2998	275	374	07.21-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	not sports package	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid (B58 B30 B, JA1)	not M technique	Gasol./el éc.	RWD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	not M technique	Gasol./el éc.	4WD	2998	285	387	07.20-	■
M440 i Mild-Hybrid xDrive (JA1)	not M technique	Gasol./el éc.	4WD	2998	285	387	07.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	07.20-	■
430 d Mild-Hybrid xDrive (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	210	286	03.21-	■
430 d Mild-Hybrid xDrive (JA1)	M technique	Diesel/el éc.	4WD	2993	210	286	03.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

M440 d Mild-Hybrid xDrive (B57 D30 B)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	03.21-	■
M440 d Mild-Hybrid xDrive (JA1)	not M sport pak.	Diesel/el éc.	4WD	2993	250	340	03.21-	■
5 Serie VII (G30, F90) 09.16-					Saloon (Executive car-E Segment)			
530i	M technique	Gasolina	RWD	1998	180	245	05.22-06.23	■
530 i xDrive	M technique	Gasolina	4WD	1998	180	245	05.22-06.23	■
530 i xDrive (B48 B20 B)	M technique, not Performance brak	Gasolina	4WD	1998	183	249	09.16-06.23	■
530i (B46 B20 B)	M technique, not Performance brak	Gasolina	RWD	1998	185	252	09.16-06.20	■
530i (B48 B20 B)	M technique, not Performance brak	Gasolina	RWD	1998	185	252	09.16-06.20	■
530 i xDrive (B46 B20 B)	M technique, not Performance brak	Gasolina	4WD	1998	185	252	09.16-06.20	■
530 i xDrive (B48 B20 B)	M technique, not Performance brak	Gasolina	4WD	1998	185	252	09.16-06.20	■
520 i Mild-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	120	163	07.20-06.23	■
520 i Mild-Hybrid (JA1)	M technique	Gasol./el éc.	RWD	1998	120	163	07.20-06.23	■
520 i Mild-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
520 i Mild-Hybrid (JA1)	M technique	Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
520 E PLUG-IN-HYBRID	M technique	Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 e Plug-in-Hybrid (B48 B20 A)	M technique, not Performance brak	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid (GC1)	M technique, not Performance brak	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 i Mild-Hybrid	M sport pak.	Gasol./el éc.	RWD	1998	180	245	05.22-06.23	■
530 i Mild-Hybrid xDrive	M sport pak.	Gasol./el éc.	4WD	1998	180	245	05.22-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	M technique, not Performance brak	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid (B48 B20 A)	M technique, not Performance brak	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid (GC1)	M technique, not Performance brak	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	M technique, not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique, not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	M technique, not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 i Mild-Hybrid (B48 B20 B)	M technique	Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid (JA1)	M technique	Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (B48 B20 B)	M technique	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (JA1)	M technique	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
540 i Mild-Hybrid (B58 B30 C)	not M technique	Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid (JA1)	not M technique	Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid xDrive (B58 B30 C)	not M technique	Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
540 i Mild-Hybrid xDrive (JA1)	not M technique	Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
545 e Plug-in-Hybrid xDrive (B58 B30 C)	not M technique	Gasol./el éc.	4WD	2998	290	394	11.20-06.23	■
545 e Plug-in-Hybrid xDrive (GC1)	not M technique	Gasol./el éc.	4WD	2998	290	394	11.20-06.23	■
518 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	100	136	07.20-06.23	■
518 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	100	136	07.20-06.23	■
518 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	110	150	07.20-06.23	■
518 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	110	150	07.20-06.23	■
523 d Mild-Hybrid xDrive (F45 D20 B, JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	07.20-05.23	■
530 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	M technique, not Performance brak	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	M technique, not Performance brak	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
540 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.23	■
540 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.23	■
525 d (B47 D20 B)	M technique	Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)	M technique	Diesel	RWD	1995	170	231	07.17-06.19	■
530 d xDrive (B57 D30 A)	M technique, not Performance brak	Diesel	4WD	2993	183	249	09.16-06.20	■
530 d (B57 D30 A)	M technique, not Performance brak	Diesel	RWD	2993	195	265	09.16-06.20	■
530 d xDrive (B57 D30 A)	M technique, not Performance brak	Diesel	4WD	2993	195	265	09.16-06.20	■
540 d xDrive (B57 D30 A)	not M technique	Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (G4NA)	not M technique	Diesel	4WD	2993	235	320	07.17-06.20	■
M 550 d xDrive (B57 D30 C)	not M technique	Diesel	4WD	2993	294	400	06.17-06.20	■
5 Serie VII Touring (G31) 03.17-						Estate (Executive car-E Segment)		
530i	M technique	Gasolina	RWD	1998	180	245	05.22-	■
530 i xDrive	M technique	Gasolina	4WD	1998	180	245	05.22-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530i (B48 B20 B)	M technique	Gasolina	RWD	1998	185	252	03.17-06.20	■
530 i xDrive (B48 B20 B)	M technique	Gasolina	4WD	1998	185	252	07.17-06.20	■
540 i xDrive (B58 B30 A)	not M technique	Gasolina	4WD	2998	250	340	03.17-06.20	■
540 i xDrive (B58 B30 A)	not M technique	Gasolina	4WD	2998	265	360	03.17-06.20	■
520 i Mild-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	120	163	07.20-	■
520 i Mild-Hybrid (JA1)	M technique	Gasol./el éc.	RWD	1998	120	163	07.20-	■
520 i Mild-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	135	184	07.20-	■
520 i Mild-Hybrid (JA1)	M technique	Gasol./el éc.	RWD	1998	135	184	07.20-	■
520 E PLUG-IN-HYBRID	M technique	Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 i Mild-Hybrid (B48 B20 B)	M sport pak.	Gasol./el éc.	RWD	1998	180	245	07.22-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	M sport pak.	Gasol./el éc.	4WD	1998	180	245	07.22-	■
530 i Mild-Hybrid (B48 B20 B)	M technique	Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid (JA1)	M technique	Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	M technique	Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (JA1)	M technique	Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid (GC1)	M technique	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	M technique	Gasol./el éc.	4WD	1998	215	292	11.20-	■
540 i Mild-Hybrid xDrive (B58 B30 C)	not M technique	Gasol./el éc.	4WD	2998	245	333	07.20-	■
540 i Mild-Hybrid xDrive (JA1)	not M technique	Gasol./el éc.	4WD	2998	245	333	07.20-	■
518 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	100	136	07.20-	■
518 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	100	136	07.20-	■
518 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	110	150	07.20-	■
518 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	110	150	07.20-	■
520 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	120	163	11.19-	■
520 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	120	163	11.19-	■
520 d Mild-Hybrid xDrive (B47 D20 B)	reinforced brakes	Diesel/el éc.	4WD	1995	140	190	11.19-	■
520 d Mild-Hybrid xDrive (JA1)	reinforced brakes	Diesel/el éc.	4WD	1995	140	190	11.19-	■
530 d Mild-Hybrid (B57 D30 B)	M technique, not Performance brak	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid (JA1)	M technique, not Performance brak	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)	M technique, not Performance brak	Diesel/el éc.	4WD	2993	183	249	07.20-	■
530 d Mild-Hybrid xDrive (JA1)	M technique, not Performance brak	Diesel/el éc.	4WD	2993	183	249	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
540 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
540 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
520 d xDrive (B47 D20 A)	reinforced brakes	Diesel	4WD	1995	120	163	07.17-	■
520 d xDrive (B47 D20 B)	reinforced brakes	Diesel	4WD	1995	120	163	07.17-	■
520 d xDrive (B47 D20 A)	reinforced brakes	Diesel	4WD	1995	140	190	07.17-	■
520 d xDrive (B47 D20 B)	reinforced brakes	Diesel	4WD	1995	140	190	07.17-	■
525 d (B47 D20 B)	M technique	Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)	M technique	Diesel	RWD	1995	170	231	07.17-06.19	■
530 d (B57 D30 A)	M technique	Diesel	RWD	2993	195	265	03.17-06.20	■
530 d xDrive (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	03.17-06.20	■
540 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	07.17-06.20	■
5 Serie VII Touring Van (G31) 03.17-					Estate Van (Executive car-E Segment)			
530i (B48 B20 B)	M technique	Gasolina	RWD	1998	185	252	03.17-	■
530 i xDrive (B48 B20 B)	M technique	Gasolina	4WD	1998	185	252	07.17-	■
540 i xDrive (B58 B30 A)	not M technique	Gasolina	4WD	2998	250	340	03.17-	■
520 d xDrive (B47 D20 A)	reinforced brakes	Diesel	4WD	1995	140	190	07.17-06.18	■
520 d xDrive (B47 D20 B)	reinforced brakes	Diesel	4WD	1995	140	190	07.17-06.18	■
530 d (B57 D30 A)	M technique	Diesel	RWD	2993	195	265	03.17-	■
530 d xDrive (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	03.17-	■
540 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	07.17-	■
6 Serie IV GRAN TURISMO (G32) 06.17-					Hatchback (Grand Tourer-S Segment)			
630 i (B48 B20 B)	not M technique	Gasolina	RWD	1998	183	249	06.17-06.20	■
630 i (B48 B20 B)	not M technique	Gasolina	RWD	1998	190	258	07.17-06.20	■
640 i (B58 B30 A)	not M technique	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i (B58 B30 C)	not M technique	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 A)	not M technique	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i (B58 B30 A)	not M technique	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i (B58 B30 C)	not M technique	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 A)	not M technique	Gasolina	4WD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 C)	not M technique	Gasolina	4WD	2998	265	360	06.17-06.20	■
630 i Mild-Hybrid	not M technique	Gasol./el éc.	RWD	1998	180	245	07.20-	■
630 i Mild-Hybrid (B48 B20 B)	not M technique	Gasol./el éc.	RWD	1998	190	258	07.20-	■
630 i Mild-Hybrid (JA1)	not M technique	Gasol./el éc.	RWD	1998	190	258	07.20-	■
640 i Mild-Hybrid (B58 B30 C)	not M technique	Gasol./el éc.	RWD	2998	245	333	07.20-	■
640 i Mild-Hybrid (JA1)	not M technique	Gasol./el éc.	RWD	2998	245	333	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

630 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
640 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
640 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
630 d (B57 D30 A)	not M technique	Diesel	RWD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	not M technique	Diesel	4WD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	not M technique	Diesel	4WD	2993	183	249	06.17-06.20	■
630 d (B57 D30 A)	not M technique	Diesel	RWD	2993	195	265	06.17-06.20	■
630 d xDrive (B57 D30 A)	not M technique	Diesel	4WD	2993	195	265	06.17-06.20	■
640 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	11.17-06.20	■
7 Serie VI (G11, G12) 07.15-					Saloon (Luxury car-F Segment)			
730 i (B48 B20 B)	not M technique	Gasolina	RWD	1998	183	249	11.15-06.22	■
730 i, Li (B48 B20 B)		Gasolina	RWD	1998	190	258	11.15-02.19	■
730 i, Li (B48 B20 B)		Gasolina	RWD	1998	195	265	03.19-06.22	■
740 i,Li (B58 B30 A)		Gasolina	RWD	2998	240	326	07.15-02.19	■
740 Li xDrive (B58 B30 A)		Gasolina	4WD	2998	240	326	03.16-02.19	■
740 i,Li	not M technique	Gasolina	RWD	2998	245	333	03.19-06.22	■
740 Li xDrive	not M technique	Gasolina	4WD	2998	245	333	03.19-06.22	■
740 i,Li (B58 B30 C)	not M technique	Gasolina	RWD	2998	250	340	03.19-06.22	■
740 Li xDrive (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	03.19-06.22	■
740 e, Le (B48 B20 B)	not Performance brak, not M technique	Gasol./el éc.	RWD	1998	240	326	07.16-02.19	■
740 Le xDrive (B48 B20 B)	not Performance brak, not M technique	Gasol./el éc.	4WD	1998	240	326	07.16-02.19	■
730 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	■
730 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	■
730 d, Ld Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	■
730 d, Ld Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	■
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	■
740 d, Ld Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	■
740 d, Ld Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	■
730 d (B57 D30 A)		Diesel	RWD	2993	155	211	07.15-06.20	■
730 d xDrive (B57 D30 A)		Diesel	4WD	2993	155	211	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	not M technique	Diesel	4WD	2993	183	249	09.15-06.20	■
730 d (B57 D30 A)		Diesel	RWD	2993	195	265	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	09.15-06.20	■
740 d, Ld xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	11.15-06.20	■
8 Serie II (G14, F91) 11.18-					Convertible (Grand Tourer-S Segment)			
840 i	not M technique	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	not M technique	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	not M technique	Gasolina	RWD	2998	250	340	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

840 i xDrive (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	07.19-10.20	■
840 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	11.18-10.20	■
8 Serie II (G15, F92) 07.18-					Coupe (Grand Tourer-S Segment)			
840 i	not M technique	Gasolina	RWD	2998	245	333	11.20-	■
840 i	not M technique	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	not M technique	Gasolina	4WD	2998	245	333	11.20-	■
840 i xDrive	not M technique	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	not M technique	Gasolina	RWD	2998	250	340	07.19-	■
840 i (B58 B30 C)	not M technique	Gasolina	RWD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	07.19-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	07.18-10.20	■
840 d xDrive (B57 D30 B)	not M technique	Diesel	4WD	2993	235	320	07.19-10.20	■
iX (I20) 07.21-					SUV (Luxury Crossover CUV-J Segment)			
xDrive 40		Eléctrico	4WD		240	326	07.21-	■
xDrive 50		Eléctrico	4WD		385	523	07.21-	■
xDrive M60		Eléctrico	4WD		455	619	01.22-	■
X3 III (G01, F97, G08) 07.17-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 20 i 1.6 (B48 B16 A)	M technique	Gasolina	RWD	1597	125	170	12.17-	■
sDrive20i (B48 B20 A)	M technique	Gasolina	RWD	1998	135	184	12.17-	■
sDrive20i (K20A9)	M technique	Gasolina	RWD	1998	135	184	12.17-	■
xDrive20i (B48 B20 A)	M technique	Gasolina	4WD	1998	135	184	12.17-	■
xDrive20i (B48 B20 B)	M technique	Gasolina	4WD	1998	135	184	12.17-	■
xDrive 30 i (B48 B20 B)	M technique	Gasolina	4WD	1998	183	249	08.17-	■
sDrive 30 i	M technique	Gasolina	RWD	1998	185	248	04.18-	■
xDrive 30 i (B46 B20 B)	M technique	Gasolina	4WD	1998	185	252	08.17-	■
xDrive 30 i (B48 B20 B)	M technique	Gasolina	4WD	1998	185	252	08.17-	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	260	354	09.18-08.19	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	08.17-	■
xDrive M40 i (B58 B30 B)		Gasolina	4WD	2998	285	387	09.19-	■
xDrive 20 i Mild Hybrid	M technique	Gasol./el éc.	4WD	1998	135	184	08.21-	■
xDrive 30 i Mild Hybrid	M technique	Gasol./el éc.	4WD	1998	180	245	08.21-	■
xDrive 30e Plug-in-Hybrid		Gasol./el éc.	4WD	1998	200	272	01.23-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	M technique	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	M technique	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	M technique	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive M40 i Mild Hybrid		Gasol./el éc.	4WD	2998	265	360	08.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

sDrive 18 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	100	136	07.20-	■
sDrive 18 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	100	136	07.20-	■
sDrive 18 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	RWD	1995	110	150	07.20-	■
sDrive 18 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	RWD	1995	110	150	07.20-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive M40 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	250	340	08.18-	■
xDrive M40 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	250	340	08.18-	■
sDrive 18 d (B47 D20 A)	M technique	Diesel	RWD	1995	100	136	04.18-06.20	■
sDrive 18 d (B47 D20 B)	M technique	Diesel	RWD	1995	100	136	04.18-06.20	■
sDrive 18 d (B47 D20 A)	M technique	Diesel	RWD	1995	110	150	04.18-06.20	■
sDrive 18 d (B47 D20 B)	M technique	Diesel	RWD	1995	110	150	04.18-06.20	■
xDrive 20 d (B47 D20 A)	M technique	Diesel	4WD	1995	120	163	08.17-03.20	■
xDrive 20 d (B47 D20 B)	M technique	Diesel	4WD	1995	120	163	08.17-03.20	■
xDrive 20 d (B47 D20 A)	M technique	Diesel	4WD	1995	140	190	08.17-03.20	■
xDrive 20 d (B47 D20 B)	M technique	Diesel	4WD	1995	140	190	08.17-03.20	■
xDrive 25 d (B47 D20 B)	M technique	Diesel	4WD	1995	155	211	04.18-	■
xDrive 25 d (B47 D20 B)	M technique	Diesel	4WD	1995	170	231	04.18-	■
xDrive 30 d (B57 D30 A)	M technique	Diesel	4WD	2993	183	249	12.17-06.20	■
xDrive 30 d (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	08.17-06.20	■
xDrive M40 d (B57 D30 B)		Diesel	4WD	2993	240	326	08.18-06.20	■
X3 III Van (G01) 07.17-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive20i (B48 B20 A)	M technique	Gasolina	4WD	1998	135	184	12.17-	■
xDrive20i (B48 B20 B)	M technique	Gasolina	4WD	1998	135	184	12.17-	■
xDrive 30 i (B48 B20 B)	M technique	Gasolina	4WD	1998	185	252	08.17-	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	08.17-08.19	■
xDrive M40 i (B58 B30 B)		Gasolina	4WD	2998	285	387	09.19-	■
sDrive 18 d (B47 D20 A)	M technique	Diesel	RWD	1995	110	150	04.18-	■
sDrive 18 d (B47 D20 B)	M technique	Diesel	RWD	1995	110	150	04.18-	■
xDrive 20 d (B47 D20 A)	M technique	Diesel	4WD	1995	140	190	08.17-	■
xDrive 20 d (B47 D20 B)	M technique	Diesel	4WD	1995	140	190	08.17-	■
xDrive 30 d (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	08.17-	■
X4 II (G02, F98) 04.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive20i (B48 B20 A)	M technique	Gasolina	4WD	1998	135	184	04.18-	■
xDrive 30 i (B48 B20 B)	M technique	Gasolina	4WD	1998	183	249	04.18-	■
xDrive 30 i (B46 B20 B)	M technique	Gasolina	4WD	1998	185	252	04.18-	■
xDrive 30 i (B48 B20 B)	M technique	Gasolina	4WD	1998	185	252	04.18-	■
xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	260	354	04.18-08.19	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive M40 i (B58 B30 A)		Gasolina	4WD	2998	265	360	04.18-	■
xDrive M40 i (B58 B30 B)		Gasolina	4WD	2998	285	387	09.19-	■
xDrive 20 i Mild Hybrid	M technique	Gasol./el éc.	4WD	1998	135	184	08.21-	■
xDrive 30 i Mild Hybrid	M technique	Gasol./el éc.	4WD	1998	180	245	07.21-	■
xDrive M40 i Mild Hybrid		Gasol./el éc.	4WD	2998	265	360	08.21-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	1995	120	163	04.20-	■
xDrive 20 d Mild-Hybrid (B47 D20 B)	M technique	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 20 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	1995	140	190	04.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive M40 d Mild-Hybrid (B57 D30 B)	not Performance brak	Diesel/el éc.	4WD	2993	250	340	07.20-	■
xDrive M40 d Mild-Hybrid (JA1)	not Performance brak	Diesel/el éc.	4WD	2993	250	340	07.20-	■
xDrive 20 d (B47 D20 A)	M technique	Diesel	4WD	1995	120	163	04.18-03.20	■
xDrive 20 d (B47 D20 A)	M technique	Diesel	4WD	1995	140	190	04.18-03.20	■
xDrive 25 d (B47 D20 B)	M technique	Diesel	4WD	1995	155	211	04.18-	■
xDrive 25 d (B47 D20 B)	M technique	Diesel	4WD	1995	170	231	04.18-	■
xDrive 30 d (B57 D30 A)	M technique	Diesel	4WD	2993	183	249	09.18-06.20	■
xDrive 30 d (B57 D30 A)	M technique	Diesel	4WD	2993	195	265	04.18-06.20	■
xDrive M40 d (B57 D30 B)		Diesel	4WD	2993	240	326	04.18-06.20	■
X5 IV (G05) 11.19-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	11.19-03.23	■
xDrive 30 d (B57 D30 A)	not M technique	Diesel	4WD	2993	195	265	11.19-03.23	■
X5 IV (G05, F95) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 40 i	not M technique	Gasolina	RWD	2998	250	340	08.19-03.23	■
xDrive 40 i (B58 B30 C)	Long Wheelbase, not M technique	Gasolina	4WD	2998	250	340	08.18-03.23	■
xDrive 40 i Mild-Hybrid xDrive	not M technique	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 40 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	2998	280	381	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d Mild-Hybrid	not M technique	Diesel/el éc.	4WD	2993	219	298	04.23-	■
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	06.23-	■
xDrive 30 d (B57 D30 A)	not M technique	Diesel	4WD	2993	183	249	08.18-07.20	■
xDrive 30 d (B57 D30 A)	not M technique	Diesel	4WD	2993	195	265	08.18-07.20	■
X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	not M technique	Gasolina	4WD	2998	250	340	08.19-03.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 40 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	250	340	04.22-	■
xDrive 40 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	2998	280	381	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	164	223	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	not M technique	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d Mild-Hybrid	not M technique	Diesel/el éc.	4WD	2993	219	298	04.23-	■
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	06.23-	■
X7 (G07) 03.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 d (B57 D30 A)	not M technique	Diesel	4WD	2993	155	211	03.19-08.20	■
xDrive 30 d (B57 D30 A)	not M technique	Diesel	4WD	2993	183	249	03.19-	■
xDrive 30 d (B57 D30 A)	not M technique	Diesel	4WD	2993	195	265	03.19-	■
Z4 III (G29) 11.18-					Convertible (Sports car-S Segment)			
sDrive20i (B46 B20 B)	M technique	Gasolina	RWD	1998	120	163	11.18-	■
sDrive20i (B48 B20 B)	M technique	Gasolina	RWD	1998	120	163	11.18-	■
sDrive20i (B46 B20 B)	M technique	Gasolina	RWD	1998	145	197	11.18-	■
sDrive20i (B48 B20 B)	M technique	Gasolina	RWD	1998	145	197	11.18-	■
sDrive 30 i (B46 B20 B)	M technique	Gasolina	RWD	1998	190	258	11.18-	■
sDrive 30 i (B48 B20 B)	M technique	Gasolina	RWD	1998	190	258	11.18-	■
M40 i (B58 B30 C)		Gasolina	RWD	2998	250	340	11.18-	■
M40 i		Gasolina	RWD	2998	285	387	03.19-	■
TOYOTA								
SUPRA V (DB_) 03.19-					Coupe (Grand Tourer-S Segment)			
2.0 (DB82, DB81, DB86) (B48L)	Red Caliper	Gasolina	RWD	1998	145	197	06.19-	■
2.0 (DB21, DB22, DB23, DB26) (B46H)	Red Caliper	Gasolina	RWD	1998	190	258	06.19-	■
2.0 (DB21, DB22, DB23, DB26) (B48H)	Red Caliper	Gasolina	RWD	1998	190	258	06.19-	■
3.0 GR (DB41, DB42, DB43, DB45, DB46) (B58)		Gasolina	RWD	2998	250	340	03.19-	■
3.0 GR (DB41, DB42, DB43, DB45, DB46) (B58 B30 C)		Gasolina	RWD	2998	250	340	03.19-	■
3.0 (DB01, DB02, DB03, DB06) (B58B30O1, B58H)		Gasolina	RWD	2998	285	387	07.20-	■