


# LISTA DE APLICACIONES - BUYERS GUIDE

## 78BD4666-2



Weight: 7.340

O.E.M.	MAKE
34 11 6 792 217	BMW
6792217	BMW



## 78BD4666-2

E1 90R-02C0452/0095



Ø300x22x73.2

MAKE
BMW



Trac.	CC	Kw	CV	
				Front / Rear

### BMW

1 Serie II (F20) 07.11-06.19					Hatchback (Compact car-C Segment)				
118 i (N13 B16 A)	Performance brakes, not M technique	Gasolina	RWD	1598	100	136	03.15-06.15	■	
118 i (N13 B16 A)	not Performance brak, not M technique	Gasolina	RWD	1598	125	170	07.11-02.15	■	
118 i (N13 B16 A)	not Performance brak, not M technique	Gasolina	RWD	1598	125	170	07.12-06.19	■	
120 i (N13 B16 A)	not Performance brak, not M technique	Gasolina	RWD	1598	130	177	03.15-06.16	■	
120 i (N13 B16 A)	not Performance brak, not M technique	Gasolina	RWD	1598	130	177	03.15-06.19	■	
120 i Active Flex	not Performance brak, not M technique	Gasolina	FWD	1997	135	184	03.15-	■	
120 i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	07.16-06.19	■	
120 i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	07.16-06.19	■	
118 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	105	143	07.13-02.15	■	
118 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	105	143	05.13-02.15	■	
118 d xDrive (B47 D20 A)	not Performance brak, not M technique	Diesel	4WD	1995	110	150	03.15-06.19	■	
118 d xDrive (B47 D20 A)	not Performance brak, not M technique	Diesel	4WD	1995	110	150	03.15-05.19	■	
120 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	120	163	07.11-06.19	■	
120 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	120	163	07.11-06.19	■	
120 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	120	163	07.12-06.19	■	
120 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	135	184	07.11-02.15	■	

# LISTA DE APLICACIONES - BUYERS GUIDE

120 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	135	184	07.12-02.15	■
120 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	135	184	11.12-02.15	■
120 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	135	184	02.12-02.15	■
120 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	140	190	03.15-06.19	■
120 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	140	190	03.15-06.19	■
120 d xDrive (B47 D20 A)	not Performance brak, not M technique	Diesel	4WD	1995	140	190	03.15-06.19	■
120 d xDrive (B47 D20 A)	not Performance brak, not M technique	Diesel	4WD	1995	140	190	03.15-06.19	■
120 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	147	200	07.11-02.15	■
120 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	147	200	01.12-02.15	■
120 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	147	200	11.12-02.15	■
120 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	147	200	01.12-02.15	■
120 d	not Performance brak, not M technique	Diesel	RWD	1995	151	205	03.15-06.19	■
120 d	not M technique	Diesel	RWD	1995	151	205	03.15-06.19	■
120 d xDrive	not Performance brak, not M technique	Diesel	4WD	1995	151	205	03.15-06.19	■
120 d xDrive	not M technique	Diesel	4WD	1995	151	205	03.15-06.19	■
<b>1 Serie II Van (F20) 03.15-06.19</b>					<b>Hatchback Van (Compact car-C Segment)</b>			
120 i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	07.16-06.19	■
120 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	140	190	03.15-06.19	■
<b>3 Serie VI (U.S.A.) 09.11-</b>					<b>Saloon (Compact executive car-D Segment)</b>			
318i (B38 B15 A)	not Performance brak, not M technique	Gasolina	RWD	1499	100	136	07.15-10.18	■
316 i (N13 B16 A)	not Performance brak, not M technique	Gasolina	RWD	1598	100	136	07.12-08.16	■
320i (N13 B16 A)		Gasolina	RWD	1598	125	170	11.12-06.16	■
320i	not M technique	Gasolina	FWD	1997	134	182	09.12-	■
320i	not M technique	Gasolina	RWD	1997	134	182	03.12-10.18	■
320i (N20 B20 A)	not M technique	Gasolina	RWD	1997	135	184	03.12-10.18	■
320i (N20 B20 B)	not M technique	Gasolina	RWD	1997	135	184	03.12-10.18	■
320i (N20 B20 D)	not M technique	Gasolina	RWD	1997	135	184	03.12-10.18	■
320 i Active Flex	not Performance brak, not M technique	Gasolina	FWD	1997	135	184	02.12-	■
320 i xDrive (N20 B20 A)	not M technique	Gasolina	4WD	1997	135	184	07.12-10.18	■
320 i xDrive (N20 B20 B)	not M technique	Gasolina	4WD	1997	135	184	07.12-10.18	■
320i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	07.15-10.18	■
320 i xDrive (B48 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1998	135	184	07.15-10.18	■
316 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	85	116	03.12-10.18	■
316 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	85	116	03.12-10.18	■
318 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.12-10.18	■
318 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.12-10.18	■
318 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	105	143	03.12-06.15	■
318 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	105	143	07.13-06.15	■

# LISTA DE APLICACIONES - BUYERS GUIDE

318 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	110	150	07.15-10.18	■
318 d xDrive (B47 D20 A)	not Performance brak, not M technique	Diesel	4WD	1995	110	150	07.15-02.18	■
320 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	120	163	11.11-10.18	■
320 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	120	163	11.11-10.18	■
<b>3 Serie VI GRAN TURISMO (F34) 07.12-</b>					<b>Hatchback (Compact executive car-D Segment)</b>			
320i (N20 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1997	120	163	03.13-06.16	■
320i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	120	163	03.13-06.16	■
320 i xDrive (N20 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1997	120	163	07.13-06.16	■
320 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	120	163	07.13-06.16	■
320i (N20 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1997	135	184	03.13-06.16	■
320i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	135	184	03.13-06.16	■
320 i xDrive (N20 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1997	135	184	11.12-06.16	■
320 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	135	184	11.12-06.16	■
320i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	120	163	07.16-	■
320 i xDrive (B48 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1998	120	163	07.16-	■
320i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	07.16-	■
320 i xDrive (B48 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1998	135	184	07.16-	■
318 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.13-03.18	■
318 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.13-03.18	■
318 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	105	143	03.13-06.15	■
318 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	110	150	07.15-	■
<b>3 Serie VI Touring (F31) 07.12-06.19</b>					<b>Estate (Compact executive car-D Segment)</b>			
318i (B38 B15 A)	not Performance brak, not M technique	Gasolina	RWD	1499	100	136	07.15-06.19	■
316 i (N13 B16 A)	not Performance brak, not M technique	Gasolina	RWD	1598	100	136	03.13-06.15	■
320i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	120	163	11.12-06.15	■
320 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	120	163	03.13-06.15	■
320i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	135	184	11.12-06.15	■
320 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	135	184	03.13-06.15	■
320i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	07.15-06.19	■
320 i xDrive (B48 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1998	135	184	07.15-06.19	■
316 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	85	116	11.12-06.19	■
316 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	85	116	11.12-06.19	■
318 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	11.12-06.19	■
318 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	11.12-06.19	■
318 d (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	105	143	11.12-06.15	■

# LISTA DE APLICACIONES - BUYERS GUIDE

318 d xDrive (N47 D20 C)	not Performance brak, not M technique	Diesel	4WD	1995	105	143	07.13-06.15	■
318 d (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	110	150	07.15-06.19	■
318 d xDrive (B47 D20 A)	not Performance brak, not M technique	Diesel	4WD	1995	110	150	07.15-02.18	■
320 d (B47 D20 A)	not M technique	Diesel	RWD	1995	120	163	07.12-06.19	■
320 d (N47 D20 C)	not M technique	Diesel	RWD	1995	120	163	07.12-06.19	■
<b>4 Serie (F33, F83) 10.13-</b>					<b>Convertible (Compact executive car-D Segment)</b>			
420 i (N20 B20 B)	not Performance brak	Gasolina	RWD	1997	120	163	07.14-02.16	■
420 i (N20 B20 B)	not Performance brak	Gasolina	RWD	1997	135	184	07.14-02.16	■
420 i (B48 B20 A)	not Performance brak	Gasolina	RWD	1998	120	163	03.16-07.20	■
420 i (B48 B20 A)	not Performance brak	Gasolina	RWD	1998	135	184	03.16-07.20	■
<b>4 Serie (F32, F82) 07.13-</b>					<b>Coupe (Compact executive car-D Segment)</b>			
418 i (B38 B15 A)	not Performance brak, not M technique	Gasolina	RWD	1499	100	136	03.16-06.20	■
418 i (B38 B15 A)	not Performance brak, not M technique	Gasolina	RWD	1499	100	136	07.15-12.20	■
420 i (N20 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1997	120	163	11.13-02.17	■
420 i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	120	163	11.13-02.17	■
420 i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	120	163	03.14-02.17	■
420 i xDrive (N20 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1997	120	163	11.13-02.16	■
420 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	120	163	11.13-02.16	■
420 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	120	163	07.14-02.16	■
420 i (N20 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1997	135	184	11.13-02.17	■
420 i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	135	184	11.13-02.17	■
420 i (N20 B20 B)	not Performance brak, not M technique	Gasolina	RWD	1997	135	184	03.14-02.17	■
420 i xDrive (N20 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1997	135	184	11.13-02.16	■
420 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	135	184	11.13-02.16	■
420 i xDrive (N20 B20 B)	not Performance brak, not M technique	Gasolina	4WD	1997	135	184	07.14-02.16	■
420 i (B48 B20 A)	not M technique	Gasolina	RWD	1998	120	163	03.16-06.20	■
420 i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	120	163	03.16-05.21	■
420 i xDrive (B48 B20 A)	not M technique	Gasolina	4WD	1998	120	163	03.16-06.20	■
420 i xDrive (B48 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1998	120	163	03.16-05.21	■
420 i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	03.16-06.20	■
420 i (B48 B20 A)	not Performance brak, not M technique	Gasolina	RWD	1998	135	184	03.16-05.21	■
420 i xDrive (B48 B20 A)	not M technique	Gasolina	4WD	1998	135	184	03.16-06.20	■
420 i xDrive (B48 B20 A)	not Performance brak, not M technique	Gasolina	4WD	1998	135	184	03.16-05.21	■
418 D (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.15-10.17	■
418 D (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.14-12.20	■
418 D (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	100	136	03.14-12.20	■
418 D (N47 D20 C)	not Performance brak, not M technique	Diesel	RWD	1995	105	143	03.14-06.15	■
418 D (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	110	150	03.15-10.17	■

## LISTA DE APLICACIONES - BUYERS GUIDE

418 D (B47 D20 A)	not Performance brak, not M technique	Diesel	RWD	1995	110	150	07.15-12.20
-------------------	--	--------	-----	------	-----	-----	-------------

