



LISTA DE APLICACIONES - BUYERS GUIDE

78BD5611-2



Weight: 13.596



78BD5611-2

E1 90R-02C0452/0086



Ø270x24.3x42.9

MAKE

FORD

O.E.M.	MAKE
1 514 235	FORD
5 025 611	FORD
5 029 816	FORD
5209816	FORD
6952853	FORD
92VX1125BA	FORD
95VX1125BA	FORD
95VX1125BAFC	FORD
95VX1125BB	FORD
EBT247	FORD



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

FORD

TRANSIT III (E_ _) 01.91-09.94

Bus (Minibus-M2-Segment)

Model	Rim	Fuel	Trac.	CC	Kw	CV	Period	
2.0 (NBA)	Rim 15	Gasolina	RWD	1993	66	90	09.91-09.94	■
2.0 i (EBL, EDL, EGL, ESS, EUS) (NCA)	Rim 15	Gasolina	RWD	1994	72	98	09.91-07.94	■
2.0 (EBL, EBS, ECL, EDS, EDL, EGL, ESS, ESL, EUS) (NSF)	Rim 15	Gasolina	RWD	1998	84	114	08.94-03.00	■
2.0 (EBL, EBS, ECL, EDS, EDL, EGL, ESS, ESL, EUS) (NSG)	Rim 15	Gasolina	RWD	1998	84	114	08.94-03.00	■
2.0 (EBL, EBS, ECL, EDS, EDL, EGL, ESS, ESL, EUS) (NSH)	Rim 15	Gasolina	RWD	1998	84	114	08.94-03.00	■
2.9 i (BRT)	Rim 15	Gasolina	RWD	2935	107	145	01.91-09.94	■
2.0 CNG (NSH)	Rim 15	Gasol./Gas (CNG)	RWD	1998	84	114	06.94-03.00	■
2.5 DI (EBL, EDS, ESL, ESS, EUS) (4FA)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EBL, EDS, ESL, ESS, EUS) (4FB)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EBL, EDS, ESL, ESS, EUS) (4FC)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EBL, EDS, ESL, ESS, EUS) (4FD)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EBS, EDS, EDL, ESS, EUS) (4BC)	Rim 15	Diesel	RWD	2496	51	70	08.91-07.94	■
2.5 DI (EBS, EDS, EDL, ESS, EUS) (4CC)	Rim 15	Diesel	RWD	2496	51	70	08.91-07.94	■
2.5 DI (EBS, EDS, EDL, ESS, EUS) (4FA)	Rim 15	Diesel	RWD	2496	51	70	08.91-07.94	■
2.5 TD (EB_, ED_, ES_) (4HA)	Rim 15	Diesel	RWD	2496	55	75	08.94-06.00	■
2.5 TD (EB_, ED_, ES_) (4HD)	Rim 15	Diesel	RWD	2496	55	75	08.94-06.00	■
2.5 DI (EBL, ECL, EDS, EDL) (4HB)	Rim 15	Diesel	RWD	2496	56	76	07.94-03.00	■
2.5 DI (EBL, ECL, EDS, EDL) (4HC)	Rim 15	Diesel	RWD	2496	56	76	07.94-03.00	■
2.5 DI (EBS, EDS, EGL, ESS, EUS) (4DA)	Rim 15	Diesel	RWD	2496	59	80	09.91-07.94	■
2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS) (4GA)	Rim 15	Diesel	RWD	2496	63	85	01.95-03.00	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS) (4GB)	Rim 15	Diesel	RWD	2496	63	85	01.95-03.00	■
2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS) (4GC)	Rim 15	Diesel	RWD	2496	63	85	01.95-03.00	■
2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS) (4GD)	Rim 15	Diesel	RWD	2496	63	85	01.95-03.00	■
2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS) (4GE)	Rim 15	Diesel	RWD	2496	63	85	01.95-03.00	■
2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS) (4GF)	Rim 15	Diesel	RWD	2496	63	85	01.95-03.00	■
2.5 TD (EBS, EBL, ECL, EDS, EDL, ESS, EUS) (4GA)	Rim 15	Diesel	RWD	2496	63	85	10.92-07.94	■
2.5 TD (ECL, EDL, EDS, ESL, ESS, EUS) (4EB)	Rim 15	Diesel	RWD	2496	74	100	07.94-03.00	■
2.5 TD (ECL, EDL, EDS, ESL, ESS, EUS) (4EC)	Rim 15	Diesel	RWD	2496	74	100	07.94-03.00	■
2.5 TD (ECL, EDS, EDL, EGL, ESS, EUS) (4EA)	Rim 15	Diesel	RWD	2496	74	100	09.91-07.94	■
2.5 DI (EBL, EDL, EDS, ESL, ESS) (4ED)	Rim 15	Diesel	RWD	2496	85	116	08.97-03.00	■
TRANSIT III (E_) 04.91-08.94							Platform/Chassis (LCVs-N1 Segment)	
2.0 (NBA)		Gasolina	RWD	1993	66	90	04.91-07.94	■
2.0 (EME/L/S, ENE/L/S) (NCA)	Rim 15	Gasolina	RWD	1994	72	98	09.91-08.94	■
2.0 (EME/L/S, ENE/L/S) (NSF)	Rim 15	Gasolina	RWD	1998	84	114	08.94-03.00	■
2.0 (EME/L/S, ENE/L/S) (NSG)	Rim 15	Gasolina	RWD	1998	84	114	08.94-03.00	■
2.5 DI (EML/S, ENL/S) (4BC)	Rim 15	Diesel	RWD	2496	51	69	09.91-08.94	■
2.5 DI (EML/S, ENL/S) (4CC)	Rim 15	Diesel	RWD	2496	51	69	09.91-08.94	■
2.5 DI (EML/S, ENL/S) (4FA)	Rim 15	Diesel	RWD	2496	51	69	09.91-08.94	■
2.5 DI (EML/S, ENL/S) (4FA)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EML/S, ENL/S) (4FB)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EML/S, ENL/S) (4FC)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 DI (EML/S, ENL/S) (4FD)	Rim 15	Diesel	RWD	2496	51	69	08.94-03.00	■
2.5 TD (4HA)		Diesel	RWD	2496	55	75	08.94-03.00	■
2.5 TD (4HD)		Diesel	RWD	2496	55	75	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S)	Rim 15	Diesel	RWD	2496	55	75	10.98-07.00	■
2.5 DI (EME/L/S, ENE/L/S) (4HB)	Rim 15	Diesel	RWD	2496	56	76	08.94-03.00	■
2.5 DI (EME/L/S, ENE/L/S) (4HC)	Rim 15	Diesel	RWD	2496	56	76	08.94-03.00	■
2.5 DI (EME/L/S, ENE/L/S) (4DA)	Rim 15	Diesel	RWD	2496	59	80	09.91-08.94	■
2.5 TD (EME/L/S, ENE/L/S) (4GA)	Rim 15	Diesel	RWD	2496	63	85	11.92-08.94	■
2.5 TD (EME/L/S, ENE/L/S) (4GA)	Rim 15	Diesel	RWD	2496	63	85	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S) (4GB)	Rim 15	Diesel	RWD	2496	63	85	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S) (4GC)	Rim 15	Diesel	RWD	2496	63	85	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S) (4GD)	Rim 15	Diesel	RWD	2496	63	85	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S) (4GE)	Rim 15	Diesel	RWD	2496	63	85	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S) (4GF)	Rim 15	Diesel	RWD	2496	63	85	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L) (4EA)	Rim 15	Diesel	RWD	2496	74	100	09.91-08.94	■
2.5 TD (EME/L/S, ENE/L/S) (4EB)	Rim 15	Diesel	RWD	2496	74	101	08.94-03.00	■
2.5 TD (EME/L/S, ENE/L/S) (4EC)	Rim 15	Diesel	RWD	2496	74	101	08.94-03.00	■
2.5 DI (EML, ENE/L) (4ED)	Rim 15	Diesel	RWD	2496	85	116	05.99-03.00	■
TRANSIT III (E_) 05.91-06.94							Van (LCVs-N1 Segment)	
2.0 (NBA)	Rim 15	Gasolina	RWD	1993	66	90	09.91-06.94	■
2.0 i (EAL, EAS) (NCA)	Rim 15	Gasolina	RWD	1994	72	98	09.91-06.94	■
2.0 (EAL, EAS) (NSF)	Rim 15	Gasolina	RWD	1998	84	114	06.94-03.00	■
2.0 (EAL, EAS) (NSG)	Rim 15	Gasolina	RWD	1998	84	114	06.94-03.00	■
2.0 (EAL, EAS) (NSH)	Rim 15	Gasolina	RWD	1998	84	114	06.94-03.00	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CNG		Gasol./Gas (CNG)	RWD	1998	84	114	06.99-12.00	■	
2.5 DI (EAL, EAS) (4BC)	Rim 15	Diesel	RWD	2496	51	70	05.91-06.94	■	
2.5 DI (EAL, EAS) (4CC)	Rim 15	Diesel	RWD	2496	51	70	05.91-06.94	■	
2.5 DI (EAL, EAS) (4FA)	Rim 15	Diesel	RWD	2496	51	70	05.91-06.94	■	
2.5 DI (EAL, EAS) (4FA)	Rim 15	Diesel	RWD	2496	51	69	06.94-03.00	■	
2.5 DI (EAL, EAS) (4FB)	Rim 15	Diesel	RWD	2496	51	69	06.94-03.00	■	
2.5 DI (EAL, EAS) (4FC)	Rim 15	Diesel	RWD	2496	51	69	06.94-03.00	■	
2.5 DI (EAL, EAS) (4FD)	Rim 15	Diesel	RWD	2496	51	69	06.94-03.00	■	
2.5 TD (EAS) (4HA)	Rim 15	Diesel	RWD	2496	55	75	06.94-03.00	■	
2.5 TD (EAS) (4HD)	Rim 15	Diesel	RWD	2496	55	75	06.94-03.00	■	
2.5 DI (EAL, EAS) (4HB)	Rim 15	Diesel	RWD	2496	56	76	06.94-03.00	■	
2.5 DI (EAL, EAS) (4HC)	Rim 15	Diesel	RWD	2496	56	76	06.94-03.00	■	
2.5 DI (EAS, EAL) (4DA)	Rim 15	Diesel	RWD	2496	59	80	05.91-06.94	■	
2.5 DI (EAL, EAS) (4GA)	Rim 15	Diesel	RWD	2496	63	85	10.92-06.94	■	
2.5 TD (EAL, EAS) (4GA)	Rim 15	Diesel	RWD	2496	63	85	06.94-03.00	■	
2.5 TD (EAL, EAS) (4GB)	Rim 15	Diesel	RWD	2496	63	85	06.94-03.00	■	
2.5 TD (EAL, EAS) (4GC)	Rim 15	Diesel	RWD	2496	63	85	06.94-03.00	■	
2.5 TD (EAL, EAS) (4GD)	Rim 15	Diesel	RWD	2496	63	85	06.94-03.00	■	
2.5 TD (EAL, EAS) (4GE)	Rim 15	Diesel	RWD	2496	63	85	06.94-03.00	■	
2.5 TD (EAL, EAS) (4GF)	Rim 15	Diesel	RWD	2496	63	85	06.94-03.00	■	
2.5 TD (EAS, EAL) (4EA)	Rim 15	Diesel	RWD	2496	74	101	05.91-06.94	■	
2.5 TDI (EAL, EAS) (4EB)	Rim 15	Diesel	RWD	2496	74	101	06.94-03.00	■	
2.5 TDI (EAL, EAS) (4EC)	Rim 15	Diesel	RWD	2496	74	101	06.94-03.00	■	
2.5 DI (EAL, EAS) (4ED)	Rim 15	Diesel	RWD	2496	85	116	05.99-03.00	■	
TRANSIT TOURNEO 08.94-12.00					Bus (Minibus-M2-Segment)				
2.0 (NSF)		Gasolina	RWD	1998	84	114	11.94-12.00	■	
2.0 (NSG)		Gasolina	RWD	1998	84	114	11.94-12.00	■	
2.0 (NSH)		Gasolina	RWD	1998	84	114	11.94-12.00	■	
2.5 DI (4FA)		Diesel	RWD	2496	51	69	11.94-12.00	■	
2.5 DI (4FB)		Diesel	RWD	2496	51	69	11.94-12.00	■	
2.5 DI (4FC)		Diesel	RWD	2496	51	69	11.94-12.00	■	
2.5 DI (4FD)		Diesel	RWD	2496	51	69	11.94-12.00	■	
2.4 D (4HA)		Diesel	RWD	2496	55	74	08.94-06.00	■	
2.5 DI (4HB)	Long Wheelbase	Diesel	RWD	2496	56	76	11.94-12.00	■	
2.5 DI (4HC)	Long Wheelbase	Diesel	RWD	2496	56	76	11.94-12.00	■	
2.5 TD (4GA)		Diesel	RWD	2496	63	85	11.94-12.00	■	
2.5 TD (4GB)		Diesel	RWD	2496	63	85	11.94-12.00	■	
2.5 TD (4GC)		Diesel	RWD	2496	63	85	11.94-12.00	■	
2.5 TD (4GD)		Diesel	RWD	2496	63	85	11.94-12.00	■	
2.5 TD (4EB)		Diesel	RWD	2496	74	100	04.98-12.00	■	
2.5 TD (4EC)		Diesel	RWD	2496	74	100	04.98-12.00	■	