

LISTA DE APLICACIONES - BUYERS GUIDE

B6 Mild-Hybrid AWD (B 420 T)	Rim 19	Gasol./el éc.	4WD	1969	220	299	03.20-	■	
T8 Hybrid AWD (B 4204 T35)	Rim 19	Gasol./el éc.	4WD	1969	246	334	03.17-12.22	■	
T8 Hybrid Polestar AWD	Rim 19	Gasol./el éc.	4WD	1969	246	334	05.21-12.22	■	
B4 Plug-In Hybrid	Rim 19	Gasol./el éc.	FWD	1969	250	340	01.21-12.22	■	
B4 Plug-In Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	250	340	01.21-12.22	■	
T6 Plug-in Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	250	340	04.21-	■	
T6 Plug-in Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	257	349	01.22-	■	
T8 Hybrid AWD (B 4204 T34)	Rim 19	Gasol./el éc.	4WD	1969	287	390	02.18-12.22	■	
T8 Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	298	405	09.17-12.22	■	
T8 Hybrid Polestar AWD (B 4204 T34)	Rim 19	Gasol./el éc.	4WD	1969	298	405	01.19-12.22	■	
T8 Hybrid Polestar AWD (B 4204 T48)	Rim 19	Gasol./el éc.	4WD	1969	298	405	01.19-12.22	■	
T8 Hybrid AWD (B 4204 T35)	Rim 19	Gasol./el éc.	4WD	1969	299	407	03.17-12.22	■	
T8 Hybrid Polestar AWD (B 4204 T39)	Rim 19	Gasol./el éc.	4WD	1969	309	420	02.20-	■	
T8 Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	335	456	01.22-	■	
T8 Hybrid AWD (B 4204 T56)	Rim 19	Gasol./el éc.	4WD	1969	340	462	07.22-	■	
B4 Mild-Hybrid	Rim 19	Diesel/el éc.	FWD	1969	145	197	05.19-	■	
B4 Mild-Hybrid AWD	Rim 19	Diesel/el éc.	4WD	1969	145	197	04.19-	■	
B5 Mild-Hybrid AWD (D 420 T2)	Rim 19	Diesel/el éc.	4WD	1969	173	235	04.19-	■	
D3 (D 4204 T4)	Rim 19	Diesel	FWD	1969	110	150	03.17-12.21	■	
D4 (D 4204 T7)	Rim 19	Diesel	FWD	1969	120	163	12.18-12.21	■	
D4 (D 4204 T14)	Rim 19	Diesel	FWD	1969	140	190	03.17-12.21	■	
D4 AWD (D 4204 T14)	Rim 19	Diesel	4WD	1969	140	190	03.17-12.21	■	
D4 Polestar (D 4204 T14)	Rim 19	Diesel	FWD	1969	147	200	12.18-06.20	■	
D4 Polestar AWD (D 4204 T14)	Rim 19	Diesel	4WD	1969	147	200	01.19-12.21	■	
D5 AWD (D 4204 T23)	Rim 19	Diesel	4WD	1969	173	235	03.17-12.22	■	
D5 Polestar AWD (D 4204 T23)	Rim 19	Diesel	4WD	1969	177	240	10.18-03.20	■	
XC90 II (256) 09.14-							SUV (Luxury Crossover SUV-J Segment)		
T5 Drive-E Polestar AWD (B 4204 T26)	Rim 19	Gasolina	4WD	1969	176	239	10.17-12.20	■	
T5 AWD (B 4204 T23)	Rim 19	Gasolina	4WD	1969	183	249	02.16-12.18	■	
T5 AWD (B 4204 T26)	Rim 19	Gasolina	4WD	1969	184	250	10.17-12.20	■	
T5 Polestar AWD (B 4204 T26P)	Rim 19	Gasolina	4WD	1969	186	253	07.19-12.20	■	
T5	Rim 19	Gasolina	FWD	1969	187	254	01.16-12.16	■	
T5 AWD (B 4204 T23)	Rim 19	Gasolina	4WD	1969	187	254	06.15-12.21	■	
T5 Drive-E Polestar AWD (B 4204 T23)	Rim 19	Gasolina	4WD	1969	192	261	01.17-12.21	■	
T6 AWD (B 4204 T29)	Rim 19	Gasolina	4WD	1969	228	310	10.17-12.21	■	
T6 AWD (B 4204 T27)	Rim 19	Gasolina	4WD	1969	235	320	09.14-12.18	■	
T6 Polestar AWD (B 4204 T29P)	Rim 19	Gasolina	4WD	1969	240	326	10.17-12.21	■	
T6 Polestar AWD (B 4204 T27)	Rim 19	Gasolina	4WD	1969	246	334	01.17-12.21	■	
2.0 T8 Plug-in Hybrid AWD (B 4204 T56)	Rim 19	Gasol./el éc.	4WD	1696	340	462	08.22-	■	
B5 Mild-Hybrid	Rim 19	Gasol./el éc.	FWD	1969	183	249	03.22-	■	
B5 Mild-Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	183	249	03.22-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

B5 Mild-Hybrid	Rim 19	Gasol./el éc.	FWD	1969	184	250	01.22-	■
B5 Mild Hybrid AWD (B 4204 T26)	Rim 19	Gasol./el éc.	4WD	1969	184	250	01.20-	■
B6 Mild Hybrid AWD (B 420 T)	Rim 19	Gasol./el éc.	4WD	1969	220	299	03.20-	■
T8 Hybrid Polestar AWD (B 4204 T34)	Rim 19	Gasol./el éc.	4WD	1969	233	317	01.19-12.22	■
T8 Plug-in Hybrid Polestar AWD (B 4204 T35)	Rim 19	Gasol./el éc.	4WD	1969	246	334	06.15-12.22	■
T8 Twin Engine AWD	Rim 19	Gasol./el éc.	4WD	1969	287	390	11.18-12.22	■
T8 Hybrid AWD (B 4204 T35)	Rim 19	Gasol./el éc.	4WD	1969	298	405	06.15-12.22	■
T8 Hybrid AWD (B 4204 T28)	Rim 19	Gasol./el éc.	4WD	1969	299	407	06.15-07.22	■
T8 Hybrid AWD (B 4204 T35)	Rim 19	Gasol./el éc.	4WD	1969	299	407	06.15-07.22	■
T8 Hybrid AWD (B1APHEV)	Rim 19	Gasol./el éc.	4WD	1969	299	407	06.15-07.22	■
T8 Hybrid Polestar AWD		Gasol./el éc.	4WD	1969	310	421	02.20-12.22	■
T8 Plug-in Hybrid AWD	Rim 19	Gasol./el éc.	4WD	1969	335	455	05.22-	■
B5 Mild-Hybrid AWD (D 420 T2)	Rim 19	Diesel/el éc.	4WD	1969	173	235	04.19-	■
D4 (D 4204 T14)	Rim 19	Diesel	FWD	1969	140	190	06.15-12.18	■
D4 AWD (D 4204 T6)	Rim 19	Diesel	4WD	1969	140	190	10.15-12.18	■
D5 AWD (D 4204 T11)	Rim 19	Diesel	4WD	1969	165	224	09.14-12.16	■
D5 AWD (D 4204 T23)	Rim 19	Diesel	4WD	1969	173	235	03.16-12.19	■
D5 DRIVe Polestar AWD (D 4204 T23)	Rim 19	Diesel	4WD	1969	176	239	03.16-12.21	■
D5 Polestar AWD (D 4204 T23)	Rim 19	Diesel	4WD	1969	177	240	10.18-12.21	■