

LISTA DE APLICACIONES - BUYERS GUIDE

78BD7297-1



Weight:

O.E.M.	MAKE
31400568	VOLVO
31471752	VOLVO
32300811	VOLVO

78BD7297-1



MAKE
POLESTAR
VOLVO
VOLVO ASIA



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

POLESTAR

POLESTAR 2 (534) 02.19-					Hatchback (Compact executive car-D Segment)			
EV		Eléctrico	FWD		165	224	04.21-12.22	■
EV		Eléctrico	FWD		170	231	04.21-	■
EV		Eléctrico	RWD		200	272	03.23-	■
EV		Eléctrico	RWD		220	299	03.23-	■
EV		Eléctrico	4WD		300	408	04.19-12.23	■
EV		Eléctrico	4WD		310	421	03.23-	■
EV	Rim 18	Eléctrico	4WD		350	476	01.23-	■

VOLVO

(536) 04.24-					SUV ()			
EV		Eléctrico	RWD		175	238	04.24-	■
EV		Eléctrico	RWD		185	252	04.24-	■
EV		Eléctrico	RWD		185	252	04.24-	■
EV AWD		Eléctrico	4WD		300	408	04.24-	■
EV AWD		Eléctrico	4WD		325	442	04.24-	■
C40 (539) 10.21-					SUV (Compact Crossover SUV-C Segment)			
Recharge		Eléctrico	FWD		170	231	04.22-12.22	■
Recharge		Eléctrico	RWD		175	238	01.23-	■
Recharge		Eléctrico	RWD		185	252	01.23-	■
Recharge AWD		Eléctrico	4WD		300	408	10.21-	■
Recharge AWD		Eléctrico	4WD		300	408	11.22-	■

LISTA DE APLICACIONES - BUYERS GUIDE

S60 III (224) 02.19-					Saloon (Compact executive car-D Segment)			
T4 (B 4204 T31)	Rim 18	Gasolina	FWD	1969	140	190	02.19-12.21	■
T4 (B 4204 T44)	Rim 18	Gasolina	FWD	1969	140	190	02.19-12.21	■
T4 Polestar (B 4204 T31P)	Rim 18	Gasolina	FWD	1969	155	210	07.19-12.21	■
T5 AWD (B 4204 T20)	Rim 18	Gasolina	4WD	1969	183	249	05.19-12.21	■
T5 (B 4204 T26)	Rim 18	Gasolina	FWD	1969	184	250	02.19-12.21	■
T5 AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	184	250	02.19-	■
T5 Polestar (B 4204 T26P)	Rim 18	Gasolina	FWD	1969	186	253	07.19-12.21	■
T5 Polestar AWD	Rim 18	Gasolina	4WD	1969	186	253	07.19-12.21	■
T5 AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	187	254	05.19-12.21	■
T5 AWD	Rim 18	Gasolina	4WD	1969	192	261	05.19-	■
T6 AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	228	310	05.19-12.21	■
2.0 T6 AWD	Rim 18	Gasolina	4WD	1969	236	321	05.19-	■
T6 Polestar AWD	Rim 18	Gasolina	4WD	1969	240	326	05.19-12.21	■
2.0 T8 Drive-E AWD	Rim 18	Gasolina	4WD	1969	298	405	05.19-	■
B3 MHEV	Rim 18	Gasol./el éc.	FWD	1969	120	163	03.20-12.23	■
B4 Mild-Hybrid (B 420 T6)	Rim 18	Gasol./el éc.	FWD	1969	145	197	03.20-	■
B5 Mild-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	183	249	03.22-	■
B5 Mild-Hybrid (B 420 T2)	Rim 18	Gasol./el éc.	FWD	1969	184	250	03.20-	■
B5 Mild-Hybrid AWD (B 420 T2)	Rim 18	Gasol./el éc.	4WD	1969	184	250	03.20-	■
B6 Mild-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	220	299	04.21-12.22	■
2.0 T8 R-Design Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	246	334	04.20-	■
T6 Twin Engine AWD (B 4204 T46)	Rim 18	Gasol./el éc.	4WD	1969	250	340	02.19-12.22	■
T6 Twin Engine AWD	Rim 18	Gasol./el éc.	4WD	1969	257	349	01.22-	■
T8 Twin Engine AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	287	390	02.19-12.22	■
T8 Plug-in Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	299	407	05.19-12.22	■
T8 Recharge AWD	Rim 18	Gasol./el éc.	4WD	1969	317	431	01.23-	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	335	455	01.22-	■
S90 II (234) 01.16-					Saloon (Executive car-E Segment)			
T4 (B 4204 T31)	Rim 18	Gasolina	FWD	1969	140	190	10.17-12.21	■
T4 Polestar (B 4204 T31)	Rim 18	Gasolina	FWD	1969	155	210	06.19-12.21	■
2.0 (B 4204 T20)	Rim 18	Gasolina	FWD	1969	183	249	03.16-12.21	■
T5 (B 4204 T26)	Rim 18	Gasolina	FWD	1969	184	250	10.17-12.21	■
T5 Drive-E Polestar (B 4204 T26)	Rim 18	Gasolina	FWD	1969	186	253	10.17-12.21	■
2.0 T5 AWD	Rim 18	Gasolina	4WD	1969	187	254	01.18-	■
T5 (B 4204 T23)	Rim 18	Gasolina	FWD	1969	187	254	03.16-12.21	■
T5 Drive-E Polestar (B 4204 T23)	Rim 18	Gasolina	FWD	1969	192	261	03.16-12.21	■
T6 AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	228	310	10.17-12.21	■
T6 AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	235	320	03.16-12.21	■
T6 Drive-E Polestar AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	240	326	10.17-12.21	■
T6 Drive-E Polestar AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	246	334	03.16-12.21	■
B4 Mild-Hybrid (B 420 T6)	Rim 18	Gasol./el éc.	FWD	1969	145	197	03.20-	■
B5 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	183	249	03.22-	■

LISTA DE APLICACIONES - BUYERS GUIDE

B5 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	184	250	03.20-	■
B6 Mild-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	220	299	03.20-	■
T8 Hybrid Polestar AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	233	317	01.19-	■
T8 Plug-in Hybrid Polestar AWD	Rim 18	Gasol./el éc.	4WD	1969	246	334	10.17-12.22	■
T8 Hybrid AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	287	390	04.18-12.22	■
T8 Hybrid AWD (B 4204 T28)	Rim 18	Gasol./el éc.	4WD	1969	298	405	04.18-	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	299	407	10.17-12.22	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	335	455	01.22-	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	340	462	04.22-	■
B5 Mild Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	173	235	05.20-	■
B5 Mild Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	180	245	03.23-	■
D3 (D 4204 T16)	Rim 18	Diesel	FWD	1969	110	150	03.16-12.21	■
D3 (D 4204 T9)	Rim 18	Diesel	FWD	1969	110	150	03.16-12.21	■
D4 (D 4204 T7)	Rim 18	Diesel	FWD	1969	120	163	09.18-12.21	■
D4 (D 4204 T14)	Rim 18	Diesel	FWD	1969	140	190	03.16-12.21	■
D4 AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	140	190	03.16-12.21	■
D4 Drive-E Polestar (D 4204 T14)	Rim 18	Diesel	FWD	1969	147	200	03.16-12.21	■
D4 Drive-E Polestar AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	147	200	03.16-12.21	■
D5 AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	173	235	03.16-12.21	■
D5 Polestar AWD	Rim 18	Diesel	4WD	1969	177	240	06.19-12.21	■
V60 (227) 02.18-					Estate (Compact executive car-D Segment)			
T5 AWD	Rim 18	Gasolina	4WD	1969	184	250	12.18-12.21	■
T5 Polestar AWD	Rim 18	Gasolina	4WD	1969	186	253	07.19-	■
B5 Mild-Hybrid AWD (B 420 T10)	Rim 18	Gasol./el éc.	4WD	1969	183	249	03.22-	■
B5 Mild-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	184	250	01.20-	■
B4 Mild-Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	145	197	10.20-	■
D3 AWD	Rim 18	Diesel	4WD	1969	110	150	12.18-12.21	■
D4 AWD	Rim 18	Diesel	4WD	1969	140	190	12.18-12.21	■
D4 Polestar AWD	Rim 18	Diesel	4WD	1969	147	200	02.18-12.20	■
V60 II (225) 02.18-					Estate (Compact executive car-D Segment)			
T4 (B 4204 T31)	Rim 18	Gasolina	FWD	1969	140	190	05.19-	■
T5 (B 4204 T26)	Rim 18	Gasolina	FWD	1969	184	250	02.18-12.21	■
T5 AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	184	250	09.18-12.21	■
T5	Rim 18	Gasolina	FWD	1969	187	254	08.19-	■
T5	Rim 18	Gasolina	4WD	1969	187	254	05.20-	■
T5 AWD	Rim 18	Gasolina	4WD	1969	192	261	05.19-	■
T6 AWD	Rim 18	Gasolina	4WD	1969	228	310	02.18-12.21	■
2.0 T6 Drive-E Polestar AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	240	326	02.18-12.21	■
B3 Mild-Hybrid (B 420 T3)	Rim 18	Gasol./el éc.	FWD	1969	120	163	03.20-	■
B4 Mild-Hybrid (B 420 T6)	Rim 18	Gasol./el éc.	FWD	1969	145	197	03.20-	■
B5 Mild-Hybrid (B 420 T2)	Rim 18	Gasol./el éc.	FWD	1969	184	250	03.20-	■
B5 Mild-Hybrid AWD (B 420 T2)	Rim 18	Gasol./el éc.	4WD	1969	184	250	03.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

B6 Mild-Hybrid AWD (B 420 T)	Rim 18	Gasol./el éc.	4WD	1969	220	299	03.20-	■
T8 Plug-in Hybrid Polestar AWD	Rim 18	Gasol./el éc.	4WD	1969	246	334	05.19-	■
T6 Plug-in Hybrid AWD (B 4204 T46)	Rim 18	Gasol./el éc.	4WD	1969	250	340	03.19-12.22	■
T6 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	257	349	05.22-	■
T8 Plug-in Hybrid AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	287	390	02.18-12.22	■
T8 Plug-in Hybrid Polestar AWD (B 4204 T48)	Rim 18	Gasol./el éc.	4WD	1969	298	405	05.19-12.22	■
T8 Hybrid Polestar AWD (B 4204 T39)	Rim 18	Gasol./el éc.	4WD	1969	309	420	05.19-	■
T8 Recharge AWD	Rim 18	Gasol./el éc.	4WD	1969	317	431	01.23-	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	335	455	05.22-	■
B4 Mild-Hybrid	Rim 18	Diesel/el éc.	FWD	1969	145	197	03.20-	■
D3	Rim 18	Diesel	FWD	1969	110	150	02.18-12.21	■
D3 AWD (D 4204 T4)	Rim 18	Diesel	4WD	1969	110	150	09.18-12.21	■
D4 (D 4204 T14)	Rim 18	Diesel	FWD	1969	140	190	02.18-12.21	■
D4 AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	140	190	09.18-12.21	■
D4 Polestar (D 4204 T14)	Rim 18	Diesel	FWD	1969	147	200	02.18-12.21	■
D4 Polestar AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	147	200	02.18-12.21	■
V90 (236) 03.16-					Estate (Executive car-E Segment)			
T5 AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	183	249	03.16-12.21	■
T5 AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	184	250	10.17-	■
T5 Polestar AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	186	253	10.17-	■
T5 AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	187	254	03.16-12.18	■
T5 Drive-E Polestar AWD	Rim 18	Gasolina	4WD	1969	192	261	10.16-12.18	■
T6 AWD	Rim 18	Gasolina	4WD	1969	228	310	10.17-	■
T6 AWD	Rim 18	Gasolina	4WD	1969	235	320	10.16-	■
T6 Polestar AWD	Rim 18	Gasolina	4WD	1969	240	326	10.17-	■
T6 Polestar AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	246	334	10.16-12.17	■
B5 Mild-Hybrid	Rim 18	Gasol./el éc.	4WD	1969	183	249	03.22-	■
B5 Mild-Hybrid AWD (B 420 T2)	Rim 18	Gasol./el éc.	4WD	1969	184	250	03.20-	■
B6 Mild-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	220	299	03.20-	■
B4 Mild-Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	145	197	10.20-	■
B5 Mild Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	173	235	12.20-	■
B5 Mild Hybrid Polestar AWD	Rim 18	Diesel/el éc.	4WD	1969	180	245	11.21-	■
D4 AWD (D 4204 T7)	Rim 18	Diesel	4WD	1969	120	163	09.18-	■
D4 AWD	Rim 18	Diesel	4WD	1969	140	190	10.16-	■
Polestar AWD	Rim 18	Diesel	4WD	1969	147	200	10.16-	■
D5 AWD	Rim 18	Diesel	4WD	1969	173	235	10.16-	■
D5 Polestar AWD	Rim 18	Diesel	4WD	1969	176	239	10.16-	■
V90 II (235) 03.16-					Estate (Executive car-E Segment)			
T4 (B 4204 T31)	Rim 18	Gasolina	FWD	1969	140	190	10.17-12.21	■
T4 Polestar (B 4204 T31)	Rim 18	Gasolina	FWD	1969	155	210	06.19-12.21	■
T5 (B 4204 T23)	Rim 18	Gasolina	FWD	1969	184	250	10.17-12.21	■
T5 (B 4204 T26)	Rim 18	Gasolina	FWD	1969	184	250	10.17-12.21	■
T5 Polestar (B 4204 T26)	Rim 18	Gasolina	FWD	1969	186	253	06.19-12.21	■

LISTA DE APLICACIONES - BUYERS GUIDE

T5 (B 4204 T23)	Rim 18	Gasolina	FWD	1969	187	254	03.16-12.18	■
T5 Drive-E Polestar AWD	Rim 18	Gasolina	4WD	1969	192	261	03.16-	■
T6 AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	228	310	10.17-12.21	■
T6 AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	235	320	03.16-12.18	■
T6 Polestar AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	240	326	10.17-12.21	■
B4 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	145	197	03.20-	■
B5 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	184	250	03.20-	■
B6 Mild-Hybrid AWD (B 420 T)	Rim 18	Gasol./el éc.	4WD	1969	220	299	03.20-	■
T8 Plug-in Hybrid Polestar AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	233	317	05.18-12.22	■
T8 Plug-in Hybrid Polestar AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	246	334	03.16-12.18	■
T6 Plug-in-Hybrid AWD (B 4204 T46)	Rim 18	Gasol./el éc.	4WD	1969	250	340	06.20-12.22	■
B6 Mild-Hybrid AWD (B 420 T)	Rim 18	Gasol./el éc.	4WD	1969	256	348	03.20-	■
T6 Plug-in-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	257	349	01.22-	■
T8 Hybrid AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	287	390	04.18-12.22	■
T8 Plug-in-Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	299	407	03.16-12.18	■
T8 Recharge AWD	Rim 18	Gasol./el éc.	4WD	1969	317	431	01.23-	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	335	455	05.22-	■
B4 Mild-Hybrid	Rim 18	Diesel/el éc.	FWD	1969	145	197	10.20-	■
B4 Mild-Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	145	197	10.20-	■
B5 Mild Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	173	235	12.20-	■
B5 Mild Hybrid Polestar AWD	Rim 18	Diesel/el éc.	4WD	1969	180	245	11.21-	■
D3 (D 4204 T16)	Rim 18	Diesel	FWD	1969	110	150	03.16-12.21	■
D3 (D 4204 T9)	Rim 18	Diesel	FWD	1969	110	150	03.16-12.21	■
D3 AWD (D 4204 T4)	Rim 18	Diesel	4WD	1969	110	150	03.16-12.21	■
D4 (D 4204 T7)	Rim 18	Diesel	FWD	1969	120	163	09.18-12.21	■
D4 (D 4204 T14)	Rim 18	Diesel	FWD	1969	140	190	03.16-12.21	■
D4 AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	140	190	03.16-12.21	■
D4 Polestar	Rim 18	Diesel	FWD	1969	147	200	10.16-12.21	■
Polestar AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	147	200	10.16-12.21	■
D5 AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	173	235	03.16-12.21	■
D5 Polestar AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	176	239	10.16-12.21	■
XC40 (536) 10.17-					SUV (Compact SUV-J Segment)			
T2 (B 3154 T9)	Rim 18	Gasolina	FWD	1477	95	129	06.19-	■
T3	Rim 18	Gasolina	FWD	1477	110	150	12.20-12.22	■
T3 (B 3154 T)	Rim 18	Gasolina	FWD	1477	115	156	03.18-03.19	■
T3 (B 3154 T2)	Rim 18	Gasolina	FWD	1477	120	163	03.19-12.22	■
T3 (B 3154 T7)	Rim 18	Gasolina	FWD	1477	120	163	03.19-12.22	■
T4 (B 4204 T47)	Rim 18	Gasolina	FWD	1969	140	190	09.18-12.21	■
T4 AWD (B 4204 T47)	Rim 18	Gasolina	4WD	1969	140	190	09.18-	■
T5 AWD (B 4204 T14)	Rim 18	Gasolina	4WD	1969	182	247	10.17-09.21	■
T5 AWD (B 4204 T14)	Rim 18	Gasolina	4WD	1969	183	249	10.17-12.22	■
T5 AWD (B 4204 T18)	Rim 18	Gasolina	4WD	1969	183	249	10.17-12.22	■
T5 Polestar AWD (B 4204 T20)	Rim 18	Gasolina	4WD	1969	183	249	10.17-09.19	■
T5 AWD (B 4204 T14)		Gasolina	4WD	1969	185	252	01.18-12.22	■

LISTA DE APLICACIONES - BUYERS GUIDE

T5 AWD (B 4204 T18)		Gasolina	4WD	1969	185	252	01.18-12.22	■
T5 Plug-in Hybrid Polestar Performance	Rim 18	Gasol./el éc.	FWD	1477	143	194	06.19-	■
T4 Plug-in Hybrid (B 3154 T10)	Rim 18	Gasol./el éc.	FWD	1477	155	211	06.20-	■
T5 Plug-in Hybrid (B 3154 T5)	Rim 18	Gasol./el éc.	FWD	1477	193	262	06.19-	■
B3 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	120	163	01.22-	■
B4 Mild-Hybrid (B 420 T6)	Rim 18	Gasol./el éc.	FWD	1969	145	197	09.19-	■
B4 Mild-Hybrid AWD (B 420 T6)	Rim 18	Gasol./el éc.	4WD	1969	145	197	09.19-	■
B5 Mild-Hybrid AWD (B 420 T10)	Rim 18	Gasol./el éc.	4WD	1969	183	249	03.22-12.23	■
B5 Mild-Hybrid AWD (B 420 T2)	Rim 18	Gasol./el éc.	4WD	1969	184	250	09.19-12.23	■
Recharge	Rim 18	Eléctrico	FWD		170	231	02.22-12.22	■
Recharge	Rim 18	Eléctrico	RWD		175	238	01.23-	■
Recharge	Rim 18	Eléctrico	RWD		185	252	01.23-	■
Recharge AWD	Rim 18	Eléctrico	4WD		300	408	11.20-	■
Recharge AWD	Rim 18	Eléctrico	4WD		300	408	06.21-	■
D3 (D 4204 T16)	Rim 18	Diesel	FWD	1969	110	150	09.18-09.21	■
D3 AWD (D 4204 T16)	Rim 18	Diesel	4WD	1969	110	150	09.18-09.21	■
D3 Polestar	Rim 18	Diesel	FWD	1969	118	160	12.19-12.21	■
D3 Polestar AWD	Rim 18	Diesel	4WD	1969	118	160	12.19-12.21	■
D4 AWD (D 4204 T12)	Rim 18	Diesel	4WD	1969	140	190	10.17-09.21	■
D4 Polestar AWD (D 4204 T12)	Rim 18	Diesel	4WD	1969	147	200	01.19-09.21	■
XC60 II (246) 03.17-					SUV (Compact SUV-J Segment)			
T4 (B 4204 T31)	Rim 18	Gasolina	FWD	1969	140	190	09.18-12.21	■
T4 Polestar (B 4204 T31P)	Rim 18	Gasolina	FWD	1969	155	210	07.19-12.21	■
T5 AWD (B 4204 T20)	Rim 18	Gasolina	4WD	1969	183	249	10.17-12.21	■
T5 (B 4204 T26)	Rim 18	Gasolina	FWD	1969	184	250	10.17-12.20	■
T5 AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	184	250	10.17-12.20	■
T5 Polestar (B 4204 T26P)	Rim 18	Gasolina	FWD	1969	186	253	05.19-12.20	■
T5 Polestar AWD (B 4204 T26P)	Rim 18	Gasolina	4WD	1969	186	253	07.19-12.20	■
T5 (B 4204 T23)	Rim 18	Gasolina	FWD	1969	187	254	03.17-	■
T5 AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	187	254	03.17-12.21	■
T5 Polestar AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	192	261	03.17-12.18	■
T6 AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	228	310	10.17-12.21	■
T6 AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	235	320	03.17-12.21	■
T6 Polestar AWD (B 4204 T29P)	Rim 18	Gasolina	4WD	1969	240	326	07.19-12.21	■
T6 Polestar AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	246	334	03.17-12.21	■
2.0 T8 Drive-E AWD	Rim 18	Gasolina	4WD	1969	298	405	05.19-	■
B4 Mild-Hybrid (B 420 T6)	Rim 18	Gasol./el éc.	FWD	1969	145	197	09.19-	■
2.0 B5 Mild-Hybrid (B 420 T10)	Rim 18	Gasol./el éc.	FWD	1969	183	249	03.22-	■
2.0 B5 Mild-Hybrid AWD (B 420 T10)	Rim 18	Gasol./el éc.	4WD	1969	183	249	03.22-	■
B5 Mild-Hybrid (B 420 T2)	Rim 18	Gasol./el éc.	FWD	1969	184	250	01.20-	■
B5 Mild-Hybrid AWD (B 420 T2)	Rim 18	Gasol./el éc.	4WD	1969	184	250	01.20-	■
B6 Mild-Hybrid AWD (B 420 T)	Rim 18	Gasol./el éc.	4WD	1969	220	299	03.20-	■
T8 Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	246	334	03.17-12.22	■
T8 Hybrid Polestar AWD	Rim 18	Gasol./el éc.	4WD	1969	246	334	05.21-12.22	■

LISTA DE APLICACIONES - BUYERS GUIDE

B4 Plug-In Hybrid	Rim 18	Gasol./el éc.	FWD	1969	250	340	01.21-12.22	■
B4 Plug-In Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	250	340	01.21-12.22	■
T6 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	250	340	04.21-	■
T6 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	257	349	01.22-	■
T8 Hybrid AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	287	390	02.18-12.22	■
T8 Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	298	405	09.17-12.22	■
T8 Hybrid Polestar AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	298	405	01.19-12.22	■
T8 Hybrid Polestar AWD (B 4204 T48)	Rim 18	Gasol./el éc.	4WD	1969	298	405	01.19-12.22	■
T8 Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	299	407	03.17-12.22	■
T8 Hybrid Polestar AWD (B 4204 T39)	Rim 18	Gasol./el éc.	4WD	1969	309	420	02.20-	■
T8 Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	335	456	01.22-	■
T8 Hybrid AWD (B 4204 T56)	Rim 18	Gasol./el éc.	4WD	1969	340	462	07.22-	■
B4 Mild-Hybrid	Rim 18	Diesel/el éc.	FWD	1969	145	197	05.19-	■
B4 Mild-Hybrid AWD	Rim 18	Diesel/el éc.	4WD	1969	145	197	04.19-	■
B5 Mild-Hybrid AWD (D 420 T2)	Rim 18	Diesel/el éc.	4WD	1969	173	235	04.19-	■
D3 (D 4204 T4)	Rim 18	Diesel	FWD	1969	110	150	03.17-12.21	■
D4 (D 4204 T7)	Rim 18	Diesel	FWD	1969	120	163	12.18-12.21	■
D4 (D 4204 T14)	Rim 18	Diesel	FWD	1969	140	190	03.17-12.21	■
D4 AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	140	190	03.17-12.21	■
D4 Polestar (D 4204 T14)	Rim 18	Diesel	FWD	1969	147	200	05.20-12.21	■
D4 Polestar AWD (D 4204 T14)	Rim 18	Diesel	4WD	1969	147	200	01.19-12.21	■
D5 AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	173	235	03.17-12.22	■
D5 Polestar AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	177	240	10.18-12.22	■
XC90 II (256) 09.14-					SUV (Luxury Crossover SUV-J Segment)			
T5 Drive-E Polestar AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	176	239	10.17-12.20	■
T5 AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	183	249	02.16-12.18	■
T5 AWD (B 4204 T26)	Rim 18	Gasolina	4WD	1969	184	250	10.17-12.20	■
T5 Polestar AWD (B 4204 T26P)	Rim 18	Gasolina	4WD	1969	186	253	07.19-12.20	■
T5	Rim 18	Gasolina	FWD	1969	187	254	01.16-12.16	■
T5 AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	187	254	06.15-12.21	■
T5 Drive-E Polestar AWD (B 4204 T23)	Rim 18	Gasolina	4WD	1969	192	261	10.17-12.21	■
T6 AWD (B 4204 T29)	Rim 18	Gasolina	4WD	1969	228	310	10.17-12.21	■
T6 AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	235	320	09.14-12.18	■
T6 Polestar AWD (B 4204 T29P)	Rim 18	Gasolina	4WD	1969	240	326	10.17-12.21	■
T6 Polestar AWD (B 4204 T27)	Rim 18	Gasolina	4WD	1969	246	334	01.17-12.21	■
2.0 T8 Plug-in Hybrid AWD (B 4204 T56)	Rim 18	Gasol./el éc.	4WD	1696	340	462	08.22-	■
B5 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	183	249	03.22-	■
B5 Mild-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	183	249	03.22-	■
B5 Mild-Hybrid	Rim 18	Gasol./el éc.	FWD	1969	184	250	01.22-	■
B5 Mild-Hybrid AWD (B 4204 T26)	Rim 18	Gasol./el éc.	4WD	1969	184	250	01.20-	■
B6 Mild-Hybrid AWD (B 420 T)	Rim 18	Gasol./el éc.	4WD	1969	220	299	03.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

T8 Hybrid Polestar AWD (B 4204 T34)	Rim 18	Gasol./el éc.	4WD	1969	233	317	01.19-12.22	■
T8 Plug-in Hybrid Polestar AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	246	334	06.15-12.22	■
T8 Twin Engine AWD	Rim 18	Gasol./el éc.	4WD	1969	287	390	06.19-12.22	■
T8 Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	298	405	06.15-12.22	■
T8 Hybrid AWD (B 4204 T28)	Rim 18	Gasol./el éc.	4WD	1969	299	407	06.15-12.18	■
T8 Hybrid AWD (B 4204 T35)	Rim 18	Gasol./el éc.	4WD	1969	299	407	06.15-12.18	■
T8 Hybrid AWD (B1APHEV)	Rim 18	Gasol./el éc.	4WD	1969	299	407	06.15-12.18	■
T8 Hybrid Polestar AWD		Gasol./el éc.	4WD	1969	310	421	02.20-12.22	■
T8 Plug-in Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	335	455	05.22-	■
B5 Mild-Hybrid AWD (D 420 T2)	Rim 18	Diesel/el éc.	4WD	1969	173	235	04.19-	■
D4 (D 4204 T14)	Rim 18	Diesel	FWD	1969	140	190	06.15-12.18	■
D4 AWD (D 4204 T6)	Rim 18	Diesel	4WD	1969	140	190	10.15-12.18	■
D5 AWD (D 4204 T11)	Rim 18	Diesel	4WD	1969	165	224	09.14-12.16	■
D5 AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	173	235	03.16-12.19	■
D5 DRiVe Polestar AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	176	239	03.16-12.21	■
D5 Polestar AWD (D 4204 T23)	Rim 18	Diesel	4WD	1969	177	240	10.18-12.21	■
VOLVO ASIA								
S60 12.19-					Saloon (Compact executive car-D Segment)			
T3	Rim 18	Gasolina	FWD	1969	120	163	12.19-	■
T4	Rim 18	Gasolina	FWD	1969	140	190	12.19-	■
T5	Rim 18	Gasolina	FWD	1969	184	250	12.19-	■
T8 PHEV AWD	Rim 18	Gasol./el éc.	4WD	1969	288	392	12.19-	■
S90 12.16-					Saloon ()			
2.0 T4	Rim 18	Gasolina	FWD	1969	140	190	12.16-	■
T5 (B4204T26)	Rim 18	Gasolina	FWD	1969	184	250	06.20-	■
2.0 T5	Rim 18	Gasolina	FWD	1969	187	254	12.16-	■
B5 Mild-Hibrid (B 420 T2)	Rim 18	Gasol./el éc.	FWD	1969	184	250	08.20-	■
T8 Plug-in-Hybrid AWD (B4204T34,ERAD2)	Rim 18	Gasol./el éc.	4WD	1969	288	392	06.20-	■
T8 Plug-in-Hybrid AWD	Rim 18	Gasol./el éc.	4WD	1969	300	408	06.18-	■
XC40 05.19-					SUV (Compact SUV-J Segment)			
T3	Rim 18	Gasolina	FWD	1477	120	163	05.19-	■
T5 AWD	Rim 18	Gasolina	4WD	1969	182	247	07.20-	■
T5 AWD	Rim 18	Gasolina	4WD	1969	185	252	05.19-	■
P8 Recharge AWD		Eléctrico	4WD		300	408	11.20-	■
XC60 II 12.17-					SUV (Compact SUV-J Segment)			
2.0 T4	Rim 18	Gasolina	FWD	1696	140	190	12.17-	■
T5 AWD (B4204Y26)	Rim 18	Gasolina	4WD	1969	184	250	12.19-	■
2.0 T5 AWD	Rim 18	Gasolina	4WD	1969	187	254	12.17-	■
2.0 T8 Plug-in Hybrid A las 4 ruedas	Rim 18	Gasol./el éc.	4WD	1969	235	320	06.18-	■