

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0001-1



Qty: 998 Weight: 34.000

O.E.M.	MAKE
1526577	PACCAR
5021200823	RENAULT TRUCKS
9424210912	MERCEDES-BENZ
9424211012	MERCEDES-BENZ
9424211112	MERCEDES-BENZ
9424211212	MERCEDES-BENZ
9424212612	MERCEDES-BENZ
9424230012	MERCEDES-BENZ
9424230112	MERCEDES-BENZ
9424230212	MERCEDES-BENZ
AMMBR5016HD	VOLVO
JAE0110400112	JOST
MBR5016HD	MERITOR

78CV0001-1



Ø430x45x132.5

MAKE
BREDA -MENARINI-
MERCEDES-BENZ
SETRA
ZF AXLES



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

BREDA -MENARINI-

								Bus	
03.14-12.15									
10		Diesel		8709	228	310	03.14-12.15	■	■
12		Diesel		8709	228	310	03.14-12.15	■	■
10		Diesel		8709	243	330	03.14-12.15	■	■
12		Diesel		8709	243	330	03.14-12.15	■	■
12		Diesel		8709	265	360	03.14-12.15	■	■

								Bus	
03.14-12.15									
10 CNG		Gasolina		7790	213	290	03.14-12.15	■	■
12 CNG		Gasolina		7790	213	290	03.14-12.15	■	■
10 CNG		Gasolina		7790	243	330	03.14-12.15	■	■
12 CNG		Gasolina		7790	243	330	03.14-12.15	■	■

MERCEDES-BENZ

								Bus	
01.11-									
CITARO G MILD HYBRID		Bicombustible		7698	220	299	01.17-	■	■
CITARO HYBRID		Bicombustible		7698	220	299	05.12-	■	■
CITARO K HYBRID		Bicombustible		7698	220	299	05.12-	■	■
CITARO K MILD HYBRID		Bicombustible		7698	220	299	01.17-	■	■
CITARO K MILD HYBRID		Bicombustible		7698	220	299	01.17-	■	■
CITARO MILD HYBRID		Bicombustible		7698	220	299	01.17-	■	■
CITARO MILD HYBRID		Bicombustible		7698	220	299	01.17-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

CITARO U HYBRID		Bicombu stible		7698	220	299	05.12-	■	■
CITARO U MILD HYBRID		Bicombu stible		7698	220	299	01.17-	■	■
CITARO G MILD HYBRID NGT		Bicombu stible		7698	222	302	01.17-	■	■
CITARO MILD HYBRID NGT		Bicombu stible		7698	222	302	01.17-	■	■
CITARO G MILD HYBRID		Bicombu stible		7698	260	354	01.17-	■	■
CITARO HYBRID		Bicombu stible		7698	260	354	05.12-	■	■
CITARO K MILD HYBRID		Bicombu stible		7698	260	354	01.17-	■	■
CITARO K MILD HYBRID		Bicombu stible		7698	260	354	01.17-	■	■
CITARO MILD HYBRID		Bicombu stible		7698	260	354	01.17-	■	■
CITARO MILD HYBRID		Bicombu stible		7698	260	354	01.17-	■	■
CITARO U HYBRID		Bicombu stible		7698	260	354	05.12-	■	■
CITARO U MILD HYBRID		Bicombu stible		7698	260	354	01.17-	■	■
01.11-									Bus
Citaro G		Diesel		4801	160	218	01.11-	■	■
CITARO		Diesel		6374	210	286	01.11-	■	■
CITARO		Diesel		7201	210	286	01.11-	■	■
CITARO		Diesel		7698	220	299	05.12-	■	■
CITARO		Diesel		7698	220	299	05.12-	■	■
Citaro G		Diesel		7698	220	299	05.12-	■	■
CITARO K		Diesel		7698	220	299	05.12-	■	■
CITARO K		Diesel		7698	220	299	05.12-	■	■
CITARO LE		Diesel		7698	220	299	05.12-	■	■
CITARO LE		Diesel		7698	220	299	05.12-	■	■
CITARO LE MU		Diesel		7698	220	299	05.12-	■	■
CITARO LE MU		Diesel		7698	220	299	05.12-	■	■
CITARO LE U		Diesel		7698	220	299	05.12-	■	■
CITARO U		Diesel		7698	220	299	05.12-	■	■
CITARO		Diesel		7698	260	354	05.12-	■	■
CITARO		Diesel		7698	260	354	05.12-	■	■
Citaro G		Diesel		7698	260	354	05.12-	■	■
CITARO K		Diesel		7698	260	354	05.12-	■	■
CITARO LE		Diesel		7698	260	354	05.12-	■	■
CITARO LE		Diesel		7698	260	354	05.12-	■	■
CITARO LE MU		Diesel		7698	260	354	05.12-	■	■
CITARO LE MU		Diesel		7698	260	354	05.12-	■	■
CITARO LE U		Diesel		7698	260	354	05.12-	■	■
CITARO U		Diesel		7698	260	354	05.12-	■	■
Citaro G		Diesel		10677	265	360	05.12-	■	■
Citaro G		Diesel		10677	265	360	05.12-	■	■
CITARO GU		Diesel		10677	265	360	05.12-	■	■
CITARO GU		Diesel		10677	265	360	05.12-	■	■
Citaro G		Diesel		10677	290	394	05.12-	■	■
Citaro G		Diesel		10677	290	394	05.12-	■	■
CITARO GU		Diesel		10677	290	394	05.12-	■	■
CITARO GU		Diesel		10677	290	394	05.12-	■	■
CITARO		Diesel		11967	220	299	01.11-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

CITARO		Diesel		11967	220	299	01.11-	■	■
CITARO		Diesel		11967	260	354	01.11-	■	■
CITARO		Diesel		11967	260	354	01.11-	■	■
01.11-								Bus	
CITARO G NGT		Gasolina		7698	222	302	10.15-	■	■
CITARO NGT		Gasolina		7698	222	302	10.15-	■	■
ACTROS 04.96-10.03								Concrete Mixer	
2631B (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
2631B (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
3231 B (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
3231 B (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
3331 B (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
3331 B (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
2635 B (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
2635 B (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
3235 B (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
3235 B (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
3335 B (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
3335 B (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
2640 B (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
2640 B (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
3240 B (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3240 B (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
3340 B (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3340 B (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
4140 B (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
4140 B (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
2643 B (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
2643 B (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
3243 B (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3243 B (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
3343 B		Diesel		11946	315	428	04.96-10.02	■	■
4143 B		Diesel		11946	315	428	04.96-10.02	■	■
2646 B (OM 541.948)		Diesel		11946	335	456	10.97-10.02	■	■
3246 B (OM 541.948)		Diesel		11946	335	456	10.97-10.02	■	■
ACTROS 04.96-10.03								Dump Truck	
1831K (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
1831K (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
2031 K (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
2031 K (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
2631 K (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
2631 K (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
2631 LK		Diesel		11946	230	313	04.96-10.02	■	■
3331 K (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
3331 K (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
1835 K (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
1835 K (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
2635 K, 2635 LK (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
2635 K, 2635 LK (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
3335 K (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3335 K (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
1840 K (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
1840 K (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
2040 K		Diesel		11946	290	394	04.96-10.02	■	■
2640 K, 2640 LK (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
2640 K, 2640 LK (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
3340 K (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3340 K (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
4140 K (OM 541.923)		Diesel		11946	290	394	04.97-10.02		■
4140 K (OM 541.944)		Diesel		11946	290	394	04.97-10.02		■
1843 K (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	
1843 K (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	
2643 K, 2643 LK (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
2643 K, 2643 LK (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
3343 K (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3343 K (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
1846 K		Diesel		11946	335	455	04.96-10.02	■	
3346 K (OM 541.948)		Diesel		11946	335	456	10.97-	■	■
2648 K, 2648 LK (OM 541.948)		Diesel		11946	355	483	10.97-10.02	■	■
1848 K (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	
1848 K (OM 542.940)		Diesel		15928	350	476	04.97-10.02	■	
2648 K, 2648 LK (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
2648 K, 2648 LK (OM 542.940)		Diesel		15928	350	476	04.97-10.02	■	■
3348 K (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
3348 K (OM 542.940)		Diesel		15928	350	476	04.97-10.02	■	■
3350 K (OM 542.940)		Diesel		15928	370	503	10.97-10.02	■	■
1853 K		Diesel		15928	390	530	04.96-10.02	■	
2653 K, 2653 LK (OM 542.920)		Diesel		15928	390	530	04.97-10.02	■	■
2653 K, 2653 LK (OM 542.942)		Diesel		15928	390	530	04.97-10.02	■	■
3353 K		Diesel		15928	390	530	04.96-10.02	■	■
2657 K, 2657 LK (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
2657 K, 2657 LK (OM 542.944)		Diesel		15928	420	571	04.97-10.02	■	■
ACTROS 04.96-10.03				Platform/Chassis					
1831, 1831 L (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
1831 LL		Diesel		11946	230	313	04.96-10.02	■	■
2031 (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
2531, 2531 L (OM 541.920)		Diesel		11946	230	313	09.96-10.02	■	■
2531, 2531 L (OM 541.940)		Diesel		11946	230	313	09.96-10.02	■	■
2531, 2531 L		Diesel		11946	230	313	09.96-10.02	■	■
2631, 2631 L (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
3231		Diesel		11946	230	313	04.96-10.02	■	■
3331 (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
1835, 1835 L (OM 541.922)		Diesel		11946	260	354	04.96-10.02	■	■
1835 LL		Diesel		11946	260	354	04.96-10.02	■	■
2535 L (OM 541.922)		Diesel		11946	260	354	09.96-10.02	■	■
2535 L (OM 541.942)		Diesel		11946	260	354	09.96-10.02	■	■
2535 L		Diesel		11946	260	354	09.96-10.02	■	■
2635, 2635 L (OM 541.922)		Diesel		11946	260	354	04.96-10.02	■	■
3235 (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
3235 (OM 541.942)		Diesel		11946	260	354	04.97-10.02	■	■
3335 (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1840, 1840 L (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
1840 LL		Diesel		11946	290	394	04.96-10.02	■	■
2040 (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■
2540, 2540 L (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■
2540, 2540 L (OM 541.944)		Diesel		11946	290	394	09.96-10.02	■	■
2540 L		Diesel		11946	290	394	04.96-10.02	■	■
2640, 2640 L (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
3240 (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3240 (OM 541.944)		Diesel		11946	290	394	04.97-10.02	■	■
3340 (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
1843, 1843 L (OM 541.925)		Diesel		11946	315	428	04.96-10.02	■	■
1843 LL		Diesel		11946	315	428	04.96-10.02	■	■
2543, 2543 L (OM 541.925)		Diesel		11946	315	428	09.96-10.02	■	■
2543, 2543 L (OM 541.946)		Diesel		11946	315	428	09.96-10.02	■	■
2543 L		Diesel		11946	315	428	04.96-10.02	■	■
2643, 2643 L (OM 541.925)		Diesel		11946	315	428	04.96-10.02	■	■
3243 (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3243 (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
3343 (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3346 (OM 541.948)		Diesel		11946	335	456	04.97-10.02	■	■
1848, 1848 L (OM 542.921)		Diesel		15928	350	476	04.96-10.02	■	■
1848 LL		Diesel		15928	350	476	04.96-10.02	■	■
2548, 2548 L (OM 542.921)		Diesel		15928	350	476	09.96-10.02	■	■
2648, 2648 L (OM 542.921)		Diesel		15928	350	476	04.96-10.02	■	■
3348 (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
1853, 1853 L (OM 542.920)		Diesel		15928	390	530	04.96-10.02	■	■
1853 LL		Diesel		15928	390	530	04.96-10.02	■	■
2553, 2553 L (OM 542.920)		Diesel		15928	390	530	09.96-10.02	■	■
2653, 2653 L (OM 542.920)		Diesel		15928	390	530	04.96-10.02	■	■
3353 (OM 542.920)		Diesel		15928	390	530	04.97-10.02	■	■
1857 L (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
2557 L (OM 542.922)		Diesel		15928	420	571	09.96-10.02	■	■
2657 L (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
3357 (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■
ACTROS 04.96-10.03							Truck Tractor		
1831 S, 1831 LS (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
1831 S, 1831 LS (OM 541.940)		Diesel		11946	230	313	04.96-10.02	■	■
2031S (OM 541.920)		Diesel		11946	230	313	04.96-10.02	■	■
2031S (OM 541.940)		Diesel		11946	230	313	04.96-10.02	■	■
2531 LS (OM 541.920)		Diesel		11946	230	313	09.96-10.02	■	■
2531 LS (OM 541.940)		Diesel		11946	230	313	09.96-10.02	■	■
2631 LS		Diesel		11946	230	313	04.96-10.02	■	■
2631S		Diesel		11946	230	313	04.96-10.02	■	■
3331 S (OM 541.920)		Diesel		11946	230	313	04.97-10.02	■	■
3331 S (OM 541.940)		Diesel		11946	230	313	04.97-10.02	■	■
1835 S, 1835 LS (OM 541.922)		Diesel		11946	260	354	04.96-10.02	■	■
1835 S, 1835 LS (OM 541.942)		Diesel		11946	260	354	04.96-10.02	■	■
2035 S (OM 541.922)		Diesel		11946	260	354	04.96-10.02	■	■
2035 S (OM 541.942)		Diesel		11946	260	354	04.96-10.02	■	■
2535 LS (OM 541.922)		Diesel		11946	260	354	09.96-10.02	■	■
2535 LS (OM 541.942)		Diesel		11946	260	354	09.96-10.02	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2535 LS		Diesel		11946	260	354	04.96-10.02	■	■
2535 LS		Diesel		11946	260	354	04.96-10.02	■	■
2635 LS		Diesel		11946	260	354	04.96-10.02	■	■
2635S		Diesel		11946	260	354	04.96-10.02	■	■
3335 S (OM 541.922)		Diesel		11946	260	354	04.97-10.02	■	■
3336S (OM 541.942)		Diesel		11946	265	360	10.97-10.02	■	■
1840 S, 1840 LS (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
1840 S, 1840 LS (OM 541.944)		Diesel		11946	290	394	04.96-10.02	■	■
2040 S (OM 541.923)		Diesel		11946	290	394	04.96-10.02	■	■
2040 S (OM 541.944)		Diesel		11946	290	394	04.96-10.02	■	■
2540 LS (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■
2540 LS (OM 541.944)		Diesel		11946	290	394	09.96-10.02	■	■
2540 LS		Diesel		11946	290	394	04.96-10.02	■	■
2640 S, 2640 LS (OM 541.923)		Diesel		11946	290	394	09.96-10.02	■	■
2640 S, 2640 LS (OM 541.944)		Diesel		11946	290	394	09.96-10.02	■	■
3340 S (OM 541.923)		Diesel		11946	290	394	04.97-10.02	■	■
3341 S (OM 541.944)		Diesel		11946	300	408	10.97-10.02	■	■
1843 S, 1843 LS (OM 541.925)		Diesel		11946	315	428	04.96-10.02	■	■
1843 S, 1843 LS (OM 541.946)		Diesel		11946	315	428	04.96-10.02	■	■
2543 LS (OM 541.925)		Diesel		11946	315	428	09.96-10.02	■	■
2543 LS (OM 541.946)		Diesel		11946	315	428	09.96-10.02	■	■
2543 LS		Diesel		11946	315	428	04.96-10.02	■	■
2643 S, 2643 LS (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
2643 S, 2643 LS (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
3343 S (OM 541.925)		Diesel		11946	315	428	04.97-10.02	■	■
3343 S (OM 541.946)		Diesel		11946	315	428	04.97-10.02	■	■
1846 S, 1846 LS (OM 541.948)		Diesel		11946	335	456	10.98-10.02	■	■
2546 LS (OM 541.948)		Diesel		11946	335	456	10.97-10.02	■	■
2646 S, 2646 LS (OM 541.948)		Diesel		11946	335	456	10.97-10.02	■	■
3346 S (OM 541.948)		Diesel		11946	335	456	10.97-10.02	■	■
2648 S, 2648 LS (OM 541.948)		Diesel		11946	355	483	10.97-10.02	■	■
1848 S, 1848 LS (OM 542.921)		Diesel		15928	350	476	04.96-10.02	■	■
1848 S, 1848 LS (OM 542.940)		Diesel		15928	350	476	04.96-10.02	■	■
2548 LS (OM 542.921)		Diesel		15928	350	476	09.96-10.02	■	■
2548 LS (OM 542.940)		Diesel		15928	350	476	09.96-10.02	■	■
2548 LS		Diesel		15928	350	476	04.96-10.02	■	■
2648S		Diesel		15928	350	476	04.96-10.02	■	■
2648 S, 2648 LS (OM 542.921)		Diesel		15928	350	476	09.96-10.02	■	■
2648 S, 2648 LS (OM 542.940)		Diesel		15928	350	476	09.96-10.02	■	■
3348 S (OM 542.921)		Diesel		15928	350	476	04.97-10.02	■	■
2650S		Diesel		15928	370	503	04.96-10.02	■	■
2650 S, 2650 LS (OM 542.940)		Diesel		15928	370	503	10.97-10.02	■	■
3350 S (OM 542.940)		Diesel		15928	370	503	10.97-10.02	■	■
1853 S, 1853 LS (OM 542.920)		Diesel		15928	390	530	04.96-10.02	■	■
1853 S, 1853 LS (OM 542.942)		Diesel		15928	390	530	04.96-10.02	■	■
2053 S (OM 542.920)		Diesel		15928	390	530	04.96-10.02	■	■
2053 S (OM 542.942)		Diesel		15928	390	530	04.96-10.02	■	■
2553 LS (OM 542.920)		Diesel		15928	390	530	09.96-10.02	■	■
2553 LS (OM 542.942)		Diesel		15928	390	530	09.96-10.02	■	■
2553 LS		Diesel		15928	390	530	04.96-10.02	■	■
2653 S		Diesel		15928	390	530	04.96-10.02	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2653 S, 2653 LS (OM 542.920)		Diesel		15928	390	530	09.96-10.02	■	■	
2653 S, 2653 LS (OM 542.942)		Diesel		15928	390	530	09.96-10.02	■	■	
3353 S (OM 542.920)		Diesel		15928	390	530	04.97-10.02	■	■	
3353 S (OM 542.942)		Diesel		15928	390	530	04.97-10.02	■	■	
1857 LS (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■	
1857 LS (OM 542.944)		Diesel		15928	420	571	04.97-10.02	■	■	
2657 S, 2657 LS (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■	
2657 S, 2657 LS (OM 542.944)		Diesel		15928	420	571	04.97-10.02	■	■	
3357 S (OM 542.922)		Diesel		15928	420	571	04.97-10.02	■	■	
3357 S (OM 542.944)		Diesel		15928	420	571	04.97-10.02	■	■	
ACTROS MP2 / MP3 10.02-							Concrete Mixer			
2631B (OM 541.920)		Diesel		11946	230	313	04.03-	■	■	
2631B (OM 541.940)		Diesel		11946	230	313	04.03-	■	■	
3231 B (OM 541.920)		Diesel		11946	230	313	04.03-	■	■	
3231 B (OM 541.940)		Diesel		11946	230	313	04.03-	■	■	
3331 B (OM 541.920)		Diesel		11946	230	313	04.03-	■	■	
3331 B (OM 541.940)		Diesel		11946	230	313	04.03-	■	■	
2632 B (OM 541.940)		Diesel		11946	235	320	04.03-	■	■	
2632 B (OM 541.970)		Diesel		11946	235	320	04.03-	■	■	
2632 B (OM 541.996)		Diesel		11946	235	320	04.03-	■	■	
3232 B (OM 541.970)		Diesel		11946	235	320	04.03-	■	■	
3232 B (OM 541.996)		Diesel		11946	235	320	04.03-	■	■	
3332 B (OM 541.940)		Diesel		11946	235	320	04.03-	■	■	
3332 B (OM 541.970)		Diesel		11946	235	320	04.03-	■	■	
3332 B (OM 541.996)		Diesel		11946	235	320	04.03-	■	■	
2635 B (OM 541.922)		Diesel		11946	260	354	04.03-	■	■	
2635 B (OM 541.942)		Diesel		11946	260	354	04.03-	■	■	
3235 B (OM 541.922)		Diesel		11946	260	354	04.03-	■	■	
3235 B (OM 541.942)		Diesel		11946	260	354	04.03-	■	■	
3335 B (OM 541.922)		Diesel		11946	260	354	04.03-	■	■	
3335 B (OM 541.942)		Diesel		11946	260	354	04.03-	■	■	
2636 B (OM 541.942)		Diesel		11946	265	360	04.03-	■	■	
2636 B (OM 541.972)		Diesel		11946	265	360	04.03-	■	■	
2636 B (OM 541.998)		Diesel		11946	265	360	04.03-	■	■	
3236 B (OM 541.972)		Diesel		11946	265	360	04.03-	■	■	
3236 B (OM 541.998)		Diesel		11946	265	360	04.03-	■	■	
3336 B (OM 541.942)		Diesel		11946	265	360	04.03-	■	■	
3336 B (OM 541.972)		Diesel		11946	265	360	04.03-	■	■	
3336 B (OM 541.998)		Diesel		11946	265	360	04.03-	■	■	
2640 B (OM 541.923)		Diesel		11946	290	394	04.03-	■	■	
2640 B (OM 541.944)		Diesel		11946	290	394	04.03-	■	■	
3240 B (OM 541.923)		Diesel		11946	290	394	04.03-	■	■	
3240 B (OM 541.944)		Diesel		11946	290	394	04.03-	■	■	
3339 B (OM 541.923)		Diesel		11946	290	394	04.03-	■	■	
3339 B (OM 541.944)		Diesel		11946	290	394	04.03-	■	■	
3340 B		Diesel		11946	290	394	11.02-	■	■	
4140 B (OM 541.923)		Diesel		11946	290	394	04.03-	■	■	
4140 B (OM 541.944)		Diesel		11946	290	394	04.03-	■	■	
2641 B (OM 541.944)		Diesel		11946	300	408	04.03-	■	■	
2641 B (OM 541.974)		Diesel		11946	300	408	04.03-	■	■	
2641 B (OM 541.990)		Diesel		11946	300	408	04.03-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

3241 B (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
3241 B (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
3341 B (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
3341 B (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
3341 B (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
4141 B (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
4141 B (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
5041 B (OM 541.923)		Diesel		11946	300	408	06.08-	■	■
5041 B (OM 541.944)		Diesel		11946	300	408	06.08-	■	■
5041 B (OM 541.974)		Diesel		11946	300	408	06.08-	■	■
5041 B (OM 541.990)		Diesel		11946	300	408	06.08-	■	■
2643 B (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2643 B (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
3243 B (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
3243 B (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
3343 B (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
3343 B (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
4143 B (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
4143 B (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2644 B (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
2644 B (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
2644 B (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
3244 B (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
3244 B (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
3344 B (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
3344 B (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
4144 B (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
4144 B (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
4144 B (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
5044 B (OM 541.946)		Diesel		11946	320	435	06.08-	■	■
5044 B (OM 541.976)		Diesel		11946	320	435	06.08-	■	■
5044 B (OM 541.992)		Diesel		11946	320	435	06.08-	■	■
2646 B (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2646 B (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2646 B (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
3246 B (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
3246 B (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
3246 B (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
3346 B (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
3346 B (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
3346 B (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
4146 B (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
4146 B (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
4146 B (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
5046 B (OM 541.948)		Diesel		11946	335	456	06.08-	■	■
5046 B (OM 541.980)		Diesel		11946	335	456	06.08-	■	■
5046 B (OM 541.994)		Diesel		11946	335	456	06.08-	■	■
2648 B (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
2648 B (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
3248 B (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
3348 B (OM 541.948)		Diesel		11946	350	476	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3348 B (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
4148 B (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
ACTROS MP2 / MP3 10.02-							Dump Truck		
1831K (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
1831K (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
2031 K		Diesel		11946	230	313	11.02-	■	■
2032 K (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
2032 K (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
2032 K (OM 541.970)		Diesel		11946	230	313	04.03-	■	■
2032 K (OM 541.996)		Diesel		11946	230	313	04.03-	■	■
2631 K, LK (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
2631 K, LK (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
3231 K, 3232 K (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
3231 K, 3232 K (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
3231 K, 3232 K (OM 541.970)		Diesel		11946	230	313	04.03-	■	■
3231 K, 3232 K (OM 541.996)		Diesel		11946	230	313	04.03-	■	■
3331 K (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
3331 K (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
3332 K (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
3332 K (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
3332 K (OM 541.970)		Diesel		11946	230	313	04.03-	■	■
3332 K (OM 541.996)		Diesel		11946	230	313	04.03-	■	■
1832 K (OM 541.940)		Diesel		11946	235	320	04.03-	■	■
1832 K (OM 541.970)		Diesel		11946	235	320	04.03-	■	■
1832 K (OM 541.996)		Diesel		11946	235	320	04.03-	■	■
2632 K, LK (OM 541.940)		Diesel		11946	235	320	04.03-	■	■
2632 K, LK (OM 541.970)		Diesel		11946	235	320	04.03-	■	■
2632 K, LK (OM 541.996)		Diesel		11946	235	320	04.03-	■	■
1835 K (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
1835 K (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
2035 K		Diesel		11946	260	354	11.02-	■	■
2036 K (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
2036 K (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
2036 K (OM 541.972)		Diesel		11946	260	354	04.03-	■	■
2036 K (OM 541.998)		Diesel		11946	260	354	04.03-	■	■
2635 K, LK (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
2635 K, LK (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
3235K (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
3235K (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
3335 K (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
3336K (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
1836 K (OM 541.942)		Diesel		11946	265	360	04.03-	■	■
1836 K (OM 541.972)		Diesel		11946	265	360	04.03-	■	■
1836 K (OM 541.998)		Diesel		11946	265	360	04.03-	■	■
2636 K, LK (OM 541.942)		Diesel		11946	265	360	04.03-	■	■
2636 K, LK (OM 541.972)		Diesel		11946	265	360	04.03-	■	■
2636 K, LK (OM 541.998)		Diesel		11946	265	360	04.03-	■	■
3236 K (OM 541.972)		Diesel		11946	265	360	04.03-	■	■
3236 K (OM 541.998)		Diesel		11946	265	360	04.03-	■	■
3336K (OM 541.942)		Diesel		11946	265	360	04.03-	■	■
3336K (OM 541.972)		Diesel		11946	265	360	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3336K (OM 541.998)		Diesel		11946	265	360	04.03-	■	■
4036 K		Diesel		11946	265	360	06.09-	■	■
1840 K (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
1840 K (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
2040 K		Diesel		11946	290	394	11.02-	■	■
2041 K (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
2041 K (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
2041 K (OM 541.974)		Diesel		11946	290	394	04.03-	■	■
2041 K (OM 541.990)		Diesel		11946	290	394	04.03-	■	■
2640 K, LK (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
2640 K, LK (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
3240 K (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
3240 K (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
3339 K (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
3339 K (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
3340 K		Diesel		11946	290	394	11.02-	■	■
4140 K (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
4140 K (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
1841 K (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
1841 K (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
1841 K (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
2641 K, LK (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
2641 K, LK (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
2641 K, LK (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
3241 K (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
3241 K (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
3341 K (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
3341 K (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
4141 K (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
4141 K (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
4841 K		Diesel		11946	300	408	08.09-	■	■
5041 K (OM 541.923)		Diesel		11946	300	408	06.08-	■	■
5041 K (OM 541.944)		Diesel		11946	300	408	06.08-	■	■
5041 K (OM 541.974)		Diesel		11946	300	408	06.08-	■	■
5041 K (OM 541.990)		Diesel		11946	300	408	06.08-	■	■
1843 K		Diesel		11946	315	428	11.02-	■	■
1844 K (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
1844 K (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
1844 K (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
1844 K (OM 541.992)		Diesel		11946	315	428	04.03-	■	■
2043 K		Diesel		11946	315	428	11.02-	■	■
2044 K (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2044 K (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2044 K (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2044 K (OM 541.992)		Diesel		11946	315	428	04.03-	■	■
2643 K, LK (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2643 K, LK (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
3243 K (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
3243 K (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
3343 K (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
3343 K (OM 541.946)		Diesel		11946	315	428	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

4143 K		Diesel		11946	315	428	11.02-	■	■
4144 K (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
4144 K (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
4144 K (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2644 K, LK (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
2644 K, LK (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
2644 K, LK (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
3244 K (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
3244 K (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
3344 K (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
3344 K (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
4144 K (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
4144 K (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
4844 K		Diesel		11946	320	435	08.09-	■	■
5044 K (OM 541.946)		Diesel		11946	320	435	06.08-	■	■
5044 K (OM 541.976)		Diesel		11946	320	435	06.08-	■	■
5044 K (OM 541.992)		Diesel		11946	320	435	06.08-	■	■
1846 K (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
1846 K (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
1846 K (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
2046 K (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2046 K (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2046 K (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
2646 K, LK (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2646 K, LK (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2646 K, LK (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
3246 K (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
3246 K (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
3246 K (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
3346 K (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
3346 K (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
3346 K (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
4146 K (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
4146 K (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
4146 K (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
5046 K (OM 541.948)		Diesel		11946	335	456	06.08-	■	■
5046 K (OM 541.980)		Diesel		11946	335	456	06.08-	■	■
5046 K (OM 541.994)		Diesel		11946	335	456	06.08-	■	■
1848 K (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
1848 K (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
2048 K (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
2648 K, LK (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
2648 K, LK (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
3248 K (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
3348 K (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
4148 K (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
4148 K (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
1848 K (OM 542.921)		Diesel		15928	350	476	04.03-	■	■
1848 K (OM 542.940)		Diesel		15928	350	476	04.03-	■	■
2648 K, LK (OM 542.921)		Diesel		15928	350	476	04.03-	■	■
2648 K, LK (OM 542.940)		Diesel		15928	350	476	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3348 K (OM 542.921)		Diesel		15928	350	476	04.03-	■	■
4148 K (OM 542.921)		Diesel		15928	350	476	04.03-	■	■
1850, 1851 K (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
1850, 1851 K (OM 542.960)		Diesel		15928	370	503	04.03-	■	■
2650 K, 2651 K, LK (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
2650 K, 2651 K, LK (OM 542.960)		Diesel		15928	370	503	04.03-	■	■
3350 K		Diesel		15928	370	503	11.02-	■	■
3351 K (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
3351 K (OM 542.960)		Diesel		15928	370	503	04.03-	■	■
4150 K (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
4151 K (OM 542.960)		Diesel		15928	375	510	05.05-	■	■
2653 K, LK (OM 542.920)		Diesel		15928	390	530	04.03-	■	■
2653 K, LK (OM 542.942)		Diesel		15928	390	530	04.03-	■	■
2654 K, LK, 2655 K, LK (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
2654 K, LK, 2655 K, LK (OM 542.962)		Diesel		15928	395	537	04.03-	■	■
4154 K		Diesel		15928	395	537	11.02-	■	■
4155 K (OM 542.962)		Diesel		15928	405	551	04.03-	■	■
2658 K, LK (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
4158 K		Diesel		15928	425	578	11.02-	■	■
2660 LK (OM 542.964)		Diesel		15928	440	598	04.03-	■	■
4160 K (OM 542.964)		Diesel		15928	440	598	04.03-	■	■
ACTROS MP2 / MP3 10.02-									
								Platform/Chassis	
1831		Diesel		11946	230	313	11.02-	■	■
1831 L		Diesel		11946	230	313	11.02-	■	■
1831 LL		Diesel		11946	230	313	11.02-	■	■
2031		Diesel		11946	230	313	11.02-	■	■
2032 (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
2032 (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
2531		Diesel		11946	230	313	11.02-	■	■
2531 L		Diesel		11946	230	313	11.02-	■	■
2531 L		Diesel		11946	230	313	11.02-	■	■
2531 LL		Diesel		11946	230	313	11.02-	■	■
2531 LL		Diesel		11946	230	313	11.02-	■	■
2532, L, LL (OM 541.920)		Diesel		11946	230	312	04.03-	■	■
2532, L, LL (OM 541.940)		Diesel		11946	230	312	04.03-	■	■
2532, L, LL (OM 541.970)		Diesel		11946	230	312	04.03-	■	■
2532, L, LL (OM 541.996)		Diesel		11946	230	312	04.03-	■	■
2532, L, LL		Diesel		11946	230	312	04.03-	■	■
2631		Diesel		11946	230	313	11.02-	■	■
2631 L (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
2631 L (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
3331, 3332 (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
3331, 3332 (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
1832, L, LL (OM 541.940)		Diesel		11946	235	320	04.03-	■	■
1832, L, LL (OM 541.970)		Diesel		11946	235	320	04.03-	■	■
2632, L, LL (OM 541.940)		Diesel		11946	235	320	04.03-	■	■
2632, L, LL (OM 541.970)		Diesel		11946	235	320	04.03-	■	■
2632, L, LL (OM 541.996)		Diesel		11946	235	320	04.03-	■	■
1835		Diesel		11946	260	354	11.02-	■	■
1835 L		Diesel		11946	260	354	11.02-	■	■
1835 LL		Diesel		11946	260	354	11.02-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2035		Diesel		11946	260	354	11.02-	■	■
2036 (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
2036 (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
2535		Diesel		11946	260	354	11.02-	■	■
2535 L		Diesel		11946	260	354	11.02-	■	■
2535 L		Diesel		11946	260	354	11.02-	■	■
2535 LL		Diesel		11946	260	354	11.02-	■	■
2535 LL		Diesel		11946	260	354	11.02-	■	■
2536, L, LL (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.943)		Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.972)		Diesel		11946	260	354	04.03-	■	■
2536, L, LL (OM 541.998)		Diesel		11946	260	354	04.03-	■	■
2536, L, LL		Diesel		11946	260	354	04.03-	■	■
2635		Diesel		11946	260	354	11.02-	■	■
2635 L (OM 541.922)		Diesel		11946	260	354	04.03-	■	■
2635 L (OM 541.942)		Diesel		11946	260	354	04.03-	■	■
3335		Diesel		11946	260	354	11.02-	■	■
1836, L, LL (OM 541.942)		Diesel		11946	265	360	04.03-	■	■
2636, L, LL (OM 541.942)		Diesel		11946	265	360	04.03-	■	■
2636, L, LL (OM 541.972)		Diesel		11946	265	360	04.03-	■	■
2636, L, LL (OM 541.998)		Diesel		11946	265	360	04.03-	■	■
3336 (OM 541.942)		Diesel		11946	265	360	04.03-	■	■
3336 (OM 541.972)		Diesel		11946	265	360	04.03-	■	■
1840		Diesel		11946	290	394	11.02-	■	■
1840 L		Diesel		11946	290	394	11.02-	■	■
1840 LL		Diesel		11946	290	394	11.02-	■	■
2040 (OM 541.923)		Diesel		11946	290	394	10.02-	■	■
2040 (OM 541.944)		Diesel		11946	290	394	10.02-	■	■
2041 (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
2041 (OM 541.974)		Diesel		11946	290	394	04.03-	■	■
2540		Diesel		11946	290	394	11.02-	■	■
2540 L		Diesel		11946	290	394	11.02-	■	■
2540 L		Diesel		11946	290	394	11.02-	■	■
2540 LL		Diesel		11946	290	394	11.02-	■	■
2540 LL		Diesel		11946	290	394	11.02-	■	■
2541, L, LL (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.974)		Diesel		11946	290	394	04.03-	■	■
2541, L, LL (OM 541.990)		Diesel		11946	290	394	04.03-	■	■
2541, L, LL		Diesel		11946	290	394	04.03-	■	■
2640		Diesel		11946	290	394	11.02-	■	■
2640 L (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
2640 L (OM 541.944)		Diesel		11946	290	394	04.03-	■	■
3240 (OM 541.923)		Diesel		11946	290	394	04.03-	■	■
1841, L, LL (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
1841, L, LL (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
2641, L, LL (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
2641, L, LL (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
2641, L, LL (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
3241 (OM 541.944)		Diesel		11946	300	408	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3241 (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
3241 (OM 541.990)		Diesel		11946	300	408	04.03-	■	■
3241 L (OM 541.944)		Diesel		11946	300	408	06.08-	■	■
3241 L (OM 541.944)		Diesel		11946	300	408	06.08-	■	■
3341 (OM 541.944)		Diesel		11946	300	408	04.03-	■	■
3341 (OM 541.974)		Diesel		11946	300	408	04.03-	■	■
1843		Diesel		11946	315	428	11.02-	■	■
1843 L		Diesel		11946	315	428	11.02-	■	■
1843 LL		Diesel		11946	315	428	11.02-	■	■
2043		Diesel		11946	315	428	11.02-	■	■
2044 (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2044 (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2543		Diesel		11946	315	428	11.02-	■	■
2543 L		Diesel		11946	315	428	11.02-	■	■
2543 L		Diesel		11946	315	428	11.02-	■	■
2543 LL		Diesel		11946	315	428	11.02-	■	■
2543 LL		Diesel		11946	315	428	11.02-	■	■
2544, L, LL (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2544, L, LL (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2544, L, LL (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2544, L, LL (OM 541.992)		Diesel		11946	315	428	04.03-	■	■
2544, L, LL		Diesel		11946	315	428	04.03-	■	■
2643		Diesel		11946	315	428	11.02-	■	■
2643 L (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2643 L (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
3243 (OM 541.925)		Diesel		11946	315	428	10.02-	■	■
3243 (OM 541.946)		Diesel		11946	315	428	10.02-	■	■
3343		Diesel		11946	315	428	11.02-	■	■
3344 (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
3344 (OM 541.947)		Diesel		11946	315	428	04.03-	■	■
1844, L, LL (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
1844, L, LL (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
2644, L, LL (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
2644, L, LL (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
2644, L, LL (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
3244 (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
3244 (OM 541.992)		Diesel		11946	320	435	04.03-	■	■
1846, L, LL (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
1846, L, LL (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2046 (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2046 (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2546, L, LL (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2546, L, LL (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2546, L, LL (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
2546, L, LL		Diesel		11946	335	456	04.03-	■	■
2646, L, LL (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2646, L, LL (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2646, L, LL (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
3246 (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
3246 (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
3346 (OM 541.948)		Diesel		11946	335	456	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1848, L, LL (OM 541.948)	Diesel	11946	350	476	04.03-	■	■
1848, L, LL (OM 541.978)	Diesel	11946	350	476	04.03-	■	■
2048 (OM 541.978)	Diesel	11946	350	476	06.08-	■	■
2548, L,LL (OM 541.948)	Diesel	11946	350	476	04.03-	■	■
2548, L,LL (OM 541.978)	Diesel	11946	350	476	04.03-	■	■
2548, L,LL	Diesel	11946	350	476	04.03-	■	■
2648, L, LL (OM 541.948)	Diesel	11946	350	476	04.03-	■	■
2648, L, LL (OM 541.978)	Diesel	11946	350	476	04.03-	■	■
3248, L (OM 541.978)	Diesel	11946	350	476	04.03-	■	■
3348 (OM 541.978)	Diesel	11946	350	476	04.03-	■	■
1848, L, LL (OM 542.921)	Diesel	15928	350	476	04.03-	■	■
2548	Diesel	15928	350	476	11.02-	■	■
2548 L (OM 542.921)	Diesel	15928	350	476	04.03-	■	■
2548 L (OM 542.940)	Diesel	15928	350	476	04.03-	■	■
2548 L	Diesel	15928	350	476	11.02-	■	■
2548 LL	Diesel	15928	350	476	11.02-	■	■
2548 LL	Diesel	15928	350	476	11.02-	■	■
2648	Diesel	15928	350	476	11.02-	■	■
2648 L (OM 542.921)	Diesel	15928	350	476	04.03-	■	■
2648 L (OM 542.940)	Diesel	15928	350	476	04.03-	■	■
3348 (OM 542.921)	Diesel	15928	350	476	04.03-	■	■
1850, 1851, L, LL (OM 542.940)	Diesel	15928	370	503	04.03-	■	■
1850, 1851, L, LL (OM 542.960)	Diesel	15928	370	503	04.03-	■	■
2550	Diesel	15928	370	503	11.02-	■	■
2550 L	Diesel	15928	370	503	11.02-	■	■
2550 L	Diesel	15928	370	503	11.02-	■	■
2550 LL	Diesel	15928	370	503	11.02-	■	■
2550 LL	Diesel	15928	370	503	11.02-	■	■
2650, L, 2651,L, LL (OM 542.940)	Diesel	15928	370	503	04.03-	■	■
3250 (OM 542.940)	Diesel	15928	370	503	04.03-	■	■
3350, 3351 (OM 542.940)	Diesel	15928	370	503	04.03-	■	■
3350, 3351 (OM 542.960)	Diesel	15928	370	503	04.03-	■	■
2551, L, LL (OM 542.960)	Diesel	15928	375	510	04.03-	■	■
2551, L, LL	Diesel	15928	375	510	04.03-	■	■
2651	Diesel	15928	375	510	11.02-	■	■
2651 L (OM 542.960)	Diesel	15928	375	510	04.03-	■	■
1853 L	Diesel	15928	390	530	11.02-	■	■
1854	Diesel	15928	390	530	11.02-	■	■
2553	Diesel	15928	390	530	11.02-	■	■
2553 L (OM 542.920)	Diesel	15928	390	530	04.03-	■	■
2553 L (OM 542.942)	Diesel	15928	390	530	04.03-	■	■
2553 L	Diesel	15928	390	530	11.02-	■	■
2553 LL	Diesel	15928	390	530	11.02-	■	■
2553 LL	Diesel	15928	390	530	11.02-	■	■
2653	Diesel	15928	390	530	11.02-	■	■
2653 L (OM 542.920)	Diesel	15928	390	530	04.03-	■	■
3353	Diesel	15928	390	530	11.02-	■	■
1854, L (OM 542.942)	Diesel	15928	395	537	04.03-	■	■
1854, L (OM 542.962)	Diesel	15928	395	537	04.03-	■	■
1854 LL	Diesel	15928	395	537	11.02-	■	■
2554, L (OM 542.942)	Diesel	15928	395	537	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2554 L		Diesel		15928	395	537	11.02-	■	■
2554 L		Diesel		15928	395	537	11.02-	■	■
2554 LL		Diesel		15928	395	537	11.02-	■	■
2554 LL		Diesel		15928	395	537	11.02-	■	■
2654, L, 2655, L, LL (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
2654, L, 2655, L, LL (OM 542.962)		Diesel		15928	395	537	04.03-	■	■
3354, 3355 (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
3354, 3355 (OM 542.962)		Diesel		15928	395	537	04.03-	■	■
1855, L, LL (OM 542.962)		Diesel		15928	405	551	06.08-	■	■
2555, L, LL (OM 542.962)		Diesel		15928	405	551	04.03-	■	■
2555, L, LL		Diesel		15928	405	551	04.03-	■	■
3255 L (OM 542.962)		Diesel		15928	405	551	02.09-	■	■
1858, L (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
1858 LL		Diesel		15928	425	578	11.02-	■	■
2558, L (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
2558 L		Diesel		15928	425	578	11.02-	■	■
2558 LL		Diesel		15928	425	578	11.02-	■	■
2658 L (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
3358 (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
1860 L, LL (OM 542.964)		Diesel		15928	440	598	05.05-	■	■
2560, L, LL (OM 542.964)		Diesel		15928	440	598	04.03-	■	■
2560, L, LL		Diesel		15928	440	598	04.03-	■	■
2660 L, LL (OM 542.964)		Diesel		15928	440	598	05.05-	■	■
3260 L (OM 542.964)		Diesel		15928	440	598	02.09-	■	■
3360 (OM 542.964)		Diesel		15928	440	598	04.03-	■	■
ACTROS MP2 / MP3 10.02-									
								Truck Tractor	
1831 LS		Diesel		11946	230	313	11.02-	■	■
2031S		Diesel		11946	230	313	11.02-	■	■
2032 S (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
2032 S (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
2531 LS		Diesel		11946	230	313	11.02-	■	■
2531 LS		Diesel		11946	230	313	11.02-	■	■
2532 LS (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
2532 LS (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
2532 LS (OM 541.970)		Diesel		11946	230	313	04.03-	■	■
2532 LS		Diesel		11946	230	313	04.03-	■	■
2631 LS (OM 541.920)		Diesel		11946	230	313	10.09-	■	■
2631 LS (OM 541.940)		Diesel		11946	230	313	10.09-	■	■
2631 LS (OM 541.920)		Diesel		11946	230	313	10.02-	■	■
3331 S, 3332 S (OM 541.920)		Diesel		11946	230	313	04.03-	■	■
3331 S, 3332 S (OM 541.940)		Diesel		11946	230	313	04.03-	■	■
3331 S, 3332 S (OM 541.970)		Diesel		11946	230	313	04.03-	■	■
1832, LS, LLS (OM 541.940)		Diesel		11946	235	320	04.03-	■	■
1832, LS, LLS (OM 541.970)		Diesel		11946	235	320	04.03-	■	■
2432 LS		Diesel		11946	235	320	06.08-	■	■
2632 LS (OM 541.940)		Diesel		11946	235	320	04.03-	■	■
2632 LS (OM 541.970)		Diesel		11946	235	320	04.03-	■	■
2632 LS (OM 541.996)		Diesel		11946	235	320	04.03-	■	■
2632 LS (OM 541.970)		Diesel		11946	235	320	10.09-	■	■
2632 LS (OM 541.996)		Diesel		11946	235	320	10.09-	■	■
1835 LS		Diesel		11946	260	354	11.02-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2036 S (OM 541.942)	Diesel	11946	260	354	04.03-	■	■
2036 S (OM 541.972)	Diesel	11946	260	354	04.03-	■	■
2535 LS	Diesel	11946	260	354	11.02-	■	■
2535 LS	Diesel	11946	260	354	11.02-	■	■
2536 LS (OM 541.922)	Diesel	11946	260	353	04.03-	■	■
2536 LS (OM 541.942)	Diesel	11946	260	353	04.03-	■	■
2536 LS (OM 541.943)	Diesel	11946	260	353	04.03-	■	■
2536 LS (OM 541.972)	Diesel	11946	260	353	04.03-	■	■
2536 LS	Diesel	11946	260	353	04.03-	■	■
2635 LS (OM 541.922)	Diesel	11946	260	354	10.09-	■	■
2635 LS (OM 541.942)	Diesel	11946	260	354	10.09-	■	■
2635 LS (OM 541.922)	Diesel	11946	260	354	10.02-	■	■
2635 LS (OM 541.942)	Diesel	11946	260	354	10.02-	■	■
3335 S	Diesel	11946	260	354	11.02-	■	■
1836 LS, LLS (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
2436 LS	Diesel	11946	265	360	06.08-	■	■
2536 LS	Diesel	11946	265	360	06.08-	■	■
2636 LS (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
2636 LS (OM 541.972)	Diesel	11946	265	360	04.03-	■	■
2636 LS (OM 541.998)	Diesel	11946	265	360	04.03-	■	■
2636 LS (OM 541.972)	Diesel	11946	265	360	10.09-	■	■
2636 LS (OM 541.998)	Diesel	11946	265	360	10.09-	■	■
3336S (OM 541.942)	Diesel	11946	265	360	04.03-	■	■
3336S (OM 541.972)	Diesel	11946	265	360	04.03-	■	■
1840LS	Diesel	11946	290	394	11.02-	■	■
2040 S	Diesel	11946	290	394	11.02-	■	■
2041 S (OM 541.923)	Diesel	11946	290	394	04.03-	■	■
2041 S (OM 541.944)	Diesel	11946	290	394	04.03-	■	■
2041 S (OM 541.974)	Diesel	11946	290	394	04.03-	■	■
2540 LS	Diesel	11946	290	394	11.02-	■	■
2540 LS	Diesel	11946	290	394	11.02-	■	■
2541 LS (OM 541.923)	Diesel	11946	290	394	04.03-	■	■
2541 LS (OM 541.944)	Diesel	11946	290	394	04.03-	■	■
2541 LS	Diesel	11946	290	394	04.03-	■	■
2640 LS (OM 541.923)	Diesel	11946	290	394	10.09-	■	■
2640 LS (OM 541.944)	Diesel	11946	290	394	10.09-	■	■
2640 LS (OM 541.944)	Diesel	11946	290	394	10.02-	■	■
2640 S	Diesel	11946	290	394	11.02-	■	■
3340 S	Diesel	11946	290	394	11.02-	■	■
1841 LS, LLS (OM 541.944)	Diesel	11946	300	408	04.03-	■	■
1841 LS, LLS (OM 541.974)	Diesel	11946	300	408	04.03-	■	■
2441 LS	Diesel	11946	300	408	06.08-	■	■
2541 LS (OM 541.974)	Diesel	11946	300	408	06.08-	■	■
2641 LS (OM 541.974)	Diesel	11946	300	408	10.09-	■	■
2641 LS (OM 541.990)	Diesel	11946	300	408	10.09-	■	■
2641 S, LS (OM 541.944)	Diesel	11946	300	408	04.03-	■	■
2641 S, LS (OM 541.974)	Diesel	11946	300	408	04.03-	■	■
2641 S, LS (OM 541.990)	Diesel	11946	300	408	04.03-	■	■
3341 S (OM 541.923)	Diesel	11946	300	408	04.03-	■	■
3341 S (OM 541.944)	Diesel	11946	300	408	04.03-	■	■
3341 S (OM 541.974)	Diesel	11946	300	408	04.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1843 LS		Diesel		11946	315	428	11.02-	■	■
2043 S		Diesel		11946	315	428	11.02-	■	■
2044 S (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2044 S (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2044 S (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2543 LS		Diesel		11946	315	428	11.02-	■	■
2543 LS		Diesel		11946	315	428	11.02-	■	■
2544 LS (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2544 LS (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2544 LS (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2544 LS		Diesel		11946	315	428	04.03-	■	■
2643 LS (OM 541.925)		Diesel		11946	315	428	10.09-	■	■
2643 LS (OM 541.946)		Diesel		11946	315	428	10.09-	■	■
2643 LS (OM 541.976)		Diesel		11946	315	428	10.09-	■	■
2643 LS (OM 541.992)		Diesel		11946	315	428	10.09-	■	■
2643 LS		Diesel		11946	315	428	11.02-	■	■
2643 S		Diesel		11946	315	428	11.02-	■	■
2644 S, LS (OM 541.925)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.946)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.976)		Diesel		11946	315	428	04.03-	■	■
2644 S, LS (OM 541.992)		Diesel		11946	315	428	04.03-	■	■
3343 S		Diesel		11946	315	428	11.02-	■	■
1844 LS, LLS (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
1844 LS, LLS (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
2444 LS		Diesel		11946	320	435	06.08-	■	■
2544 LS (OM 541.976)		Diesel		11946	320	435	06.08-	■	■
3344 S (OM 541.946)		Diesel		11946	320	435	04.03-	■	■
3344 S (OM 541.976)		Diesel		11946	320	435	04.03-	■	■
1846 LS, LLS (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
1846 LS, LLS (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2046 S (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2046 S (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2446 LS		Diesel		11946	335	456	06.08-	■	■
2546 LS (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2546 LS (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2546 LS		Diesel		11946	335	456	06.08-	■	■
2546 LS		Diesel		11946	335	456	04.03-	■	■
2646 LS (OM 541.948)		Diesel		11946	335	456	10.09-	■	■
2646 LS (OM 541.994)		Diesel		11946	335	456	10.09-	■	■
2646 S, LS (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
2646 S, LS (OM 541.980)		Diesel		11946	335	456	04.03-	■	■
2646 S, LS (OM 541.994)		Diesel		11946	335	456	04.03-	■	■
3346 S (OM 541.948)		Diesel		11946	335	456	04.03-	■	■
1848, LS, LLS (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
1848, LS, LLS (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
2048 S (OM 541.948)		Diesel		11946	350	476	06.08-	■	■
2048 S (OM 541.978)		Diesel		11946	350	476	06.08-	■	■
2448LS		Diesel		11946	350	476	06.08-	■	■
2548 LS (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
2548 LS (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
2548 LS		Diesel		11946	350	476	06.08-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2548 LS		Diesel		11946	350	476	04.03-	■	■
2648 LS		Diesel		11946	350	476	11.02-	■	■
2648 S, LS (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
2648 S, LS (OM 541.978)		Diesel		11946	350	476	04.03-	■	■
3348 S (OM 541.948)		Diesel		11946	350	476	04.03-	■	■
2648 LS (OM 541.948)		Diesel		11946	355	483	10.09-	■	■
1848 S, LS (OM 542.921)		Diesel		15928	350	476	04.03-	■	■
2048 S		Diesel		15928	350	476	11.02-	■	■
2548 LS		Diesel		15928	350	476	11.02-	■	■
2548 LS		Diesel		15928	350	476	11.02-	■	■
2648 LS (OM 542.921)		Diesel		15928	350	476	10.02-	■	■
2648 LS		Diesel		15928	350	476	11.02-	■	■
2648S		Diesel		15928	350	476	11.02-	■	■
3348 S (OM 542.921)		Diesel		15928	350	476	04.03-	■	■
1850, 1851 LS, LLS (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
1850, 1851 LS, LLS (OM 542.960)		Diesel		15928	370	503	04.03-	■	■
2050S (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
2050S (OM 542.941)		Diesel		15928	370	503	04.03-	■	■
2550, LS (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
2550 LS (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
2550 LS		Diesel		15928	370	503	11.02-	■	■
2550 LS		Diesel		15928	370	503	11.02-	■	■
2650 S, LS (OM 542.940)		Diesel		15928	370	503	04.03-	■	■
3350 S (OM 542.940)		Diesel		15928	370	503	06.09-	■	■
3350 S		Diesel		15928	370	503	11.02-	■	■
3550S (OM 542.940)		Diesel		15928	370	503	06.09-	■	■
2051 S (OM 542.940)		Diesel		15928	375	510	06.08-	■	■
2051 S (OM 542.960)		Diesel		15928	375	510	06.08-	■	■
2451 LS		Diesel		15928	375	510	06.08-	■	■
2551 LS (OM 542.960)		Diesel		15928	375	510	04.03-	■	■
2551 LS		Diesel		15928	375	510	11.02-	■	■
2651 LS (OM 542.960)		Diesel		15928	375	510	10.09-	■	■
2651 S, LS (OM 542.960)		Diesel		15928	375	510	04.03-	■	■
3351 S (OM 542.940)		Diesel		15928	375	510	04.03-	■	■
3351 S (OM 542.960)		Diesel		15928	375	510	04.03-	■	■
1853 LS		Diesel		15928	390	530	11.02-	■	■
2553 LS		Diesel		15928	390	530	11.02-	■	■
2553 LS		Diesel		15928	390	530	11.02-	■	■
2653 LS (OM 542.920)		Diesel		15928	390	530	10.09-	■	■
2653 LS (OM 542.942)		Diesel		15928	390	530	10.09-	■	■
2653 LS		Diesel		15928	390	530	11.02-	■	■
2653 S		Diesel		15928	390	530	11.02-	■	■
2654 S, LS (OM 542.920)		Diesel		15928	390	530	04.03-	■	■
2654 S, LS (OM 542.942)		Diesel		15928	390	530	04.03-	■	■
3353 S		Diesel		15928	390	530	11.02-	■	■
1854 LS (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
2054 S (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
2554 LS (OM 542.942)		Diesel		15928	395	537	04.03-	■	■
2554 LS		Diesel		15928	395	537	11.02-	■	■
2654 LS		Diesel		15928	395	537	10.09-	■	■
3354 S		Diesel		15928	395	537	11.02-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

4154 S		Diesel		15928	395	537	04.03-	■	■
1855 LS, LLS (OM 542.962)		Diesel		15928	405	551	06.08-	■	■
2055 S (OM 542.962)		Diesel		15928	405	551	06.08-	■	■
2455 LS		Diesel		15928	405	551	06.08-	■	■
2555 LS (OM 542.962)		Diesel		15928	405	551	09.05-	■	■
2555 LS		Diesel		15928	405	551	11.02-	■	■
2655 LS (OM 542.962)		Diesel		15928	405	551	10.09-	■	■
2655 S, LS (OM 542.962)		Diesel		15928	405	551	04.03-	■	■
3355 S (OM 542.962)		Diesel		15928	405	551	04.03-	■	■
1858 LS (OM 542.944)		Diesel		15928	425	578	10.02-	■	■
2658 LS (OM 542.944)		Diesel		15928	425	578	04.03-	■	■
1860 LS (OM 542.964)		Diesel		15928	440	598	06.08-	■	■
2460 LS		Diesel		15928	440	598	06.08-	■	■
2660 S, LS (OM 542.964)		Diesel		15928	440	598	06.08-	■	■
3360 S		Diesel		15928	440	598	11.02-	■	■
4160 S (OM 542.956)		Diesel		15928	448	609	10.02-	■	■
4160 S (OM 542.957)		Diesel		15928	448	609	10.02-	■	■
1861 LS (OM 542.958)		Diesel		15928	450	612	05.05-	■	■
2665 LS (OM 542.968)		Diesel		15928	480	653	04.03-	■	■
3365 S		Diesel		15928	480	653	11.02-	■	■
4165 S		Diesel		15928	480	653	08.08-	■	■
ACTROS MP4 / MP5 07.11-							Platform/Chassis		
1824 L (OM 936.912)		Diesel		7698	175	238	07.11-	■	
1824 L		Diesel		7698	175	238	05.13-	■	
2024 L (OM 936.912)		Diesel		7698	175	238	07.11-	■	
2024 L		Diesel		7698	175	238	05.13-	■	
2524 L		Diesel		7698	175	238	07.11-	■	■
2524 L		Diesel		7698	175	238	07.11-	■	■
2524 L		Diesel		7698	175	238	05.13-	■	■
2524 L		Diesel		7698	175	238	05.13-	■	■
2624 L		Diesel		7698	175	238	07.11-	■	
2624 L		Diesel		7698	175	238	07.11-	■	■
2624 L		Diesel		7698	175	238	05.13-	■	■
1827 L (OM 936.912)		Diesel		7698	200	272	07.11-	■	
1827 L		Diesel		7698	200	272	05.13-	■	
2027 L (OM 936.912)		Diesel		7698	200	272	07.11-	■	
2027 L		Diesel		7698	200	272	05.13-	■	
2527 L (OM 936.912)		Diesel		7698	200	272	07.11-	■	
2527 L		Diesel		7698	200	272	07.11-	■	■
2527 L		Diesel		7698	200	272	05.13-	■	■
2527 L		Diesel		7698	200	272	05.13-	■	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.11-	■	
2627 L		Diesel		7698	200	272	07.11-	■	
2627 L		Diesel		7698	200	272	05.13-	■	■
1830 L (OM 936.912)		Diesel		7698	220	299	07.11-	■	
1830 L		Diesel		7698	220	299	05.13-	■	
2030 L (OM 936.912)		Diesel		7698	220	299	07.11-	■	
2030 L		Diesel		7698	220	299	05.13-	■	
2530 L (OM 936.912)		Diesel		7698	220	299	07.11-	■	
2530 L		Diesel		7698	220	299	07.11-	■	■
2530 L		Diesel		7698	220	299	05.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2530 L		Diesel		7698	220	299	05.13-	■	■
2630 L (OM 936.912)		Diesel		7698	220	299	07.11-	■	
2630 L		Diesel		7698	220	299	07.11-	■	
2630 L		Diesel		7698	220	299	05.13-	■	■
1832 L (OM 936.916)		Diesel		7698	235	320	07.11-	■	
1832 L		Diesel		7698	235	320	05.13-	■	
2032 L (OM 936.916)		Diesel		7698	235	320	07.11-	■	
2032 L		Diesel		7698	235	320	05.13-	■	
2532 L (OM 936.916)		Diesel		7698	235	320	07.11-	■	
2532 L		Diesel		7698	235	320	07.11-	■	■
2532 L		Diesel		7698	235	320	05.13-	■	■
2532 L		Diesel		7698	235	320	05.13-	■	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.11-	■	
2632 L		Diesel		7698	235	320	07.11-	■	
2632 L		Diesel		7698	235	320	05.13-	■	■
3232 L		Diesel		7698	235	320	07.11-	■	
1835 L (OM 936.916)		Diesel		7698	260	354	07.11-	■	
1835 L		Diesel		7698	260	354	05.13-	■	
2035 L (OM 936.916)		Diesel		7698	260	354	07.11-	■	
2035 L		Diesel		7698	260	354	05.13-	■	
2535 L (OM 936.916)		Diesel		7698	260	354	07.11-	■	
2535 L		Diesel		7698	260	354	07.11-	■	■
2535 L		Diesel		7698	260	354	05.13-	■	■
2535 L		Diesel		7698	260	354	05.13-	■	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.11-	■	
2635 L		Diesel		7698	260	354	07.11-	■	
2635 L		Diesel		7698	260	354	05.13-	■	■
3235 L		Diesel		7698	260	354	07.11-	■	
1833 L (OM 470.906)		Diesel		10677	240	326	07.11-	■	
1833 L		Diesel		10677	240	326	05.13-	■	
2033 L (OM 470.906)		Diesel		10677	240	326	07.11-	■	
2033 L		Diesel		10677	240	326	05.13-	■	
2533 L (OM 470.906)		Diesel		10677	240	326	07.11-	■	
2533 L		Diesel		10677	240	326	07.11-	■	■
2533 L		Diesel		10677	240	326	05.13-	■	■
2533 L		Diesel		10677	240	326	05.13-	■	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.11-	■	
2633 L		Diesel		10677	240	326	07.11-	■	
2633 L		Diesel		10677	240	326	05.13-	■	■
3232 L		Diesel		10677	240	326	07.11-	■	
3333 L (OM 470.906)		Diesel		10677	240	326	07.11-	■	
3333 L		Diesel		10677	240	326	05.13-	■	
1836 L (OM 470.906)		Diesel		10677	265	360	07.11-	■	
1836 L		Diesel		10677	265	360	05.13-	■	
2036 L (OM 470.906)		Diesel		10677	265	360	07.11-	■	
2036 L		Diesel		10677	265	360	05.13-	■	
2536 L (OM 470.906)		Diesel		10677	265	360	07.11-	■	
2536 L		Diesel		10677	265	360	07.11-	■	■
2536 L		Diesel		10677	265	360	05.13-	■	■
2536 L		Diesel		10677	265	360	05.13-	■	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.11-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2636 L		Diesel		10677	265	360	07.11-	■	
2636 L		Diesel		10677	265	360	05.13-	■	■
3236 L		Diesel		10677	265	360	07.11-	■	
3336 L (OM 470.906)		Diesel		10677	265	360	07.11-	■	
3336 L		Diesel		10677	265	360	05.13-	■	
1840 L (OM 470.906)		Diesel		10677	290	394	07.11-	■	
1840 L		Diesel		10677	290	394	05.13-	■	
2040 L (OM 470.906)		Diesel		10677	290	394	07.11-	■	
2040 L		Diesel		10677	290	394	05.13-	■	
2540 L (OM 470.906)		Diesel		10677	290	394	07.11-	■	
2540 L		Diesel		10677	290	394	07.11-	■	■
2540 L		Diesel		10677	290	394	05.13-	■	■
2540 L		Diesel		10677	290	394	05.13-	■	■
2640 L (OM 470.906)		Diesel		10677	290	394	07.11-	■	
2640 L		Diesel		10677	290	394	07.11-	■	
2640 L		Diesel		10677	290	394	05.13-	■	■
3240 L		Diesel		10677	290	394	07.11-	■	
3340 L (OM 470.906)		Diesel		10677	290	394	07.11-	■	
3340 L		Diesel		10677	290	394	05.13-	■	
1843 L (OM 470.906)		Diesel		10677	315	428	07.11-	■	
1843 L		Diesel		10677	315	428	05.13-	■	
2043 L (OM 470.906)		Diesel		10677	315	428	07.11-	■	
2043 L		Diesel		10677	315	428	05.13-	■	
2543 L (OM 470.906)		Diesel		10677	315	428	07.11-	■	
2543 L		Diesel		10677	315	428	07.11-	■	■
2543 L		Diesel		10677	315	428	05.13-	■	■
2643 L (OM 470.906)		Diesel		10677	315	428	07.11-	■	
2643 L		Diesel		10677	315	428	07.11-	■	
2643 L		Diesel		10677	315	428	05.13-	■	■
3243 L		Diesel		10677	315	428	07.11-	■	
3343 L (OM 470.906)		Diesel		10677	315	428	07.11-	■	
3343 L		Diesel		10677	315	428	05.13-	■	
1846 L		Diesel		10677	335	455	07.15-	■	
1846 L		Diesel		10677	335	455	07.15-	■	
2046 L		Diesel		10677	335	455	07.15-	■	
2046 L		Diesel		10677	335	455	07.15-	■	
2546 L		Diesel		10677	335	455	07.15-	■	■
2546 L		Diesel		10677	335	455	07.15-	■	■
2546 L		Diesel		10677	335	455	07.15-	■	■
2546 L		Diesel		10677	335	455	07.15-	■	■
2646 L		Diesel		10677	335	455	07.15-	■	
2646 L		Diesel		10677	335	455	07.15-	■	■
2646 L		Diesel		10677	335	455	07.15-	■	■
3246 L		Diesel		10677	335	455	07.15-	■	
3346 L		Diesel		10677	335	455	07.15-	■	
3346 L		Diesel		10677	335	455	07.15-	■	
1842 L (OM 471.900)		Diesel		12809	310	422	07.11-	■	
1842 L (OM 471.909)		Diesel		12809	310	422	07.11-	■	
1842 L		Diesel		12809	310	421	05.13-	■	
2042 L (OM 471.900)		Diesel		12809	310	422	07.11-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2042 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2042 L		Diesel		12809	310	421	05.13-	■
2542 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2542 L		Diesel		12809	310	421	07.11-	■ ■
2542 L		Diesel		12809	310	421	05.13-	■ ■
2542 L		Diesel		12809	310	421	05.13-	■ ■
2642 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2642 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 L		Diesel		12809	310	422	07.11-	■
2642 L		Diesel		12809	310	421	05.13-	■ ■
3242 L		Diesel		12809	310	421	07.11-	■
3342 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
3342 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
3342 L		Diesel		12809	310	421	05.13-	■
1845 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
1845 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
1845 L		Diesel		12809	330	449	05.13-	■
2045 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2045 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2045 L		Diesel		12809	330	449	05.13-	■
2545 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2545 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2545 L		Diesel		12809	330	449	07.11-	■ ■
2545 L		Diesel		12809	330	449	05.13-	■ ■
2545 L		Diesel		12809	330	449	05.13-	■ ■
2645 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2645 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 L		Diesel		12809	330	449	07.11-	■
2645 L		Diesel		12809	330	449	05.13-	■ ■
3245 L		Diesel		12809	330	449	07.11-	■
3345 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
3345 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
3345 L		Diesel		12809	330	449	05.13-	■
1848 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
1848 L		Diesel		12809	350	476	05.13-	■
2048 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2048 L		Diesel		12809	350	476	05.13-	■
2548 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2548 L		Diesel		12809	350	476	07.11-	■ ■
2548 L		Diesel		12809	350	476	05.13-	■ ■
2548 L		Diesel		12809	350	476	05.13-	■ ■
2648 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 L		Diesel		12809	350	476	07.11-	■
2648 L		Diesel		12809	350	476	05.13-	■ ■
3248 L		Diesel		12809	350	476	07.11-	■
3348 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
3348 L		Diesel		12809	350	476	05.13-	■
2651 L (OM 471.900)		Diesel		12809	360	490	07.11-	■
1851 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
1851 L (OM 471.909)		Diesel		12809	375	510	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1851 L		Diesel		12809	375	510	05.13-	■	
2051 L (OM 471.900)		Diesel		12809	375	510	07.11-	■	
2051 L (OM 471.909)		Diesel		12809	375	510	07.11-	■	
2051 L		Diesel		12809	375	510	05.13-	■	
2551 L (OM 471.900)		Diesel		12809	375	510	07.11-	■	
2551 L (OM 471.909)		Diesel		12809	375	510	07.11-	■	
2551 L		Diesel		12809	375	510	07.11-	■	■
2551 L		Diesel		12809	375	510	05.13-	■	■
2551 L		Diesel		12809	375	510	05.13-	■	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.11-	■	
2651 L (OM 471.909)		Diesel		12809	375	510	07.11-	■	
2651 L		Diesel		12809	375	510	05.13-	■	■
3251 L		Diesel		12809	375	510	07.11-	■	
3351 L (OM 471.900)		Diesel		12809	375	510	07.11-	■	
3351 L (OM 471.909)		Diesel		12809	375	510	07.11-	■	
3351 L		Diesel		12809	375	510	05.13-	■	
1853 L		Diesel		12809	390	530	07.15-	■	
1853 L		Diesel		12809	390	530	07.15-	■	
2053 L		Diesel		12809	390	530	07.15-	■	
2053 L		Diesel		12809	390	530	07.15-	■	
2553 L		Diesel		12809	390	530	07.15-	■	■
2553 L		Diesel		12809	390	530	07.15-	■	■
2553 L		Diesel		12809	390	530	07.15-	■	■
2553 L		Diesel		12809	390	530	07.15-	■	■
2653 L		Diesel		12809	390	530	07.15-	■	
2653 L		Diesel		12809	390	530	07.15-	■	■
2653 L		Diesel		12809	390	530	07.15-	■	■
3253 L		Diesel		12809	390	530	07.15-	■	
3353 L		Diesel		12809	390	530	07.15-	■	
3353 L		Diesel		12809	390	530	07.15-	■	
1852 L (OM 473.900)		Diesel		15569	380	517	01.14-	■	
1852 L		Diesel		15569	380	517	05.13-	■	
2052 L		Diesel		15569	380	517	07.11-	■	
2052 L		Diesel		15569	380	517	05.13-	■	
2552 L		Diesel		15569	380	517	07.11-	■	■
2552 L		Diesel		15569	380	517	07.11-	■	■
2552 L		Diesel		15569	380	517	05.13-	■	■
2552 L		Diesel		15569	380	517	05.13-	■	■
2652 L		Diesel		15569	380	517	07.11-	■	
2652 L		Diesel		15569	380	517	07.11-	■	■
2652 L		Diesel		15569	380	517	05.13-	■	■
3352 L		Diesel		15569	380	517	07.11-	■	
3352 L		Diesel		15569	380	517	05.13-	■	
1858 L (OM 473.905)		Diesel		15569	425	578	01.14-	■	
1858 L		Diesel		15569	425	578	05.13-	■	
2058 L		Diesel		15569	425	578	07.11-	■	
2058 L		Diesel		15569	425	578	05.13-	■	
2558 L		Diesel		15569	425	578	07.11-	■	■
2558 L		Diesel		15569	425	578	07.11-	■	■
2558 L		Diesel		15569	425	578	05.13-	■	■
2558 L		Diesel		15569	425	578	05.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2658 L		Diesel		15569	425	578	07.11-	■	
2658 L		Diesel		15569	425	578	07.11-	■	■
2658 L		Diesel		15569	425	578	05.13-	■	■
3358 L		Diesel		15569	425	578	07.11-	■	
3358 L		Diesel		15569	425	578	05.13-	■	
1863 L (OM 473.903)		Diesel		15569	460	626	01.14-	■	
1863 L		Diesel		15569	460	625	05.13-	■	
2063 L		Diesel		15569	460	625	07.11-	■	
2063 L		Diesel		15569	460	625	05.13-	■	
2563 L		Diesel		15569	460	625	07.11-	■	■
2563 L		Diesel		15569	460	625	07.11-	■	■
2563 L		Diesel		15569	460	625	05.13-	■	■
2563 L		Diesel		15569	460	625	05.13-	■	■
2663 L		Diesel		15569	460	625	07.11-	■	
2663 L		Diesel		15569	460	625	07.11-	■	■
2663 L		Diesel		15569	460	625	05.13-	■	■
3363 L		Diesel		15569	460	625	07.11-	■	
3363 L		Diesel		15569	460	625	05.13-	■	
ACTROS MP4 / MP5 07.11-							Platform/Chassis		
1830 L CNG		Gasolina		7698	222	302	01.19-	■	
1830 L CNG		Gasolina		7698	222	302	01.19-	■	
2530 L CNG		Gasolina		7698	222	302	01.19-	■	■
2530 L CNG		Gasolina		7698	222	302	01.19-	■	■
2530 L CNG		Gasolina		7698	222	302	01.19-	■	■
2530 L CNG		Gasolina		7698	222	302	01.19-	■	■
ACTROS MP4 / MP5 07.11-							Platform/Chassis		
eActros 300		Mixto		0	400	544	10.21-	■	
eActros 300		Mixto		0	400	544	10.21-	■	
eActros 300		Mixto		0	400	544	10.21-	■	
eActros 400		Mixto		0	400	544	10.21-	■	
eActros 400		Mixto		0	400	544	10.21-	■	
eActros 400		Mixto		0	400	544	06.23-	■	
eActros 600		Mixto		0	600	816	11.24-	■	
ACTROS MP4 / MP5 07.11-							Truck Tractor		
1824 LS (OM 936.912)		Diesel		7698	175	238	07.11-	■	
1824 LS		Diesel		7698	175	238	05.13-	■	
2024 LS (OM 936.912)		Diesel		7698	175	238	07.11-	■	
2024 LS		Diesel		7698	175	238	05.13-	■	
2424 LS		Diesel		7698	175	238	07.11-	■	
2524 LS		Diesel		7698	175	238	07.11-	■	
2524 LS		Diesel		7698	175	238	07.11-	■	
2524 LS		Diesel		7698	175	238	05.13-	■	
2524 LS		Diesel		7698	175	238	05.13-	■	
2624 LS		Diesel		7698	175	238	07.11-	■	
2624 LS		Diesel		7698	175	238	07.11-	■	■
2624 LS		Diesel		7698	175	238	05.13-	■	■
1827 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■	
1827 LS		Diesel		7698	200	272	05.13-	■	
2027 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■	
2027 LS		Diesel		7698	200	272	05.13-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2427 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2427 LS		Diesel		7698	200	272	07.11-	■
2527 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2527 LS		Diesel		7698	200	272	07.11-	■
2527 LS		Diesel		7698	200	272	05.13-	■
2527 LS		Diesel		7698	200	272	05.13-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 LS		Diesel		7698	200	272	07.11-	■
2627 LS		Diesel		7698	200	272	05.13-	■ ■
1830 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
1830 LS		Diesel		7698	220	299	05.13-	■
2030 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2030 LS		Diesel		7698	220	299	05.13-	■
2430 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2430 LS		Diesel		7698	220	299	07.11-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2530 LS		Diesel		7698	220	299	07.11-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 LS		Diesel		7698	220	299	07.11-	■
2630 LS		Diesel		7698	220	299	05.13-	■ ■
1832 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
1832 LS		Diesel		7698	235	320	05.13-	■
2032 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2032 LS		Diesel		7698	235	320	05.13-	■
2432 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2432 LS		Diesel		7698	235	320	07.11-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2532 LS		Diesel		7698	235	320	07.11-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 LS		Diesel		7698	235	320	07.11-	■
2632 LS		Diesel		7698	235	320	05.13-	■ ■
1835 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
1835 LS		Diesel		7698	260	354	05.13-	■
2035 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2035 LS		Diesel		7698	260	354	05.13-	■
2435 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2435 LS		Diesel		7698	260	354	07.11-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2535 LS		Diesel		7698	260	354	07.11-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 LS		Diesel		7698	260	354	07.11-	■
2635 LS		Diesel		7698	260	354	05.13-	■ ■
1833 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
1833 LS		Diesel		10677	240	326	05.13-	■
2033LS (OM 470.906)		Diesel		10677	240	326	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2033LS		Diesel	10677	240	326	05.13-	■
2433 LS (OM 470.906)		Diesel	10677	240	326	07.11-	■
2433 LS		Diesel	10677	240	326	07.11-	■
2533 LS (OM 470.906)		Diesel	10677	240	326	07.11-	■
2533 LS		Diesel	10677	240	326	07.11-	■
2533 LS		Diesel	10677	240	326	05.13-	■
2533 LS		Diesel	10677	240	326	05.13-	■
2633 LS (OM 470.906)		Diesel	10677	240	326	07.11-	■
2633 LS		Diesel	10677	240	326	07.11-	■
2633 LS		Diesel	10677	240	326	05.13-	■ ■
3333 LS (OM 470.906)		Diesel	10677	240	326	07.11-	■
3333 LS		Diesel	10677	240	326	05.13-	■
1836 LS (OM 470.906)		Diesel	10677	265	360	07.11-	■
1836 LS		Diesel	10677	265	360	05.13-	■
2036LS (OM 470.906)		Diesel	10677	265	360	07.11-	■
2036LS		Diesel	10677	265	360	05.13-	■
2436 LS (OM 470.906)		Diesel	10677	265	360	07.11-	■
2436 LS		Diesel	10677	265	360	07.11-	■
2536 LS (OM 470.906)		Diesel	10677	265	360	07.11-	■
2536 LS		Diesel	10677	265	360	07.11-	■
2536 LS		Diesel	10677	265	360	05.13-	■
2536 LS		Diesel	10677	265	360	05.13-	■
2636 LS (OM 470.906)		Diesel	10677	265	360	07.11-	■
2636 LS		Diesel	10677	265	360	07.11-	■
2636 LS		Diesel	10677	265	360	05.13-	■ ■
3336 LS (OM 470.906)		Diesel	10677	265	360	07.11-	■
3336 LS		Diesel	10677	265	360	05.13-	■
1840LS (OM 470.906)		Diesel	10677	290	394	07.11-	■
1840LS		Diesel	10677	290	394	05.13-	■
2040 LS (OM 470.906)		Diesel	10677	290	394	07.11-	■
2040 LS		Diesel	10677	290	394	05.13-	■
2440 LS (OM 470.906)		Diesel	10677	290	394	07.11-	■
2440 LS		Diesel	10677	290	394	07.11-	■
2540 LS (OM 470.906)		Diesel	10677	290	394	07.11-	■
2540 LS		Diesel	10677	290	394	07.11-	■
2540 LS		Diesel	10677	290	394	05.13-	■
2540 LS		Diesel	10677	290	394	05.13-	■
2640 LS (OM 470.906)		Diesel	10677	290	394	07.11-	■
2640 LS		Diesel	10677	290	394	07.11-	■
2640 LS		Diesel	10677	290	394	05.13-	■ ■
3340 LS (OM 470.906)		Diesel	10677	290	394	07.11-	■
3340 LS		Diesel	10677	290	394	05.13-	■
1843 LS (OM 470.906)		Diesel	10677	315	428	07.11-	■
1843 LS		Diesel	10677	315	428	05.13-	■
2043 LS (OM 470.906)		Diesel	10677	315	428	07.11-	■
2043 LS		Diesel	10677	315	428	05.13-	■
2443 LS (OM 470.906)		Diesel	10677	315	428	07.11-	■
2443 LS		Diesel	10677	315	428	07.11-	■
2543 LS (OM 470.906)		Diesel	10677	315	428	07.11-	■
2543 LS		Diesel	10677	315	428	07.11-	■
2543 LS		Diesel	10677	315	428	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2543 LS		Diesel		10677	315	428	05.13-	■
2643 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 LS		Diesel		10677	315	428	07.11-	■
2643 LS		Diesel		10677	315	428	05.13-	■ ■
3343 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
3343 LS		Diesel		10677	315	428	05.13-	■
1846 LS		Diesel		10677	335	455	07.15-	■
1846 LS		Diesel		10677	335	455	07.15-	■
2046 LS		Diesel		10677	335	455	07.15-	■
2046 LS		Diesel		10677	335	455	07.15-	■
2446 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2646 LS		Diesel		10677	335	455	07.15-	■
2646 LS		Diesel		10677	335	455	07.15-	■ ■
2646 LS		Diesel		10677	335	455	07.15-	■ ■
3346 LS		Diesel		10677	335	455	07.15-	■
3346 LS		Diesel		10677	335	455	07.15-	■
1842 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
1842 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
1842 LS		Diesel		12809	310	421	05.13-	■
2042 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2042 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2042 LS		Diesel		12809	310	421	05.13-	■
2442 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2442 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2442 LS		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2542 LS		Diesel		12809	310	421	07.11-	■
2542 LS		Diesel		12809	310	421	05.13-	■
2542 LS		Diesel		12809	310	421	05.13-	■
2642 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2642 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 LS		Diesel		12809	310	422	07.11-	■
2642 LS		Diesel		12809	310	421	05.13-	■ ■
3342 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
3342 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
3342 LS		Diesel		12809	310	421	05.13-	■
1845 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
1845 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
1845 LS		Diesel		12809	330	449	05.13-	■
2045 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2045 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2045 LS		Diesel		12809	330	449	05.13-	■
2445 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2445 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2445 LS		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2545 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2545 LS		Diesel		12809	330	449	07.11-	■
2545 LS		Diesel		12809	330	449	05.13-	■
2545 LS		Diesel		12809	330	449	05.13-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2645 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 LS		Diesel		12809	330	449	07.11-	■
2645 LS		Diesel		12809	330	449	05.13-	■ ■
3345 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
3345 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
3345 LS		Diesel		12809	330	449	05.13-	■
1848 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
1848 LS		Diesel		12809	350	476	05.13-	■
2048 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2048 LS		Diesel		12809	350	476	05.13-	■
2448LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2448LS		Diesel		12809	350	476	07.11-	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2548 LS		Diesel		12809	350	476	07.11-	■
2548 LS		Diesel		12809	350	476	05.13-	■
2548 LS		Diesel		12809	350	476	05.13-	■
2648 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 LS		Diesel		12809	350	476	07.11-	■
2648 LS		Diesel		12809	350	476	05.13-	■ ■
3348 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
3348 LS		Diesel		12809	350	476	05.13-	■
1851 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
1851 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
1851 LS		Diesel		12809	375	510	05.13-	■
2051 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2051 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2051 LS		Diesel		12809	375	510	05.13-	■
2451 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2451 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2451 LS		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2551 LS		Diesel		12809	375	510	07.11-	■
2551 LS		Diesel		12809	375	510	05.13-	■
2551 LS		Diesel		12809	375	510	05.13-	■
2651 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 LS		Diesel		12809	375	510	07.11-	■
2651 LS		Diesel		12809	375	510	05.13-	■ ■
3351 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
3351 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
3351 LS		Diesel		12809	375	510	05.13-	■
1853 LS		Diesel		12809	390	530	07.15-	■
1853 LS		Diesel		12809	390	530	07.15-	■
2053 LS		Diesel		12809	390	530	07.15-	■
2053 LS		Diesel		12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2453 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2653 LS		Diesel		12809	390	530	07.15-	■
2653 LS		Diesel		12809	390	530	07.15-	■ ■
2653 LS		Diesel		12809	390	530	07.15-	■ ■
3353 LS		Diesel		12809	390	530	07.15-	■
3353 LS		Diesel		12809	390	530	07.15-	■
1852 LS		Diesel		15569	380	517	05.13-	■
2052 LS		Diesel		15569	380	517	07.11-	■
2052 LS		Diesel		15569	380	517	05.13-	■
2452 LS		Diesel		15569	380	517	07.11-	■
2552 LS		Diesel		15569	380	517	07.11-	■
2552 LS		Diesel		15569	380	517	07.11-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	07.11-	■
2652 LS		Diesel		15569	380	517	07.11-	■ ■
2652 LS		Diesel		15569	380	517	05.13-	■ ■
3352 LS		Diesel		15569	380	517	07.11-	■
3352 LS		Diesel		15569	380	517	05.13-	■
3352 SLT		Diesel		15569	380	517	12.13-	■
4152 LS (OM 473.900)		Diesel		15569	380	517	01.14-	■
1858 LS (OM 473.905)		Diesel		15569	425	578	01.14-	■
1858 LS		Diesel		15569	425	578	05.13-	■
2058 LS		Diesel		15569	425	578	07.11-	■
2058 LS		Diesel		15569	425	578	05.13-	■
2458 LS		Diesel		15569	425	578	07.11-	■
2558 LS		Diesel		15569	425	578	07.11-	■
2558 LS		Diesel		15569	425	578	07.11-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	07.11-	■
2658 LS		Diesel		15569	425	578	07.11-	■ ■
2658 LS		Diesel		15569	425	578	05.13-	■ ■
3358 LS		Diesel		15569	425	578	07.11-	■
3358 LS		Diesel		15569	425	578	05.13-	■
3358 SLT		Diesel		15569	425	578	12.13-	■
4158 SLT		Diesel		15569	425	578	12.13-	■
1863 LS (OM 473.903)		Diesel		15569	460	626	01.14-	■
1863 LS		Diesel		15569	460	625	05.13-	■
2063 LS		Diesel		15569	460	625	07.11-	■
2063 LS		Diesel		15569	460	625	05.13-	■
2463 LS		Diesel		15569	460	625	07.11-	■
2563 LS		Diesel		15569	460	625	07.11-	■
2563 LS		Diesel		15569	460	625	07.11-	■
2563 LS		Diesel		15569	460	625	05.13-	■
2563 LS		Diesel		15569	460	625	05.13-	■
2663 LS		Diesel		15569	460	625	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2663 LS		Diesel		15569	460	625	07.11-	■	■
2663 LS		Diesel		15569	460	625	05.13-	■	■
3363 LS		Diesel		15569	460	625	07.11-	■	
3363 LS		Diesel		15569	460	625	05.13-	■	
3363 SLT		Diesel		15569	460	625	12.13-	■	
4163 SLT		Diesel		15569	460	625	12.13-	■	
ACTROS MP4 / MP5 07.11-					Truck Tractor				
eActros 300		Mixto		0	400	544	06.23-	■	
eActros 600		Mixto		0	600	816	11.24-	■	
ANTOS 07.12-					Platform/Chassis				
1824 L (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■	■
1824 L		Diesel		7698	175	238	05.13-12.18	■	
2024 L (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■	■
2024 L		Diesel		7698	175	238	05.13-12.18	■	
2524 L		Diesel		7698	175	238	09.12-12.18	■	■
2524 L		Diesel		7698	175	238	09.12-12.18	■	■
2524 L		Diesel		7698	175	238	05.13-12.18	■	■
2524 L		Diesel		7698	175	238	05.13-12.18	■	■
2624 L		Diesel		7698	175	238	09.12-12.18	■	
2624 L		Diesel		7698	175	238	09.12-12.18	■	■
2624 L		Diesel		7698	175	238	05.13-12.18	■	■
1827 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■	■
1827 L		Diesel		7698	200	272	05.13-12.18	■	
2027 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■	■
2027 L		Diesel		7698	200	272	05.13-12.18	■	
2527 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■	■
2527 L		Diesel		7698	200	272	09.12-12.18	■	■
2527 L		Diesel		7698	200	272	05.13-12.18	■	■
2527 L		Diesel		7698	200	272	05.13-12.18	■	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■	■
2627 L (OM 936.912)		Diesel		7698	200	272	07.12-12.18	■	■
2627 L		Diesel		7698	200	272	05.13-12.18	■	■
1830 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■	■
1830 L		Diesel		7698	220	299	05.13-12.18	■	
2030 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■	■
2030 L		Diesel		7698	220	299	05.13-12.18	■	
2530 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■	■
2530 L		Diesel		7698	220	299	09.12-12.18	■	■
2530 L		Diesel		7698	220	299	05.13-12.18	■	■
2530 L		Diesel		7698	220	299	05.13-12.18	■	■
2630 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■	■
2630 L (OM 936.912)		Diesel		7698	220	299	07.12-12.18	■	■
2630 L		Diesel		7698	220	299	07.12-12.18	■	■
2630 L		Diesel		7698	220	299	05.13-12.18	■	■
1832 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■	■
1832 L		Diesel		7698	235	320	05.13-12.18	■	
2032 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■	■
2032 L		Diesel		7698	235	320	05.13-12.18	■	
2532 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■	■
2532 L		Diesel		7698	235	320	09.12-12.18	■	■
2532 L		Diesel		7698	235	320	05.13-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2532 L		Diesel		7698	235	320	05.13-12.18	■	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.12-12.18	■	■
2632 L		Diesel		7698	235	320	07.12-12.18	■	■
2632 L		Diesel		7698	235	320	05.13-12.18	■	■
3232 L		Diesel		7698	235	320	09.12-12.18	■	■
1835 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
1835 L		Diesel		7698	260	354	05.13-12.18	■	■
2035 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2035 L		Diesel		7698	260	354	05.13-12.18	■	■
2535 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2535 L		Diesel		7698	260	354	09.12-12.18	■	■
2535 L		Diesel		7698	260	354	05.13-12.18	■	■
2535 L		Diesel		7698	260	354	05.13-12.18	■	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2635 L		Diesel		7698	260	354	07.12-12.18	■	■
2635 L		Diesel		7698	260	354	05.13-12.18	■	■
3235 L		Diesel		7698	260	354	09.12-12.18	■	■
1833 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
1833 L		Diesel		10677	240	326	05.13-12.18	■	■
2033 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2033 L		Diesel		10677	240	326	05.13-12.18	■	■
2533 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2533 L		Diesel		10677	240	326	09.12-12.18	■	■
2533 L		Diesel		10677	240	326	05.13-12.18	■	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2633 L		Diesel		10677	240	326	07.12-12.18	■	■
2633 L		Diesel		10677	240	326	05.13-12.18	■	■
3233 L		Diesel		10677	240	326	09.12-12.18	■	■
3333 L (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
3333 L		Diesel		10677	240	326	05.13-12.18	■	■
1836 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
1836 L		Diesel		10677	265	360	05.13-12.18	■	■
2036 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2036 L		Diesel		10677	265	360	05.13-12.18	■	■
2536 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2536 L		Diesel		10677	265	360	09.12-12.18	■	■
2536 L		Diesel		10677	265	360	05.13-12.18	■	■
2536 L		Diesel		10677	265	360	05.13-12.18	■	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2636 L		Diesel		10677	265	360	07.12-12.18	■	■
2636 L		Diesel		10677	265	360	05.13-12.18	■	■
3236 L		Diesel		10677	265	360	09.12-12.18	■	■
3336 L (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
3336 L		Diesel		10677	265	360	05.13-12.18	■	■
1840 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
1840 L		Diesel		10677	290	394	05.13-12.18	■	■
2040 L (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
2040 L		Diesel		10677	290	394	05.13-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2540 L (OM 470.906)	Diesel	10677	290	394	07.12-12.18	■	■
2540 L	Diesel	10677	290	394	09.12-12.18	■	■
2540 L	Diesel	10677	290	394	05.13-12.18	■	■
2540 L	Diesel	10677	290	394	05.13-12.18	■	■
2640 L (OM 470.906)	Diesel	10677	290	394	07.12-12.18	■	■
2640 L (OM 470.906)	Diesel	10677	290	394	07.12-12.18	■	■
2640 L	Diesel	10677	290	394	07.12-12.18	■	■
2640 L	Diesel	10677	290	394	05.13-12.18	■	■
3240 L	Diesel	10677	290	394	09.12-12.18	■	■
3340 L (OM 470.906)	Diesel	10677	290	394	07.12-12.18	■	■
3340 L	Diesel	10677	290	394	05.13-12.18	■	■
1843 L (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■	■
1843 L	Diesel	10677	315	428	05.13-12.18	■	■
2043 L (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■	■
2043 L	Diesel	10677	315	428	05.13-12.18	■	■
2543 L (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■	■
2543 L	Diesel	10677	315	428	09.12-12.18	■	■
2543 L	Diesel	10677	315	428	05.13-12.18	■	■
2543 L	Diesel	10677	315	428	05.13-12.18	■	■
2643 L (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■	■
2643 L (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■	■
2643 L	Diesel	10677	315	428	07.12-12.18	■	■
2643 L	Diesel	10677	315	428	05.13-12.18	■	■
3243 L	Diesel	10677	315	428	09.12-12.18	■	■
3343 L (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■	■
3343 L	Diesel	10677	315	428	05.13-12.18	■	■
1846 L	Diesel	10677	335	455	07.15-12.18	■	■
1846 L	Diesel	10677	335	455	07.15-12.18	■	■
2046 L	Diesel	10677	335	455	07.15-12.18	■	■
2046 L	Diesel	10677	335	455	07.15-12.18	■	■
2546 L	Diesel	10677	335	455	07.15-12.18	■	■
2546 L	Diesel	10677	335	455	07.15-12.18	■	■
2546 L	Diesel	10677	335	455	07.15-12.18	■	■
2546 L	Diesel	10677	335	455	07.15-12.18	■	■
2646 L	Diesel	10677	335	455	07.15-12.18	■	■
2646 L	Diesel	10677	335	455	07.15-12.18	■	■
2646 L	Diesel	10677	335	455	07.15-12.18	■	■
3246 L	Diesel	10677	335	455	07.15-12.18	■	■
3346 L	Diesel	10677	335	455	07.15-12.18	■	■
3346 L	Diesel	10677	335	455	07.15-12.18	■	■
1842 L (OM 471.900)	Diesel	12809	310	422	07.12-12.18	■	■
1842 L	Diesel	12809	310	421	05.13-12.18	■	■
2042 L (OM 471.900)	Diesel	12809	310	422	07.12-12.18	■	■
2042 L	Diesel	12809	310	421	05.13-12.18	■	■
2542 L (OM 471.900)	Diesel	12809	310	422	07.12-12.18	■	■
2542 L	Diesel	12809	310	421	09.12-12.18	■	■
2542 L	Diesel	12809	310	421	05.13-12.18	■	■
2542 L	Diesel	12809	310	421	05.13-12.18	■	■
2642 L (OM 471.900)	Diesel	12809	310	422	07.12-12.18	■	■
2642 L	Diesel	12809	310	422	07.12-12.18	■	■
2642 L	Diesel	12809	310	421	05.13-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3242 L		Diesel		12809	310	421	09.12-12.18	■	■
3342 L (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
3342 L		Diesel		12809	310	421	05.13-12.18	■	
1845 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
1845 L		Diesel		12809	330	449	05.13-12.18	■	
2045 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2045 L		Diesel		12809	330	449	05.13-12.18	■	
2545 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2545 L		Diesel		12809	330	449	09.12-12.18	■	■
2545 L		Diesel		12809	330	449	05.13-12.18	■	■
2545 L		Diesel		12809	330	449	05.13-12.18	■	■
2645 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2645 L		Diesel		12809	330	449	07.12-12.18	■	■
2645 L		Diesel		12809	330	449	05.13-12.18	■	■
3245 L		Diesel		12809	330	449	09.12-12.18	■	■
3345 L (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
3345 L		Diesel		12809	330	449	05.13-12.18	■	
1848 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
1848 L		Diesel		12809	350	476	05.13-12.18	■	
2048 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2048 L		Diesel		12809	350	476	05.13-12.18	■	
2548 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2548 L		Diesel		12809	350	476	09.12-12.18	■	■
2548 L		Diesel		12809	350	476	05.13-12.18	■	■
2548 L		Diesel		12809	350	476	05.13-12.18	■	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2648 L		Diesel		12809	350	476	07.12-12.18	■	■
2648 L		Diesel		12809	350	476	05.13-12.18	■	■
3248 L		Diesel		12809	350	476	09.12-12.18	■	■
3348 L (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
3348 L		Diesel		12809	350	476	05.13-12.18	■	
1851 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
1851 L		Diesel		12809	375	510	05.13-12.18	■	
2051 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2051 L		Diesel		12809	375	510	05.13-12.18	■	
2551 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2551 L		Diesel		12809	375	510	09.12-12.18	■	■
2551 L		Diesel		12809	375	510	05.13-12.18	■	■
2551 L		Diesel		12809	375	510	05.13-12.18	■	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2651 L		Diesel		12809	375	510	07.12-12.18	■	■
2651 L		Diesel		12809	375	510	05.13-12.18	■	■
3251 L		Diesel		12809	375	510	09.12-12.18	■	■
3351 L (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
3351 L		Diesel		12809	375	510	05.13-12.18	■	
1853 L		Diesel		12809	390	530	07.15-12.18	■	
1853 L		Diesel		12809	390	530	07.15-12.18	■	
2053 L		Diesel		12809	390	530	07.15-12.18	■	
2053 L		Diesel		12809	390	530	07.15-12.18	■	
2553 L		Diesel		12809	390	530	07.15-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2553 L		Diesel		12809	390	530	07.15-12.18	■	■		
2553 L		Diesel		12809	390	530	07.15-12.18	■	■		
2553 L		Diesel		12809	390	530	07.15-12.18	■	■		
2653 L		Diesel		12809	390	530	07.15-12.18	■			
2653 L		Diesel		12809	390	530	07.15-12.18	■	■		
2653 L		Diesel		12809	390	530	07.15-12.18	■	■		
3253 L		Diesel		12809	390	530	07.15-12.18	■	■		
3353 L		Diesel		12809	390	530	07.15-12.18	■			
3353 L		Diesel		12809	390	530	07.15-12.18	■			
1852 L		Diesel		15569	380	517	09.12-12.18	■			
1852 L		Diesel		15569	380	517	05.13-12.18	■			
2052 L		Diesel		15569	380	517	09.12-12.18	■			
2052 L		Diesel		15569	380	517	05.13-12.18	■			
2552 L		Diesel		15569	380	517	09.12-12.18	■	■		
2552 L		Diesel		15569	380	517	09.12-12.18	■	■		
2552 L		Diesel		15569	380	517	07.15-12.18	■	■		
2552 L		Diesel		15569	380	517	07.15-12.18	■	■		
2652 L		Diesel		15569	380	517	09.12-12.18	■			
2652 L		Diesel		15569	380	517	09.12-12.18	■	■		
2652 L		Diesel		15569	380	517	05.13-12.18	■	■		
3352 L		Diesel		15569	380	517	09.12-12.18	■			
3352 L		Diesel		15569	380	517	05.13-12.18	■			
1858 L		Diesel		15569	425	578	09.12-12.18	■			
1858 L		Diesel		15569	425	578	05.13-12.18	■			
2058 L		Diesel		15569	425	578	09.12-12.18	■			
2058 L		Diesel		15569	425	578	05.13-12.18	■			
2558 L		Diesel		15569	425	578	09.12-12.18	■	■		
2558 L		Diesel		15569	425	578	09.12-12.18	■	■		
2558 L		Diesel		15569	425	578	05.13-12.18	■	■		
2558 L		Diesel		15569	425	578	05.13-12.18	■	■		
2658 L		Diesel		15569	425	578	09.12-12.18	■			
2658 L		Diesel		15569	425	578	09.12-12.18	■	■		
2658 L		Diesel		15569	425	578	05.13-12.18	■	■		
3358 L		Diesel		15569	425	578	09.12-12.18	■			
3358 L		Diesel		15569	425	578	05.13-12.18	■			
1863 L		Diesel		15569	460	625	09.12-12.18	■			
1863 L		Diesel		15569	460	625	05.13-12.18	■			
2063 L		Diesel		15569	460	625	09.12-12.18	■			
2063 L		Diesel		15569	460	625	05.13-12.18	■			
2563 L		Diesel		15569	460	625	09.12-12.18	■	■		
2563 L		Diesel		15569	460	625	09.12-12.18	■	■		
2563 L		Diesel		15569	460	625	05.13-12.18	■	■		
2563 L		Diesel		15569	460	625	05.13-12.18	■	■		
2663 L		Diesel		15569	460	625	09.12-12.18	■			
2663 L		Diesel		15569	460	625	09.12-12.18	■	■		
2663 L		Diesel		15569	460	625	05.13-12.18	■	■		
3363 L		Diesel		15569	460	625	09.12-12.18	■			
3363 L		Diesel		15569	460	625	05.13-12.18	■			
ANTOS 07.12-										Truck Tractor	
1824 LS (OM 936.912)		Diesel		7698	175	238	07.12-12.18	■	■		
1824 LS		Diesel		7698	175	238	05.13-12.18	■			

LISTA DE APLICACIONES - BUYERS GUIDE

2024 LS (OM 936.912)	Diesel	7698	175	238	07.12-12.18	■	■
2024 LS	Diesel	7698	175	238	05.13-12.18	■	
2424 LS	Diesel	7698	175	238	09.12-12.18	■	
2524 LS	Diesel	7698	175	238	09.12-12.18	■	
2524 LS	Diesel	7698	175	238	09.12-12.18	■	
2524 LS	Diesel	7698	175	238	05.13-12.18	■	
2524 LS	Diesel	7698	175	238	05.13-12.18	■	
2624 LS	Diesel	7698	175	238	09.12-12.18	■	
2624 LS	Diesel	7698	175	238	09.12-12.18	■	■
2624 LS	Diesel	7698	175	238	05.13-12.18	■	■
1827 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■	■
1827 LS	Diesel	7698	200	272	05.13-12.18	■	
2027 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■	■
2027 LS	Diesel	7698	200	272	05.13-12.18	■	
2427 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■	■
2527 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■	■
2527 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■	■
2527 LS	Diesel	7698	200	272	09.12-12.18	■	
2527 LS	Diesel	7698	200	272	05.13-12.18	■	
2527 LS	Diesel	7698	200	272	05.13-12.18	■	
2627 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■	■
2627 LS	Diesel	7698	200	272	07.12-12.18	■	■
2627 LS	Diesel	7698	200	272	05.13-12.18	■	■
1830 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
1830 LS	Diesel	7698	220	299	05.13-12.18	■	
2030 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
2030 LS	Diesel	7698	220	299	05.13-12.18	■	
2430 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
2530 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
2530 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
2530 LS	Diesel	7698	220	299	09.12-12.18	■	
2530 LS	Diesel	7698	220	299	05.13-12.18	■	
2530 LS	Diesel	7698	220	299	05.13-12.18	■	
2630 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
2630 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■	■
2630 LS	Diesel	7698	220	299	07.12-12.18	■	■
2630 LS	Diesel	7698	220	299	05.13-12.18	■	■
1832 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
1832 LS	Diesel	7698	235	320	05.13-12.18	■	
2032 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
2032 LS	Diesel	7698	235	320	05.13-12.18	■	
2432 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
2532 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
2532 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
2532 LS	Diesel	7698	235	320	09.12-12.18	■	
2532 LS	Diesel	7698	235	320	05.13-12.18	■	
2532 LS	Diesel	7698	235	320	05.13-12.18	■	
2632 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
2632 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■	■
2632 LS	Diesel	7698	235	320	07.12-12.18	■	■
2632 LS	Diesel	7698	235	320	05.13-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1835 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
1835 LS		Diesel		7698	260	354	05.13-12.18	■	
2035 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2035 LS		Diesel		7698	260	354	05.13-12.18	■	
2435 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2535 LS		Diesel		7698	260	354	09.12-12.18	■	
2535 LS		Diesel		7698	260	354	05.13-12.18	■	
2535 LS		Diesel		7698	260	354	05.13-12.18	■	
2635 LS (OM 936.916)		Diesel		7698	260	354	07.12-12.18	■	■
2635 LS		Diesel		7698	260	354	07.12-12.18	■	■
2635 LS		Diesel		7698	260	354	05.13-12.18	■	■
1833 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
1833 LS		Diesel		10677	240	326	05.13-12.18	■	
2033LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2033LS		Diesel		10677	240	326	05.13-12.18	■	
2433 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2533 LS		Diesel		10677	240	326	09.12-12.18	■	
2533 LS		Diesel		10677	240	326	05.13-12.18	■	
2533 LS		Diesel		10677	240	326	05.13-12.18	■	
2633 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
2633 LS		Diesel		10677	240	326	07.12-12.18	■	■
2633 LS		Diesel		10677	240	326	05.13-12.18	■	■
3333 LS (OM 470.906)		Diesel		10677	240	326	07.12-12.18	■	■
3333 LS		Diesel		10677	240	326	05.13-12.18	■	
1836 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
1836 LS		Diesel		10677	265	360	05.13-12.18	■	
2036LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2036LS		Diesel		10677	265	360	05.13-12.18	■	
2436 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2536 LS (OM 470.910)		Diesel		10677	265	360	07.12-12.18	■	■
2536 LS		Diesel		10677	265	360	09.12-12.18	■	
2536 LS		Diesel		10677	265	360	05.13-12.18	■	
2536 LS		Diesel		10677	265	360	05.13-12.18	■	
2636 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
2636 LS		Diesel		10677	265	360	07.12-12.18	■	■
2636 LS		Diesel		10677	265	360	05.13-12.18	■	■
3336 LS (OM 470.906)		Diesel		10677	265	360	07.12-12.18	■	■
3336 LS		Diesel		10677	265	360	05.13-12.18	■	
1840LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
1840LS		Diesel		10677	290	394	05.13-12.18	■	
2040 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
2040 LS		Diesel		10677	290	394	05.13-12.18	■	
2440 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2540 LS		Diesel		10677	290	394	09.12-12.18	■	
2540 LS		Diesel		10677	290	394	05.13-12.18	■	
2540 LS		Diesel		10677	290	394	05.13-12.18	■	
2640 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
2640 LS		Diesel		10677	290	394	07.12-12.18	■	■
2640 LS		Diesel		10677	290	394	05.13-12.18	■	■
3340 LS (OM 470.906)		Diesel		10677	290	394	07.12-12.18	■	■
3340 LS		Diesel		10677	290	394	05.13-12.18	■	
1843 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
1843 LS		Diesel		10677	315	428	05.13-12.18	■	
2043 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
2043 LS		Diesel		10677	315	428	05.13-12.18	■	
2443 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
2543 LS		Diesel		10677	315	428	09.12-12.18	■	
2543 LS		Diesel		10677	315	428	05.13-12.18	■	
2543 LS		Diesel		10677	315	428	05.13-12.18	■	
2643 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
2643 LS		Diesel		10677	315	428	07.12-12.18	■	■
2643 LS		Diesel		10677	315	428	05.13-12.18	■	■
3343 LS (OM 470.906)		Diesel		10677	315	428	07.12-12.18	■	■
3343 LS		Diesel		10677	315	428	05.13-12.18	■	
1846 LS		Diesel		10677	335	455	07.15-12.18	■	
1846 LS		Diesel		10677	335	455	07.15-12.18	■	
2046 LS		Diesel		10677	335	455	07.15-12.18	■	
2046 LS		Diesel		10677	335	455	07.15-12.18	■	
2446 LS		Diesel		10677	335	455	07.15-12.18	■	
2546 LS		Diesel		10677	335	455	07.15-12.18	■	
2546 LS		Diesel		10677	335	455	07.15-12.18	■	
2546 LS		Diesel		10677	335	455	07.15-12.18	■	
2546 LS		Diesel		10677	335	455	07.15-12.18	■	
2646 LS		Diesel		10677	335	455	07.15-12.18	■	
2646 LS		Diesel		10677	335	455	07.15-12.18	■	■
2646 LS		Diesel		10677	335	455	07.15-12.18	■	■
3346 LS		Diesel		10677	335	455	07.15-12.18	■	
3346 LS		Diesel		10677	335	455	07.15-12.18	■	
1842 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
1842 LS		Diesel		12809	310	421	05.13-12.18	■	
2042 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
2042 LS		Diesel		12809	310	421	05.13-12.18	■	
2442 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
2542 LS		Diesel		12809	310	421	09.12-12.18	■	
2542 LS		Diesel		12809	310	421	05.13-12.18	■	
2542 LS		Diesel		12809	310	421	05.13-12.18	■	
2642 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■
2642 LS		Diesel		12809	310	422	07.12-12.18	■	■
2642 LS		Diesel		12809	310	421	05.13-12.18	■	■
3342 LS (OM 471.900)		Diesel		12809	310	422	07.12-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3342 LS		Diesel		12809	310	421	05.13-12.18	■	
1845 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
1845 LS		Diesel		12809	330	449	05.13-12.18	■	
2045 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2045 LS		Diesel		12809	330	449	05.13-12.18	■	
2445 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2545 LS (OM 471.909)		Diesel		12809	330	449	07.12-12.18	■	■
2545 LS		Diesel		12809	330	449	09.12-12.18	■	
2545 LS		Diesel		12809	330	449	05.13-12.18	■	
2545 LS		Diesel		12809	330	449	05.13-12.18	■	
2645 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
2645 LS		Diesel		12809	330	449	07.12-12.18	■	■
2645 LS		Diesel		12809	330	449	05.13-12.18	■	■
3345 LS (OM 471.900)		Diesel		12809	330	449	07.12-12.18	■	■
3345 LS		Diesel		12809	330	449	05.13-12.18	■	
1848 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
1848 LS		Diesel		12809	350	476	05.13-12.18	■	
2048 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2048 LS		Diesel		12809	350	476	05.13-12.18	■	
2448LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2548 LS (OM 471.909)		Diesel		12809	350	476	07.12-12.18	■	■
2548 LS		Diesel		12809	350	476	09.12-12.18	■	
2548 LS		Diesel		12809	350	476	05.13-12.18	■	
2548 LS		Diesel		12809	350	476	05.13-12.18	■	
2648 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
2648 LS		Diesel		12809	350	476	07.12-12.18	■	■
2648 LS		Diesel		12809	350	476	05.13-12.18	■	■
3348 LS (OM 471.900)		Diesel		12809	350	476	07.12-12.18	■	■
3348 LS		Diesel		12809	350	476	05.13-12.18	■	
1851 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
1851 LS		Diesel		12809	375	510	05.13-12.18	■	
2051 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2051 LS		Diesel		12809	375	510	05.13-12.18	■	
2451 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2551 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2551 LS (OM 471.909)		Diesel		12809	375	510	07.12-12.18	■	■
2551 LS		Diesel		12809	375	510	09.12-12.18	■	
2551 LS		Diesel		12809	375	510	05.13-12.18	■	
2551 LS		Diesel		12809	375	510	05.13-12.18	■	
2651 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
2651 LS		Diesel		12809	375	510	07.12-12.18	■	■
2651 LS		Diesel		12809	375	510	05.13-12.18	■	■
3351 LS (OM 471.900)		Diesel		12809	375	510	07.12-12.18	■	■
3351 LS		Diesel		12809	375	510	05.13-12.18	■	
1853 LS		Diesel		12809	390	530	07.15-12.18	■	
1853 LS		Diesel		12809	390	530	07.15-12.18	■	
2053 LS		Diesel		12809	390	530	07.15-12.18	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2053 LS		Diesel		12809	390	530	07.15-12.18	■	
2453 LS		Diesel		12809	390	530	07.15-12.18	■	
2553 LS		Diesel		12809	390	530	07.15-12.18	■	
2553 LS		Diesel		12809	390	530	07.15-12.18	■	
2553 LS		Diesel		12809	390	530	07.15-12.18	■	
2553 LS		Diesel		12809	390	530	07.15-12.18	■	
2653 LS		Diesel		12809	390	530	07.15-12.18	■	
2653 LS		Diesel		12809	390	530	07.15-12.18	■	■
2653 LS		Diesel		12809	390	530	07.15-12.18	■	■
3353 LS		Diesel		12809	390	530	07.15-12.18	■	
3353 LS		Diesel		12809	390	530	07.15-12.18	■	
1852 LS		Diesel		15569	380	517	09.12-12.18	■	
1852 LS		Diesel		15569	380	517	05.13-12.18	■	
2052 LS		Diesel		15569	380	517	09.12-12.18	■	
2052 LS		Diesel		15569	380	517	05.13-12.18	■	
2452 LS		Diesel		15569	380	517	09.12-12.18	■	
2552 LS		Diesel		15569	380	517	09.12-12.18	■	
2552 LS		Diesel		15569	380	517	09.12-12.18	■	
2552 LS		Diesel		15569	380	517	05.13-12.18	■	
2552 LS		Diesel		15569	380	517	05.13-12.18	■	
2652 LS		Diesel		15569	380	517	09.12-12.18	■	
2652 LS		Diesel		15569	380	517	09.12-12.18	■	■
2652 LS		Diesel		15569	380	517	05.13-12.18	■	■
3352 LS		Diesel		15569	380	517	09.12-12.18	■	
3352 LS		Diesel		15569	380	517	05.13-12.18	■	
1858 LS		Diesel		15569	425	578	09.12-12.18	■	
1858 LS		Diesel		15569	425	578	05.13-12.18	■	
2058 LS		Diesel		15569	425	578	09.12-12.18	■	
2058 LS		Diesel		15569	425	578	05.13-12.18	■	
2458 LS		Diesel		15569	425	578	09.12-12.18	■	
2558 LS		Diesel		15569	425	578	09.12-12.18	■	
2558 LS		Diesel		15569	425	578	09.12-12.18	■	
2558 LS		Diesel		15569	425	578	05.13-12.18	■	
2558 LS		Diesel		15569	425	578	05.13-12.18	■	
2658 LS		Diesel		15569	425	578	09.12-12.18	■	
2658 LS		Diesel		15569	425	578	09.12-12.18	■	■
2658 LS		Diesel		15569	425	578	05.13-12.18	■	■
3358 LS		Diesel		15569	425	578	09.12-12.18	■	
3358 LS		Diesel		15569	425	578	05.13-12.18	■	
1863 LS		Diesel		15569	460	625	09.12-12.18	■	
1863 LS		Diesel		15569	460	625	05.13-12.18	■	
2063 LS		Diesel		15569	460	625	09.12-12.18	■	
2063 LS		Diesel		15569	460	625	05.13-12.18	■	
2463 LS		Diesel		15569	460	625	09.12-12.18	■	
2563 LS		Diesel		15569	460	625	09.12-12.18	■	
2563 LS		Diesel		15569	460	625	09.12-12.18	■	
2563 LS		Diesel		15569	460	625	05.13-12.18	■	
2563 LS		Diesel		15569	460	625	05.13-12.18	■	
2663 LS		Diesel		15569	460	625	09.12-12.18	■	
2663 LS		Diesel		15569	460	625	09.12-12.18	■	■
2663 LS		Diesel		15569	460	625	05.13-12.18	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3363 LS		Diesel		15569	460	625	09.12-12.18	■
3363 LS		Diesel		15569	460	625	05.13-12.18	■
AROCS 01.13-				Concrete Mixer				
2624 B		Diesel		7698	175	238	05.13-	■
2624 LB		Diesel		7698	175	238	05.13-	■
2624 LB		Diesel		7698	175	238	05.13-	■
3224 B		Diesel		7698	175	238	05.13-	■
3224 LB		Diesel		7698	175	238	05.13-	■
3324 B		Diesel		7698	175	238	05.13-	■
2627 B, 2627 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 LB		Diesel		7698	200	272	05.13-	■
3227 B, 3227 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■
3327 B		Diesel		7698	200	272	05.13-	■
2630 B, 2630 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 LB		Diesel		7698	220	299	05.13-	■
3230 B, 3230 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■
3330 B		Diesel		7698	220	299	05.13-	■
2632 B, 2632 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 LB		Diesel		7698	235	320	05.13-	■
3232 B, 3232 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■
3332 B		Diesel		7698	235	320	05.13-	■
2635 B, 2635 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 LB		Diesel		7698	260	354	05.13-	■
3235 B, 3235 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■
3335 B		Diesel		7698	260	354	05.13-	■
2633 B, 2633 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
2633 LB		Diesel		10677	240	326	05.13-	■
3233 B, 3233 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
3233 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 B, 3333 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 LB		Diesel		10677	240	326	05.13-	■
4133 B (OM 470.906)		Diesel		10677	240	326	01.13-	■
2636 B, 2636 LB		Diesel		10677	265	360	01.13-	■
2636 LB		Diesel		10677	265	360	05.13-	■
3236 B, 3236 LB		Diesel		10677	265	360	01.13-	■
3236 LB		Diesel		10677	265	360	01.13-	■
3336 B, 3336 LB		Diesel		10677	265	360	01.13-	■
3336 LB		Diesel		10677	265	360	05.13-	■
4136 B		Diesel		10677	265	360	01.13-	■
2640 B, 2640 LB (OM 470.906)		Diesel		10677	290	394	01.13-	■
2640 LB		Diesel		10677	290	394	05.13-	■
3240 B, 3240 LB (OM 470.906)		Diesel		10677	290	394	01.13-	■
3240 LB (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 B, 3340 LB (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 LB		Diesel		10677	290	394	05.13-	■
4140 B (OM 470.906)		Diesel		10677	290	394	01.13-	■
2643 B, 2643 LB (OM 470.906)		Diesel		10677	315	428	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2643 LB		Diesel		10677	315	428	05.13-	■
3243 B, 3243 LB (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 LB (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 B, 3343 LB (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 LB		Diesel		10677	315	428	05.13-	■
4143 B (OM 470.906)		Diesel		10677	315	428	01.13-	■
2646 B		Diesel		10677	335	455	07.15-	■
2646 LB		Diesel		10677	335	455	07.15-	■
2646 LB		Diesel		10677	335	455	07.15-	■
3246 B		Diesel		10677	335	455	07.15-	■
3246 LB		Diesel		10677	335	455	07.15-	■
3346 B		Diesel		10677	335	455	07.15-	■
3346 LB		Diesel		10677	335	455	07.15-	■
3346 LB		Diesel		10677	335	455	07.15-	■
4146 B		Diesel		10677	335	455	07.15-	■
2642 B, 2642 LB (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 LB		Diesel		12809	310	421	05.13-	■
3242 B, 3242 LB (OM 471.900)		Diesel		12809	310	422	01.13-	■
3242 LB (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 B, 3342 LB (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 LB		Diesel		12809	310	421	05.13-	■
4142 B (OM 471.900)		Diesel		12809	310	422	01.13-	■
2645 B, 2645 LB (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 LB		Diesel		12809	330	449	05.13-	■
3245 B, 3245 LB		Diesel		12809	330	449	01.13-	■
3245 LB (OM 471.900)		Diesel		12809	330	449	01.13-	■
3345B, 3345 LB (OM 471.900)		Diesel		12809	330	449	01.13-	■
3345 LB		Diesel		12809	330	449	05.13-	■
4145 B (OM 471.900)		Diesel		12809	330	449	01.13-	■
2648 B, 2648 LB		Diesel		12809	350	476	01.13-	■
2648 LB		Diesel		12809	350	476	05.13-	■
3248 B, 3248 LB		Diesel		12809	350	476	01.13-	■
3248 LB		Diesel		12809	350	476	01.13-	■
3348 B, 3348 LB (OM 471.900)		Diesel		12809	350	476	01.13-	■
3348 LB		Diesel		12809	350	476	05.13-	■
4148 B (OM 471.900)		Diesel		12809	350	476	01.13-	■
2651 B, 2651 LB (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 LB		Diesel		12809	375	510	05.13-	■
3251 B, 3251 LB (OM 471.909)		Diesel		12809	375	510	01.13-	■
3251 LB (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 B, 3351 LB (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 LB		Diesel		12809	375	510	05.13-	■
4151 B (OM 471.909)		Diesel		12809	375	510	01.13-	■
2653 B		Diesel		12809	390	530	07.15-	■
2653 LB		Diesel		12809	390	530	07.15-	■
2653 LB		Diesel		12809	390	530	07.15-	■
3253 B		Diesel		12809	390	530	07.15-	■
3253 LB		Diesel		12809	390	530	07.15-	■
3353 B		Diesel		12809	390	530	07.15-	■
3353 LB		Diesel		12809	390	530	07.15-	■
3353 LB		Diesel		12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

4153 B		Diesel		12809	390	530	07.15-	■
AROCS 01.13-								Dump Truck
1824AK (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824K (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 LK		Diesel		7698	175	238	05.13-	■
1824 LK		Diesel		7698	175	238	05.13-	■
2024K (OM 936.912)		Diesel		7698	175	238	01.13-	■
2024 LK		Diesel		7698	175	238	05.13-	■
2024 LK		Diesel		7698	175	238	05.13-	■
2624 K		Diesel		7698	175	238	05.13-	■
2624 LK		Diesel		7698	175	238	05.13-	■
2624 LK		Diesel		7698	175	238	05.13-	■
3224 K		Diesel		7698	175	238	05.13-	■
3224 LK		Diesel		7698	175	238	05.13-	■
1827 AK (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 K (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 LK		Diesel		7698	200	272	05.13-	■
1827 LK		Diesel		7698	200	272	05.13-	■
2027 K (OM 936.912)		Diesel		7698	200	272	01.13-	■
2027 LK		Diesel		7698	200	272	05.13-	■
2027 LK		Diesel		7698	200	272	05.13-	■
2627 K, 2627 LK (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 LK		Diesel		7698	200	272	05.13-	■
3227 K		Diesel		7698	200	272	05.13-	■
3227 K, 3227 LK (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 LK (OM 936.912)		Diesel		7698	200	272	01.13-	■
1830 AK (OM 936.912)		Diesel		7698	220	299	01.13-	■
1830 K (OM 936.912)		Diesel		7698	220	299	01.13-	■
1830 LK		Diesel		7698	220	299	05.13-	■
1830 LK		Diesel		7698	220	299	05.13-	■
2030 K (OM 936.912)		Diesel		7698	220	299	01.13-	■
2030 LK		Diesel		7698	220	299	05.13-	■
2030 LK		Diesel		7698	220	299	05.13-	■
2630 K, 2630 LK (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 LK		Diesel		7698	220	299	05.13-	■
3230 K, 3230 LK (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 LK (OM 936.912)		Diesel		7698	220	299	01.13-	■
1832 AK (OM 936.916)		Diesel		7698	235	320	01.13-	■
1832 K (OM 936.916)		Diesel		7698	235	320	01.13-	■
1832 LK		Diesel		7698	235	320	05.13-	■
1832 LK		Diesel		7698	235	320	05.13-	■
2032 K (OM 936.916)		Diesel		7698	235	320	01.13-	■
2032 LK		Diesel		7698	235	320	05.13-	■
2032 LK		Diesel		7698	235	320	05.13-	■
2532 K		Diesel		7698	235	320	09.19-	■
2632 K, 2632 LK (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 LK		Diesel		7698	235	320	05.13-	■
3232 K, 3232 LK (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 LK (OM 936.916)		Diesel		7698	235	320	01.13-	■
3332 K		Diesel		7698	235	320	05.13-	■
1835 AK (OM 936.916)		Diesel		7698	260	354	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1835 K (OM 936.916)	Diesel	7698	260	354	01.13-
1835 LK	Diesel	7698	260	354	05.13-
1835 LK	Diesel	7698	260	354	05.13-
2035 K (OM 936.916)	Diesel	7698	260	354	01.13-
2035 LK	Diesel	7698	260	354	05.13-
2035 LK	Diesel	7698	260	354	05.13-
2535 K	Diesel	7698	260	354	09.19-
2635 K, 2635 LK (OM 936.916)	Diesel	7698	260	354	01.13-
2635 LK	Diesel	7698	260	354	05.13-
3235 K, 3235 LK (OM 936.916)	Diesel	7698	260	354	01.13-
3235 LK (OM 936.916)	Diesel	7698	260	354	01.13-
3335 K	Diesel	7698	260	354	05.13-
1833 AK (OM 470.906)	Diesel	10677	240	326	01.13-
1833 K (OM 470.906)	Diesel	10677	240	326	01.13-
1833 LK	Diesel	10677	240	326	05.13-
1833 LK	Diesel	10677	240	326	05.13-
2033 AK (OM 470.906)	Diesel	10677	240	326	01.13-
2033 K (OM 470.906)	Diesel	10677	240	326	01.13-
2033 LK	Diesel	10677	240	326	05.13-
2033 LK	Diesel	10677	240	326	05.13-
2633 K, 2633 LK (OM 470.906)	Diesel	10677	240	326	01.13-
2633 LK	Diesel	10677	240	326	05.13-
3233 K, 3233 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3233 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 AK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 K, 3333 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 LK	Diesel	10677	240	326	05.13-
4133 AK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 AK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 K (OM 470.906)	Diesel	10677	240	326	01.13-
4136 AK (OM 470.903)	Diesel	10677	240	326	01.13-
4136 AK (OM 470.903)	Diesel	10677	240	326	01.13-
1836 AK (OM 470.908)	Diesel	10677	265	360	01.13-
1836 AK (OM 470.910)	Diesel	10677	265	360	01.13-
1836 AK (OM 470.913)	Diesel	10677	265	360	01.13-
1836 K (OM 470.903)	Diesel	10677	265	360	01.13-
1836 K (OM 470.910)	Diesel	10677	265	360	01.13-
1836 K (OM 470.913)	Diesel	10677	265	360	01.13-
1836 LK	Diesel	10677	265	360	05.13-
1836 LK	Diesel	10677	265	360	05.13-
2036 AK (OM 470.903)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.910)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.913)	Diesel	10677	265	360	01.13-
2036 K (OM 470.903)	Diesel	10677	265	360	01.13-
2036 K (OM 470.910)	Diesel	10677	265	360	01.13-
2036 K (OM 470.913)	Diesel	10677	265	360	01.13-
2036 LK	Diesel	10677	265	360	05.13-
2036 LK	Diesel	10677	265	360	05.13-
2636 K, 2636 LK	Diesel	10677	265	360	01.13-
2636 LK	Diesel	10677	265	360	05.13-
3236 K, 3236 LK	Diesel	10677	265	360	01.13-

LISTA DE APLICACIONES - BUYERS GUIDE

3236 LK		Diesel		10677	265	360	01.13-	■
3336AK		Diesel		10677	265	360	01.13-	■
3336 K, 3336 LK		Diesel		10677	265	360	01.13-	■
3336 LK		Diesel		10677	265	360	05.13-	■
4136 K		Diesel		10677	265	360	01.13-	■
1840 AK (OM 470.906)		Diesel		10677	290	394	01.13-	■
1840 K (OM 470.906)		Diesel		10677	290	394	01.13-	■
1840 LK		Diesel		10677	290	394	05.13-	■
1840 LK		Diesel		10677	290	394	05.13-	■
2040 AK (OM 470.906)		Diesel		10677	290	394	01.13-	■
2040 K (OM 470.906)		Diesel		10677	290	394	01.13-	■
2040 LK		Diesel		10677	290	394	05.13-	■
2040 LK		Diesel		10677	290	394	05.13-	■
2640 K, 2640 LK (OM 470.906)		Diesel		10677	290	394	01.13-	■
2640 LK		Diesel		10677	290	394	05.13-	■
3240 K, 3240 LK (OM 470.906)		Diesel		10677	290	394	01.13-	■
3240 LK (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 AK (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 K, 3340 LK (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 LK		Diesel		10677	290	394	05.13-	■
4140 AK (OM 470.903)		Diesel		10677	290	394	01.13-	■
4140 AK (OM 470.906)		Diesel		10677	290	394	01.13-	■
4140 AK (OM 470.903)		Diesel		10677	290	394	01.13-	■
4140 AK (OM 470.906)		Diesel		10677	290	394	01.13-	■
4140 K (OM 470.906)		Diesel		10677	290	394	01.13-	■
1843 AK (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 K (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 LK		Diesel		10677	315	428	05.13-	■
1843 LK		Diesel		10677	315	428	05.13-	■
2043 AK (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 K (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 LK		Diesel		10677	315	428	05.13-	■
2043 LK		Diesel		10677	315	428	05.13-	■
2643 K, 2643 LK (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 LK		Diesel		10677	315	428	05.13-	■
3243 K, 3243 LK (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 LK (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 AK (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 K, 3343 LK (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 LK		Diesel		10677	315	428	05.13-	■
4143 AK (OM 470.903)		Diesel		10677	315	428	01.13-	■
4143 AK (OM 470.906)		Diesel		10677	315	428	01.13-	■
4143 AK (OM 470.903)		Diesel		10677	315	428	01.13-	■
4143 AK (OM 470.906)		Diesel		10677	315	428	01.13-	■
4143 K (OM 470.906)		Diesel		10677	315	428	01.13-	■
1846 AK		Diesel		10677	335	455	07.15-	■
1846 K		Diesel		10677	335	455	07.15-	■
1846 LK		Diesel		10677	335	455	07.15-	■
1846 LK		Diesel		10677	335	455	07.15-	■
2046 AK		Diesel		10677	335	455	07.15-	■
2046 K		Diesel		10677	335	455	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2046 LK		Diesel		10677	335	455	07.15-	■
2046 LK		Diesel		10677	335	455	07.15-	■
2646 K		Diesel		10677	335	455	07.15-	■
2646 LK		Diesel		10677	335	455	07.15-	■
2646 LK		Diesel		10677	335	455	07.15-	■
3246 K		Diesel		10677	335	455	07.15-	■
3246 LK		Diesel		10677	335	455	07.15-	■
3346 AK		Diesel		10677	335	455	07.15-	■
3346 K		Diesel		10677	335	455	07.15-	■
3346 LK		Diesel		10677	335	455	07.15-	■
3346 LK		Diesel		10677	335	455	07.15-	■
4146 AK		Diesel		10677	335	455	07.15-	■
4146 AK		Diesel		10677	335	455	07.15-	■
4146 K		Diesel		10677	335	455	07.15-	■
1842 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 K (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 LK		Diesel		12809	310	421	05.13-	■
1842 LK		Diesel		12809	310	421	05.13-	■
2042 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 K (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 LK		Diesel		12809	310	421	05.13-	■
2042 LK		Diesel		12809	310	421	05.13-	■
2642 K, 2642 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 LK		Diesel		12809	310	421	05.13-	■
3242 K, 3242 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3242 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 K, 3342 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 LK		Diesel		12809	310	421	05.13-	■
4142 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
4142 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
4142 K (OM 471.900)		Diesel		12809	310	422	01.13-	■
1845 AK		Diesel		12809	330	449	01.13-	■
1845 K (OM 471.900)		Diesel		12809	330	449	01.13-	■
1845 K (OM 471.906)		Diesel		12809	330	449	01.13-	■
1845 LK		Diesel		12809	330	449	05.13-	■
1845 LK		Diesel		12809	330	449	05.13-	■
2045 AK		Diesel		12809	330	449	01.13-	■
2045 K (OM 471.900)		Diesel		12809	330	449	01.13-	■
2045 K (OM 471.906)		Diesel		12809	330	449	01.13-	■
2045 LK		Diesel		12809	330	449	05.13-	■
2045 LK		Diesel		12809	330	449	05.13-	■
2645 K, 2645 LK (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 LK		Diesel		12809	330	449	05.13-	■
3245 K, 3245 LK (OM 471.900)		Diesel		12809	330	449	01.13-	■
3245 LK (OM 471.900)		Diesel		12809	330	449	01.13-	■
3345 AK		Diesel		12809	330	449	01.13-	■
3345K, 3345 LK (OM 471.900)		Diesel		12809	330	449	01.13-	■
3345 LK		Diesel		12809	330	449	05.13-	■
4145 AK (OM 471.906)		Diesel		12809	330	449	01.13-	■
4145 AK (OM 471.906)		Diesel		12809	330	449	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

4145 K (OM 471.900)	Diesel	12809	330	449	01.13-	■
1848 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
1848 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
1848 K (OM 471.906)	Diesel	12809	350	476	01.13-	■
1848 LK	Diesel	12809	350	476	05.13-	■
1848 LK	Diesel	12809	350	476	05.13-	■
2048 AK	Diesel	12809	350	476	01.13-	■
2048 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
2048 K (OM 471.906)	Diesel	12809	350	476	01.13-	■
2048 LK	Diesel	12809	350	476	05.13-	■
2048 LK	Diesel	12809	350	476	05.13-	■
2648 K, 2648 LK	Diesel	12809	350	476	01.13-	■
2648 LK	Diesel	12809	350	476	05.13-	■
3248 K, 3248 LK	Diesel	12809	350	476	01.13-	■
3248 LK	Diesel	12809	350	476	01.13-	■
3348 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
3348 K, 3348 LK (OM 471.900)	Diesel	12809	350	476	01.13-	■
3348 LK	Diesel	12809	350	476	05.13-	■
4148 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
4148 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
4148 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
1851 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
1851 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
1851 LK	Diesel	12809	375	510	05.13-	■
1851 LK	Diesel	12809	375	510	05.13-	■
2051 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
2051 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
2051 LK	Diesel	12809	375	510	05.13-	■
2051 LK	Diesel	12809	375	510	05.13-	■
2651 K, 2651 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
2651 LK	Diesel	12809	375	510	05.13-	■
3251 K, 3251 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3251 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 K, 3351 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 LK	Diesel	12809	375	510	05.13-	■
4151 AK (OM 471.906)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.906)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
4851 K	Diesel	12809	375	510	01.22-	■
1853AK	Diesel	12809	390	530	07.15-	■
1853 K	Diesel	12809	390	530	07.15-	■
1853 LK	Diesel	12809	390	530	07.15-	■
1853 LK	Diesel	12809	390	530	07.15-	■
2053 AK	Diesel	12809	390	530	07.15-	■
2053 K	Diesel	12809	390	530	07.15-	■
2053 LK	Diesel	12809	390	530	07.15-	■
2053 LK	Diesel	12809	390	530	07.15-	■
2653 K	Diesel	12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2653 LK		Diesel		12809	390	530	07.15-	■
2653 LK		Diesel		12809	390	530	07.15-	■
3253 K		Diesel		12809	390	530	07.15-	■
3253 LK		Diesel		12809	390	530	07.15-	■
3353 AK		Diesel		12809	390	530	07.15-	■
3353 K		Diesel		12809	390	530	07.15-	■
3353 LK		Diesel		12809	390	530	07.15-	■
3353 LK		Diesel		12809	390	530	07.15-	■
4153 AK		Diesel		12809	390	530	07.15-	■
4153 AK		Diesel		12809	390	530	07.15-	■
4153 K		Diesel		12809	390	530	07.15-	■
2652 K		Diesel		15569	380	517	05.13-	■
2652 LK		Diesel		15569	380	517	05.13-	■
2652 LK		Diesel		15569	380	517	05.13-	■
3252 K		Diesel		15569	380	517	05.13-	■
3252 LK		Diesel		15569	380	517	05.13-	■
3352 AK		Diesel		15569	380	517	05.13-	■
3352 K		Diesel		15569	380	517	05.13-	■
3352 LK		Diesel		15569	380	517	05.13-	■
3352 LK		Diesel		15569	380	517	05.13-	■
4152 AK		Diesel		15569	380	517	05.13-	■
4152 AK		Diesel		15569	380	517	07.15-	■
4152 K		Diesel		15569	380	517	05.13-	■
2658 K		Diesel		15569	425	578	05.13-	■
2658 LK		Diesel		15569	425	578	05.13-	■
2658 LK		Diesel		15569	425	578	05.13-	■
3258 K		Diesel		15569	425	578	05.13-	■
3258 LK		Diesel		15569	425	578	05.13-	■
3358 AK		Diesel		15569	425	578	05.13-	■
3358 K		Diesel		15569	425	578	05.13-	■
3358 LK		Diesel		15569	425	578	05.13-	■
3358 LK		Diesel		15569	425	578	05.13-	■
4158 AK		Diesel		15569	425	578	05.13-	■
4158 AK		Diesel		15569	425	578	07.15-	■
4158 K		Diesel		15569	425	578	05.13-	■
2663 K		Diesel		15569	460	625	05.13-	■
2663 LK		Diesel		15569	460	625	05.13-	■
2663 LK		Diesel		15569	460	625	05.13-	■
3263 K		Diesel		15569	460	625	05.13-	■
3263 LK		Diesel		15569	460	625	05.13-	■
3363 AK		Diesel		15569	460	625	05.13-	■
3363 K		Diesel		15569	460	625	05.13-	■
3363 LK		Diesel		15569	460	625	05.13-	■
3363 LK		Diesel		15569	460	625	05.13-	■
4163 AK		Diesel		15569	460	625	05.13-	■
4163 AK		Diesel		15569	460	625	07.15-	■
4163 K		Diesel		15569	460	625	05.13-	■
AROCS 01.13-					Platform/Chassis			
1824 (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 A (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 L		Diesel		7698	175	238	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1824 L		Diesel		7698	175	238	05.13-	■
2024 (OM 936.912)		Diesel		7698	175	238	01.13-	■
2024 L		Diesel		7698	175	238	05.13-	■
2024 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2624		Diesel		7698	175	238	05.13-	■
2624 L		Diesel		7698	175	238	05.13-	■
2624 L		Diesel		7698	175	238	05.13-	■
2624 L		Diesel		7698	175	238	05.13-	■
3224		Diesel		7698	175	238	05.13-	■
3224 L		Diesel		7698	175	238	05.13-	■
3224 L		Diesel		7698	175	238	03.16-	■
1827 (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 A (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 L		Diesel		7698	200	272	05.13-	■
1827 L		Diesel		7698	200	272	05.13-	■
2027 (OM 936.912)		Diesel		7698	200	272	01.13-	■
2027 L		Diesel		7698	200	272	05.13-	■
2027 L		Diesel		7698	200	272	05.13-	■
2527 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 L		Diesel		7698	200	272	05.13-	■
2527 L		Diesel		7698	200	272	05.13-	■
2627, 2627 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 L		Diesel		7698	200	272	05.13-	■
3227, 3227 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 L		Diesel		7698	200	272	03.16-	■
1830 (OM 936.912)		Diesel		7698	220	299	01.13-	■
1830 A (OM 936.912)		Diesel		7698	220	299	01.13-	■
1830 L		Diesel		7698	220	299	05.13-	■
1830 L		Diesel		7698	220	299	05.13-	■
2030 (OM 936.912)		Diesel		7698	220	299	01.13-	■
2030 L		Diesel		7698	220	299	05.13-	■
2030 L		Diesel		7698	220	299	05.13-	■
2530 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 L		Diesel		7698	220	299	05.13-	■
2530 L		Diesel		7698	220	299	05.13-	■
2630, 2630 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 L		Diesel		7698	220	299	05.13-	■
3230, 3230 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 L		Diesel		7698	220	299	03.16-	■
1832 (OM 936.916)		Diesel		7698	235	320	01.13-	■
1832 A (OM 936.916)		Diesel		7698	235	320	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1832 L		Diesel		7698	235	320	05.13-	■
1832 L		Diesel		7698	235	320	05.13-	■
2032 (OM 936.916)		Diesel		7698	235	320	01.13-	■
2032 L		Diesel		7698	235	320	05.13-	■
2032 L		Diesel		7698	235	320	05.13-	■
2532 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 L		Diesel		7698	235	320	05.13-	■
2532 L		Diesel		7698	235	320	05.13-	■
2632, 2632 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 L		Diesel		7698	235	320	05.13-	■
3232, 3232 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 L		Diesel		7698	235	320	03.16-	■
1835 (OM 936.916)		Diesel		7698	260	354	01.13-	■
1835 A (OM 936.916)		Diesel		7698	260	354	01.13-	■
1835 L		Diesel		7698	260	354	05.13-	■
1835 L		Diesel		7698	260	354	05.13-	■
2035 (OM 936.916)		Diesel		7698	260	354	01.13-	■
2035 L		Diesel		7698	260	354	05.13-	■
2035 L		Diesel		7698	260	354	05.13-	■
2535 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 L		Diesel		7698	260	354	05.13-	■
2535 L		Diesel		7698	260	354	05.13-	■
2635, 2635 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 L		Diesel		7698	260	354	05.13-	■
3235, 3235 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 L		Diesel		7698	260	354	03.16-	■
1833 (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 A (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 L		Diesel		10677	240	326	05.13-	■
1833 L		Diesel		10677	240	326	05.13-	■
2033 (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033 A (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033 L		Diesel		10677	240	326	05.13-	■
2033 L		Diesel		10677	240	326	05.13-	■
2533 L (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 L		Diesel		10677	240	326	01.13-	■
2533 L		Diesel		10677	240	326	05.13-	■
2533 L		Diesel		10677	240	326	05.13-	■
2633, 2633 L (OM 470.906)		Diesel		10677	240	326	01.13-	■
2633 L		Diesel		10677	240	326	01.13-	■
2633 L		Diesel		10677	240	326	05.13-	■
3233, 3233 L (OM 470.906)		Diesel		10677	240	326	01.13-	■
3233 L (OM 470.906)		Diesel		10677	240	326	01.13-	■
3233 L		Diesel		10677	240	326	03.16-	■
3333, 3333 L (OM 470.906)		Diesel		10677	240	326	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3333 A (OM 470.906)	Diesel	10677	240	326	01.13-
3333 L	Diesel	10677	240	326	05.13-
4133 (OM 470.906)	Diesel	10677	240	326	01.13-
1836	Diesel	10677	265	360	01.13-
1836 A (OM 470.908)	Diesel	10677	265	360	01.13-
1836 A (OM 470.910)	Diesel	10677	265	360	01.13-
1836 A (OM 470.913)	Diesel	10677	265	360	01.13-
1836 L	Diesel	10677	265	360	05.13-
1836 L	Diesel	10677	265	360	05.13-
2036 (OM 470.903)	Diesel	10677	265	360	01.13-
2036 (OM 470.910)	Diesel	10677	265	360	01.13-
2036 (OM 470.913)	Diesel	10677	265	360	01.13-
2036 A (OM 470.903)	Diesel	10677	265	360	01.13-
2036 A (OM 470.910)	Diesel	10677	265	360	01.13-
2036 A (OM 470.913)	Diesel	10677	265	360	01.13-
2036 L	Diesel	10677	265	360	05.13-
2036 L	Diesel	10677	265	360	05.13-
2536 L	Diesel	10677	265	360	01.13-
2536 L	Diesel	10677	265	360	01.13-
2536 L	Diesel	10677	265	360	05.13-
2536 L	Diesel	10677	265	360	05.13-
2636, 2636 L	Diesel	10677	265	360	01.13-
2636 L	Diesel	10677	265	360	01.13-
2636 L	Diesel	10677	265	360	05.13-
3236, 3236 L	Diesel	10677	265	360	01.13-
3236 L	Diesel	10677	265	360	01.13-
3236 L	Diesel	10677	265	360	03.16-
3336, 3336 L	Diesel	10677	265	360	01.13-
3336 A	Diesel	10677	265	360	01.13-
3336 L	Diesel	10677	265	360	05.13-
4136	Diesel	10677	265	360	01.13-
1840 (OM 470.906)	Diesel	10677	290	394	01.13-
1840 A (OM 470.906)	Diesel	10677	290	394	01.13-
1840 L	Diesel	10677	290	394	05.13-
1840 L	Diesel	10677	290	394	05.13-
2040 (OM 470.906)	Diesel	10677	290	394	01.13-
2040 A (OM 470.906)	Diesel	10677	290	394	01.13-
2040 L	Diesel	10677	290	394	05.13-
2040 L	Diesel	10677	290	394	05.13-
2540 L (OM 470.906)	Diesel	10677	290	394	01.13-
2540 L (OM 470.906)	Diesel	10677	290	394	01.13-
2540 L	Diesel	10677	290	394	05.13-
2540 L	Diesel	10677	290	394	05.13-
2640, 2640 L (OM 470.906)	Diesel	10677	290	394	01.13-
2640 L (OM 470.906)	Diesel	10677	290	394	01.13-
2640 L	Diesel	10677	290	394	05.13-
3240, 3240 L (OM 470.906)	Diesel	10677	290	394	01.13-
3240 L (OM 470.906)	Diesel	10677	290	394	01.13-
3240 L	Diesel	10677	290	394	03.16-
3340, 3340 L (OM 470.906)	Diesel	10677	290	394	01.13-
3340 A (OM 470.906)	Diesel	10677	290	394	01.13-

LISTA DE APLICACIONES - BUYERS GUIDE

3340 L		Diesel		10677	290	394	05.13-	■
3740		Diesel		10677	290	394	01.22-	■
4140 (OM 470.906)		Diesel		10677	290	394	01.13-	■
1843 (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 L		Diesel		10677	315	428	05.13-	■
1843 L		Diesel		10677	315	428	05.13-	■
2043 (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 L		Diesel		10677	315	428	05.13-	■
2043 L		Diesel		10677	315	428	05.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2543 L		Diesel		10677	315	428	05.13-	■
2543 L		Diesel		10677	315	428	05.13-	■
2643, 2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 L		Diesel		10677	315	428	05.13-	■
3243, 3243 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 L		Diesel		10677	315	428	03.16-	■
3343, 3343 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 L		Diesel		10677	315	428	05.13-	■
4143 (OM 470.906)		Diesel		10677	315	428	01.13-	■
4443		Diesel		10677	315	428	01.22-	■
1846		Diesel		10677	335	455	07.15-	■
1846 A		Diesel		10677	335	455	07.15-	■
1846 L		Diesel		10677	335	455	07.15-	■
1846 L		Diesel		10677	335	455	07.15-	■
2046		Diesel		10677	335	455	07.15-	■
2046 A		Diesel		10677	335	455	07.15-	■
2046 L		Diesel		10677	335	455	07.15-	■
2046 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2646		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
3246		Diesel		10677	335	455	07.15-	■
3246 L		Diesel		10677	335	455	03.16-	■
3246 L		Diesel		10677	335	455	07.15-	■
3346		Diesel		10677	335	455	07.15-	■
3346 A		Diesel		10677	335	455	07.15-	■
3346 L		Diesel		10677	335	455	07.15-	■
3346 L		Diesel		10677	335	455	07.15-	■
4146		Diesel		10677	335	455	07.15-	■
1842 (OM 471.900)		Diesel		12809	310	422	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1842 A (OM 471.900)	Diesel	12809	310	422	01.13-
1842 L	Diesel	12809	310	421	05.13-
1842 L	Diesel	12809	310	421	05.13-
2042 (OM 471.900)	Diesel	12809	310	422	01.13-
2042 A (OM 471.900)	Diesel	12809	310	422	01.13-
2042 L	Diesel	12809	310	421	05.13-
2042 L	Diesel	12809	310	421	05.13-
2542 L (OM 471.900)	Diesel	12809	310	422	01.13-
2542 L	Diesel	12809	310	421	05.13-
2542 L	Diesel	12809	310	421	05.13-
2542 L	Diesel	12809	310	421	05.13-
2642, 2642 L (OM 471.900)	Diesel	12809	310	422	01.13-
2642 L	Diesel	12809	310	422	01.13-
2642 L	Diesel	12809	310	421	05.13-
3242, 3242 L (OM 471.900)	Diesel	12809	310	422	01.13-
3242 L (OM 471.900)	Diesel	12809	310	422	01.13-
3242 L	Diesel	12809	310	421	03.16-
3342, 3342 L (OM 471.900)	Diesel	12809	310	422	01.13-
3342 A (OM 471.900)	Diesel	12809	310	422	01.13-
3342 L	Diesel	12809	310	421	05.13-
4142 (OM 471.900)	Diesel	12809	310	422	01.13-
1845 (OM 471.900)	Diesel	12809	330	449	01.13-
1845 (OM 471.906)	Diesel	12809	330	449	01.13-
1845 A	Diesel	12809	330	449	01.13-
1845 L	Diesel	12809	330	449	05.13-
1845 L	Diesel	12809	330	449	05.13-
2045 (OM 471.900)	Diesel	12809	330	449	01.13-
2045 (OM 471.906)	Diesel	12809	330	449	01.13-
2045 A	Diesel	12809	330	449	01.13-
2045 L	Diesel	12809	330	449	05.13-
2045 L	Diesel	12809	330	449	05.13-
2545 L (OM 471.900)	Diesel	12809	330	449	01.13-
2545 L (OM 471.906)	Diesel	12809	330	449	01.13-
2545 L	Diesel	12809	330	449	05.13-
2545 L	Diesel	12809	330	449	05.13-
2545 L	Diesel	12809	330	449	05.13-
2645, 2645 L (OM 471.900)	Diesel	12809	330	449	01.13-
2645, 2645 L (OM 471.906)	Diesel	12809	330	449	01.13-
2645 L (OM 471.900)	Diesel	12809	330	449	01.13-
2645 L	Diesel	12809	330	449	05.13-
3245, 3245 L (OM 471.900)	Diesel	12809	330	449	01.13-
3245 L (OM 471.900)	Diesel	12809	330	449	01.13-
3245 L	Diesel	12809	330	449	03.16-
3345, 3345 L (OM 471.900)	Diesel	12809	330	449	01.13-
3345 A	Diesel	12809	330	449	01.13-
3345 L	Diesel	12809	330	449	05.13-
4145 (OM 471.900)	Diesel	12809	330	449	01.13-
1848 (OM 471.900)	Diesel	12809	350	476	01.13-
1848 (OM 471.906)	Diesel	12809	350	476	01.13-
1848 A (OM 471.906)	Diesel	12809	350	476	01.13-
1848 L	Diesel	12809	350	476	05.13-

LISTA DE APLICACIONES - BUYERS GUIDE

1848 L		Diesel		12809	350	476	05.13-	■
2048		Diesel		12809	350	476	01.13-	■
2048 A		Diesel		12809	350	476	01.13-	■
2048 L		Diesel		12809	350	476	05.13-	■
2048 L		Diesel		12809	350	476	05.13-	■
2548 L (OM 471.900)		Diesel		12809	350	476	01.13-	■
2548 L (OM 471.906)		Diesel		12809	350	476	01.13-	■
2548 L		Diesel		12809	350	476	05.13-	■
2548 L		Diesel		12809	350	476	05.13-	■
2548 L		Diesel		12809	350	476	05.13-	■
2648, 2648 L		Diesel		12809	350	476	01.13-	■
2648 L		Diesel		12809	350	476	01.13-	■
2648 L		Diesel		12809	350	476	05.13-	■
3248, 3248 L		Diesel		12809	350	476	01.13-	■
3248 L		Diesel		12809	350	476	01.13-	■
3248 L		Diesel		12809	350	476	03.16-	■
3348, 3348 L (OM 471.900)		Diesel		12809	350	476	01.13-	■
3348 A		Diesel		12809	350	476	01.13-	■
3348 L		Diesel		12809	350	476	05.13-	■
4148 (OM 471.900)		Diesel		12809	350	476	01.13-	■
1851 (OM 471.909)		Diesel		12809	375	510	01.13-	■
1851 A (OM 471.909)		Diesel		12809	375	510	01.13-	■
1851 L		Diesel		12809	375	510	05.13-	■
1851 L		Diesel		12809	375	510	05.13-	■
2051 (OM 471.909)		Diesel		12809	375	510	01.13-	■
2051 A (OM 471.909)		Diesel		12809	375	510	01.13-	■
2051 L		Diesel		12809	375	510	05.13-	■
2051 L		Diesel		12809	375	510	05.13-	■
2551 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 L		Diesel		12809	375	510	05.13-	■
2551 L		Diesel		12809	375	510	05.13-	■
2651, 2651 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 L		Diesel		12809	375	510	05.13-	■
3251, 3251 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
3251 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
3251 L		Diesel		12809	375	510	03.16-	■
3351, 3351 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 A (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 L		Diesel		12809	375	510	05.13-	■
4151 (OM 471.909)		Diesel		12809	375	510	01.13-	■
1853		Diesel		12809	390	530	07.15-	■
1853 A		Diesel		12809	390	530	07.15-	■
1853 L		Diesel		12809	390	530	07.15-	■
1853 L		Diesel		12809	390	530	07.15-	■
2053		Diesel		12809	390	530	07.15-	■
2053 A		Diesel		12809	390	530	07.15-	■
2053 L		Diesel		12809	390	530	07.15-	■
2053 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2553 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■
2653		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
3253		Diesel		12809	390	530	07.15-	■
3253 L		Diesel		12809	390	530	03.16-	■
3253 L		Diesel		12809	390	530	07.15-	■
3353		Diesel		12809	390	530	07.15-	■
3353 A		Diesel		12809	390	530	07.15-	■
3353 L		Diesel		12809	390	530	07.15-	■
3353 L		Diesel		12809	390	530	07.15-	■
4153		Diesel		12809	390	530	07.15-	■
1852		Diesel		15569	380	517	05.13-	■
1852 L		Diesel		15569	380	517	05.13-	■
1852 L		Diesel		15569	380	517	05.13-	■
2052		Diesel		15569	380	517	05.13-	■
2052 L		Diesel		15569	380	517	05.13-	■
2052 L		Diesel		15569	380	517	05.13-	■
2552 L		Diesel		15569	380	517	01.14-	■
2552 L		Diesel		15569	380	517	05.13-	■
2552 L		Diesel		15569	380	517	05.13-	■
2552 L		Diesel		15569	380	517	05.13-	■
2652		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	05.13-	■
3252		Diesel		15569	380	517	05.13-	■
3252 L		Diesel		15569	380	517	05.13-	■
3352		Diesel		15569	380	517	05.13-	■
3352 A		Diesel		15569	380	517	05.13-	■
3352 L		Diesel		15569	380	517	05.13-	■
3352 L		Diesel		15569	380	517	05.13-	■
4152		Diesel		15569	380	517	05.13-	■
1858		Diesel		15569	425	578	05.13-	■
1858 L		Diesel		15569	425	578	05.13-	■
1858 L		Diesel		15569	425	578	05.13-	■
2058		Diesel		15569	425	578	05.13-	■
2058 L		Diesel		15569	425	578	05.13-	■
2058 L		Diesel		15569	425	578	05.13-	■
2558 L		Diesel		15569	425	578	01.14-	■
2558 L		Diesel		15569	425	578	05.13-	■
2558 L		Diesel		15569	425	578	05.13-	■
2558 L		Diesel		15569	425	578	05.13-	■
2658		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	05.13-	■
3258		Diesel		15569	425	578	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3258 L		Diesel		15569	425	578	05.13-	■
3358		Diesel		15569	425	578	05.13-	■
3358 A		Diesel		15569	425	578	05.13-	■
3358 L		Diesel		15569	425	578	05.13-	■
3358 L		Diesel		15569	425	578	05.13-	■
4158		Diesel		15569	425	578	05.13-	■
1863		Diesel		15569	460	625	05.13-	■
1863 L		Diesel		15569	460	625	05.13-	■
1863 L		Diesel		15569	460	625	05.13-	■
2063		Diesel		15569	460	625	05.13-	■
2063 L		Diesel		15569	460	625	05.13-	■
2063 L		Diesel		15569	460	625	05.13-	■
2563 L		Diesel		15569	460	625	01.14-	■
2563 L		Diesel		15569	460	625	05.13-	■
2563 L		Diesel		15569	460	625	05.13-	■
2563 L		Diesel		15569	460	625	05.13-	■
2663		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	05.13-	■
3263		Diesel		15569	460	625	05.13-	■
3263 L		Diesel		15569	460	625	05.13-	■
3363		Diesel		15569	460	625	05.13-	■
3363 A		Diesel		15569	460	625	05.13-	■
3363 L		Diesel		15569	460	625	05.13-	■
3363 L		Diesel		15569	460	625	05.13-	■
4163		Diesel		15569	460	625	05.13-	■
AROCS 01.13-							Truck Tractor	
1824 LS (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 LS		Diesel		7698	175	238	05.13-	■
2024 LS		Diesel		7698	175	238	05.13-	■
2024 S, 2424 LS (OM 936.912)		Diesel		7698	175	238	01.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	05.13-	■
2624 S		Diesel		7698	175	238	05.13-	■
1827 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 LS		Diesel		7698	200	272	05.13-	■
2027 LS		Diesel		7698	200	272	05.13-	■
2027 S, 2027 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 LS		Diesel		7698	200	272	05.13-	■
2527 LS		Diesel		7698	200	272	05.13-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 LS		Diesel		7698	200	272	05.13-	■
2627 S, 2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
1830 LS		Diesel		7698	220	299	05.13-	■
1830 S, 1830 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2030 LS		Diesel		7698	220	299	05.13-	■
2030 S, 2030 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 LS		Diesel		7698	220	299	05.13-	■
2630 S, 2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
1832 LS		Diesel		7698	235	320	05.13-	■
1832 S, 1832 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2032 LS		Diesel		7698	235	320	05.13-	■
2032 S, 2032 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 LS		Diesel		7698	235	320	05.13-	■
2632 S, 2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
1835 LS		Diesel		7698	260	354	05.13-	■
1835 S, 1835 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2035 LS		Diesel		7698	260	354	05.13-	■
2035 S, 2035 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 LS		Diesel		7698	260	354	05.13-	■
2635 S, 2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
1833 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 LS		Diesel		10677	240	326	05.13-	■
2033 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033LS		Diesel		10677	240	326	05.13-	■
2033 S, 2033 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS		Diesel		10677	240	326	01.13-	■
2533 LS		Diesel		10677	240	326	05.13-	■
2633 LS		Diesel		10677	240	326	01.13-	■
2633 LS		Diesel		10677	240	326	05.13-	■
2633 S, 2633 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 LS		Diesel		10677	240	326	05.13-	■
3333 S, 3333 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1836 AS (OM 470.903)		Diesel		10677	265	360	01.13-	■
1836 AS (OM 470.910)		Diesel		10677	265	360	01.13-	■
1836 AS (OM 470.913)		Diesel		10677	265	360	01.13-	■
1836 LS		Diesel		10677	265	360	05.13-	■
1836 S, 1836 LS (OM 470.903)		Diesel		10677	265	360	01.13-	■
1836 S, 1836 LS (OM 470.910)		Diesel		10677	265	360	01.13-	■
1836 S, 1836 LS (OM 470.913)		Diesel		10677	265	360	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2036 AS (OM 470.903)	Diesel	10677	265	360	01.13-	■
2036 AS (OM 470.910)	Diesel	10677	265	360	01.13-	■
2036 AS (OM 470.913)	Diesel	10677	265	360	01.13-	■
2036LS	Diesel	10677	265	360	05.13-	■
2036 S, 2036 LS (OM 470.903)	Diesel	10677	265	360	01.13-	■
2036 S, 2036 LS (OM 470.910)	Diesel	10677	265	360	01.13-	■
2036 S, 2036 LS (OM 470.913)	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	05.13-	■
2636 LS	Diesel	10677	265	360	01.13-	■
2636 LS	Diesel	10677	265	360	05.13-	■
2636 S, 2636 LS	Diesel	10677	265	360	01.13-	■
3336 AS	Diesel	10677	265	360	01.13-	■
3336 LS	Diesel	10677	265	360	05.13-	■
3336 S, 3336 LS	Diesel	10677	265	360	01.13-	■
1840 AS (OM 470.906)	Diesel	10677	290	394	01.13-	■
1840LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
1840LS	Diesel	10677	290	394	05.13-	■
2040 AS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2040 LS	Diesel	10677	290	394	05.13-	■
2040 S, 2040 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS	Diesel	10677	290	394	05.13-	■
2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2640 LS	Diesel	10677	290	394	05.13-	■
2640 S, 2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
3340 AS (OM 470.906)	Diesel	10677	290	394	01.13-	■
3340 LS	Diesel	10677	290	394	05.13-	■
3340 S, 3340 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
1843 AS (OM 470.906)	Diesel	10677	315	428	01.13-	■
1843 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
1843 LS	Diesel	10677	315	428	05.13-	■
2043 AS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2043 LS	Diesel	10677	315	428	05.13-	■
2043 S, 2043 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS	Diesel	10677	315	428	05.13-	■
2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2643 LS	Diesel	10677	315	428	05.13-	■
2643 S, 2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
3343 AS (OM 470.906)	Diesel	10677	315	428	01.13-	■
3343 LS	Diesel	10677	315	428	05.13-	■
3343 S, 3343 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
1846 AS	Diesel	10677	335	455	07.15-	■
1846 LS	Diesel	10677	335	455	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1846 LS		Diesel		10677	335	455	07.15-	■
2046 AS		Diesel		10677	335	455	07.15-	■
2046 LS		Diesel		10677	335	455	07.15-	■
2046 LS		Diesel		10677	335	455	07.15-	■
2046 S		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2646 LS		Diesel		10677	335	455	07.15-	■
2646 LS		Diesel		10677	335	455	07.15-	■
2646 LS		Diesel		10677	335	455	07.15-	■
2646 S		Diesel		10677	335	455	07.15-	■
3346 AS		Diesel		10677	335	455	07.15-	■
3346 LS		Diesel		10677	335	455	07.15-	■
3346 LS		Diesel		10677	335	455	07.15-	■
3346 S		Diesel		10677	335	455	07.15-	■
1842 AS (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 LS		Diesel		12809	310	421	05.13-	■
2042 AS (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 LS		Diesel		12809	310	421	05.13-	■
2042 S, 2042 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
2542 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
2542 LS		Diesel		12809	310	422	01.13-	■
2542 LS		Diesel		12809	310	421	05.13-	■
2542 LS		Diesel		12809	310	421	05.13-	■
2642 LS		Diesel		12809	310	422	01.13-	■
2642 LS		Diesel		12809	310	421	05.13-	■
2642 S, 2642 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 AS (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 LS		Diesel		12809	310	421	05.13-	■
3342 S, 3342 LS (OM 471.900)		Diesel		12809	310	422	01.13-	■
1845 AS		Diesel		12809	330	449	01.13-	■
1845 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
1845 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
1845 LS		Diesel		12809	330	449	05.13-	■
2045 AS		Diesel		12809	330	449	01.13-	■
2045 LS		Diesel		12809	330	449	05.13-	■
2045 S, 2045 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2045 S, 2045 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2545 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2545 LS		Diesel		12809	330	449	05.13-	■
2545 LS		Diesel		12809	330	449	05.13-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 LS		Diesel		12809	330	449	05.13-	■
2645 S, 2645 LS (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 S, 2645 LS (OM 471.906)		Diesel		12809	330	449	01.13-	■
3345 AS		Diesel		12809	330	449	01.13-	■
3345 LS		Diesel		12809	330	449	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3345S, 3345 LS (OM 471.900)	Diesel	12809	330	449	01.13-
1848 AS (OM 471.906)	Diesel	12809	350	476	01.13-
1848 LS (OM 471.900)	Diesel	12809	350	476	01.13-
1848 LS (OM 471.906)	Diesel	12809	350	476	01.13-
1848 LS	Diesel	12809	350	476	05.13-
2048 AS	Diesel	12809	350	476	01.13-
2048 LS	Diesel	12809	350	476	05.13-
2048 S, 2048 LS	Diesel	12809	350	476	01.13-
2548 LS	Diesel	12809	350	476	01.13-
2548 LS	Diesel	12809	350	476	01.13-
2548 LS	Diesel	12809	350	476	05.13-
2548 LS	Diesel	12809	350	476	05.13-
2648 LS (OM 471.900)	Diesel	12809	350	476	01.13-
2648 LS	Diesel	12809	350	476	01.13-
2648 LS	Diesel	12809	350	476	05.13-
2648 S, 2648 LS	Diesel	12809	350	476	01.13-
3348 AS (OM 471.906)	Diesel	12809	350	476	01.13-
3348 LS	Diesel	12809	350	476	05.13-
3348 S, 3348 LS (OM 471.900)	Diesel	12809	350	476	01.13-
1851 AS (OM 471.909)	Diesel	12809	375	510	01.13-
1851 LS (OM 471.909)	Diesel	12809	375	510	01.13-
1851 LS	Diesel	12809	375	510	05.13-
2051 AS (OM 471.909)	Diesel	12809	375	510	01.13-
2051 LS	Diesel	12809	375	510	05.13-
2051 S, 2051 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS	Diesel	12809	375	510	05.13-
2651 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2651 LS	Diesel	12809	375	510	05.13-
2651 S, 2651 LS (OM 471.909)	Diesel	12809	375	510	01.13-
3351 AS (OM 471.909)	Diesel	12809	375	510	01.13-
3351 LS	Diesel	12809	375	510	05.13-
3351 S, 3351 LS (OM 471.909)	Diesel	12809	375	510	01.13-
1853 AS	Diesel	12809	390	530	07.15-
1853 LS	Diesel	12809	390	530	07.15-
1853 LS	Diesel	12809	390	530	07.15-
2053 AS	Diesel	12809	390	530	07.15-
2053 LS	Diesel	12809	390	530	07.15-
2053 LS	Diesel	12809	390	530	07.15-
2053 S	Diesel	12809	390	530	07.15-
2553 LS	Diesel	12809	390	530	07.15-
2553 LS	Diesel	12809	390	530	07.15-
2553 LS	Diesel	12809	390	530	07.15-
2653 LS	Diesel	12809	390	530	07.15-
2653 LS	Diesel	12809	390	530	07.15-
2653 LS	Diesel	12809	390	530	07.15-
2653 S	Diesel	12809	390	530	07.15-
3353 AS	Diesel	12809	390	530	07.15-
3353 LS	Diesel	12809	390	530	07.15-

LISTA DE APLICACIONES - BUYERS GUIDE

3353 LS		Diesel		12809	390	530	07.15-	■
3353 S		Diesel		12809	390	530	07.15-	■
1852 LS		Diesel		15569	380	517	05.13-	■
1852 LS		Diesel		15569	380	517	05.13-	■
2052 LS		Diesel		15569	380	517	05.13-	■
2052 LS		Diesel		15569	380	517	05.13-	■
2052 S		Diesel		15569	380	517	05.13-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	05.13-	■
2652 S		Diesel		15569	380	517	05.13-	■
3352 AS		Diesel		15569	380	517	05.13-	■
3352 LS		Diesel		15569	380	517	05.13-	■
3352 LS		Diesel		15569	380	517	05.13-	■
3352 S		Diesel		15569	380	517	05.13-	■
3352 SLT		Diesel		15569	380	517	04.14-	■
3352 SLT		Diesel		15569	380	517	12.13-	■
4052 SLT		Diesel		15569	380	517	04.14-	■
4052 SLT		Diesel		15569	380	517	12.13-	■
4152 SLT		Diesel		15569	380	517	04.14-	■
4152 SLT		Diesel		15569	380	517	04.14-	■
4152 SLT		Diesel		15569	380	517	12.13-	■
4452 SLT		Diesel		15569	380	517	04.14-	■
4852 SLT		Diesel		15569	380	517	04.14-	■
1858 LS		Diesel		15569	425	578	05.13-	■
1858 LS		Diesel		15569	425	578	05.13-	■
2058 LS		Diesel		15569	425	578	05.13-	■
2058 LS		Diesel		15569	425	578	05.13-	■
2058 S		Diesel		15569	425	578	05.13-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	05.13-	■
2658 S		Diesel		15569	425	578	05.13-	■
3358 AS		Diesel		15569	425	578	05.13-	■
3358 LS		Diesel		15569	425	578	05.13-	■
3358 LS		Diesel		15569	425	578	05.13-	■
3358 S		Diesel		15569	425	578	05.13-	■
3358 SLT		Diesel		15569	425	578	12.13-	■
3358 SLT		Diesel		15569	425	578	04.14-	■
4058 SLT		Diesel		15569	425	578	04.14-	■
4058 SLT		Diesel		15569	425	578	12.13-	■
4158 SLT		Diesel		15569	425	578	12.13-	■
4158 SLT		Diesel		15569	425	578	04.14-	■
4158 SLT		Diesel		15569	425	578	04.14-	■
4458 SLT		Diesel		15569	425	578	04.14-	■
4858 SLT		Diesel		15569	425	578	04.14-	■
1863 LS		Diesel		15569	460	625	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1863 LS		Diesel		15569	460	625	05.13-	■	
2063 LS		Diesel		15569	460	625	05.13-	■	
2063 LS		Diesel		15569	460	625	05.13-	■	
2063 S		Diesel		15569	460	625	05.13-	■	
2563 LS		Diesel		15569	460	625	05.13-	■	
2563 LS		Diesel		15569	460	625	05.13-	■	
2663 LS		Diesel		15569	460	625	05.13-	■	
2663 LS		Diesel		15569	460	625	05.13-	■	
2663 LS		Diesel		15569	460	625	05.13-	■	
2663 S		Diesel		15569	460	625	05.13-	■	
3363 AS		Diesel		15569	460	625	05.13-	■	
3363 LS		Diesel		15569	460	625	05.13-	■	
3363 LS		Diesel		15569	460	625	05.13-	■	
3363 S		Diesel		15569	460	625	05.13-	■	
3363 SLT		Diesel		15569	460	625	12.13-	■	
3363 SLT		Diesel		15569	460	625	04.14-	■	
4063 SLT		Diesel		15569	460	625	12.13-	■	
4063 SLT		Diesel		15569	460	625	04.14-	■	
4163 SLT		Diesel		15569	460	625	04.14-	■	
4163 SLT		Diesel		15569	460	625	04.14-	■	
4163 SLT		Diesel		15569	460	625	12.13-	■	
4463 SLT		Diesel		15569	460	625	04.14-	■	
4863 SLT		Diesel		15569	460	625	04.14-	■	
ATEGO 01.98-10.04								Concrete Mixer	
2628B (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
2629 B		Diesel		6374	210	286	04.98-09.04	■	■
2633 B		Diesel		7201	240	326	04.98-09.04	■	■
ATEGO 01.98-10.04								Dump Truck	
1823 K (OM 906.920)		Diesel		6374	170	231	04.98-10.04	■	■
1824K		Diesel		6374	175	238	04.98-09.04	■	■
1826 K		Diesel		6374	188	256	04.98-09.04	■	■
1828 K (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
2628K (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
1829 K		Diesel		6374	210	286	04.98-09.04	■	■
2629K		Diesel		6374	210	286	04.98-09.04	■	■
1833 K		Diesel		7201	240	326	04.98-09.04	■	■
2633 K		Diesel		7201	240	326	04.98-09.04	■	■
ATEGO 01.98-10.04								Platform/Chassis	
1823, 1823 L (OM 906.920)		Diesel		6374	170	231	01.98-10.04	■	■
1823, 1823 L (OM 906.925)		Diesel		6374	170	231	01.98-10.04	■	■
1823 LL		Diesel		6374	170	231	04.98-09.04	■	■
2523 L (OM 906.920)		Diesel		6374	170	231	04.98-10.04	■	■
1824		Diesel		6374	175	238	04.98-09.04	■	■
1824 L		Diesel		6374	175	238	04.98-09.04	■	■
1824 LL		Diesel		6374	175	238	04.98-09.04	■	■
1826		Diesel		6374	188	256	04.98-09.04	■	■
1826 L		Diesel		6374	188	256	04.98-09.04	■	■
1826 LL		Diesel		6374	188	256	04.98-09.04	■	■
1828, 1828 L (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■
1828, 1828 L (OM 906.926)		Diesel		6374	205	279	04.98-10.04	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1828 LL		Diesel		6374	205	279	04.98-09.04	■	■	
2528 L (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■	
2528 L (OM 906.926)		Diesel		6374	205	279	04.98-10.04	■	■	
2528 L		Diesel		6374	205	279	04.98-10.04	■	■	
2528 LL		Diesel		6374	205	279	04.98-09.04	■	■	
2528 LL		Diesel		6374	205	279	04.98-09.04	■	■	
2628 (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■	
1829		Diesel		6374	209	284	04.98-09.04	■	■	
1829		Diesel		6374	210	286	04.98-09.04	■	■	
1829 L		Diesel		6374	210	286	04.98-09.04	■	■	
1829 LL		Diesel		6374	210	286	04.98-09.04	■	■	
2529 L		Diesel		6374	210	286	04.98-09.04	■	■	
2529 L		Diesel		6374	210	286	04.98-09.04	■	■	
2529 LL		Diesel		6374	210	286	04.98-09.04	■	■	
2529 LL		Diesel		6374	210	286	04.98-09.04	■	■	
2629		Diesel		6374	210	286	04.98-09.04	■	■	
1833		Diesel		7201	240	326	04.98-09.04	■	■	
1833 L		Diesel		7201	240	326	04.98-09.04	■	■	
1833 LL		Diesel		7201	240	326	04.98-09.04	■	■	
2533 L		Diesel		7201	240	326	04.98-09.04	■	■	
2533 L		Diesel		7201	240	326	04.98-09.04	■	■	
2533 LL		Diesel		7201	240	326	04.98-09.04	■	■	
2533 LL		Diesel		7201	240	326	04.98-09.04	■	■	
2633		Diesel		7201	240	326	04.98-09.04	■	■	
ATEGO 01.98-10.04							Truck Tractor			
1823 LS (OM 906.920)		Diesel		6374	170	231	04.98-10.04	■	■	
1824 LS		Diesel		6374	175	238	04.98-09.04	■	■	
1826 LS		Diesel		6374	188	256	04.98-09.04	■	■	
1828 LS (OM 906.921)		Diesel		6374	205	279	04.98-10.04	■	■	
1829 LS		Diesel		6374	210	286	04.98-09.04	■	■	
1833 LS		Diesel		7201	240	326	04.98-09.04	■	■	
ATEGO 2 01.04-							Platform/Chassis			
2529 L (OM 902.915)		Diesel		6374	210	286	10.04-	■	■	
AXOR 09.01-12.05							Concrete Mixer			
2628B (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■		
AXOR 09.01-12.05							Dump Truck			
1823 K (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■	
2523 K (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■		
2628K (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■		
AXOR 09.01-12.05							Platform/Chassis			
1823 (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■	
2523 (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■	
2623 L (OM 906.920)		Diesel		6374	170	231	01.02-10.04	■	■	
2528 (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■	■	
2628 L (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■	■	
3228 C (OM 906.921)		Diesel		6374	205	279	01.02-10.04	■	■	
AXOR 09.01-12.05							Truck Tractor			
1835 LS (OM 457.937)		Diesel		11967	260	354	01.02-10.04	■	■	
2535 LS (OM 457.937)		Diesel		11967	260	354	01.02-10.04	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2535 LS (OM 457.948)		Diesel		11967	260	354	01.02-10.04	■	■
1840LS (OM 457.937)		Diesel		11967	295	401	01.02-10.04	■	■
2540 LS (OM 457.937)		Diesel		11967	295	401	01.02-10.04	■	■
2540 LS (OM 457.948)		Diesel		11967	295	401	01.02-10.04	■	■
1843 LS (OM 457.937)		Diesel		11967	315	428	01.02-10.04	■	■
2543 LS (OM 457.937)		Diesel		11967	315	428	01.02-10.04	■	■
2543 LS (OM 457.948)		Diesel		11967	315	428	01.02-10.04	■	■
AXOR 2 10.04-				Concrete Mixer					
2628 B, 2629 B (OM 902.915)		Diesel		6374	205	279	10.04-	■	■
2628 B, 2629 B (OM 906.921)		Diesel		6374	205	279	10.04-	■	■
2628 B, 2629 B (OM 906.926)		Diesel		6374	205	279	10.04-	■	■
3028B (OM 906.921)		Diesel		6374	205	279	01.11-	■	
2831 B		Diesel		7201	225	305	01.12-	■	■
2633 B (OM 926.913)		Diesel		7201	240	326	10.04-	■	■
2633 B (OM 926.919)		Diesel		7201	240	326	10.04-	■	■
2633 B (OM 926.945)		Diesel		7201	240	326	10.04-	■	■
2635 B (OM 457.956)		Diesel		11967	260	354	10.05-	■	■
2635 B (OM 457.957)		Diesel		11967	260	354	10.05-	■	■
2635 B (OM 457.980)		Diesel		11967	260	354	10.05-	■	■
2635 B (OM 457.981)		Diesel		11967	260	354	10.05-	■	■
3235 B		Diesel		11967	260	354	10.04-	■	■
3335 B (OM 457.956)		Diesel		11967	260	354	10.04-10.05	■	■
3335 B (OM 457.957)		Diesel		11967	260	354	10.04-10.05	■	■
4135 B (OM 457.956)		Diesel		11967	260	354	10.05-	■	■
4135 B (OM 457.957)		Diesel		11967	260	354	10.05-	■	■
2636 B (OM 457.937)		Diesel		11967	265	360	10.04-	■	■
2636 B (OM 457.948)		Diesel		11967	265	360	10.04-	■	■
3236 B (OM 457.956)		Diesel		11967	265	360	10.04-	■	■
3236 B (OM 457.957)		Diesel		11967	265	360	10.04-	■	■
3236 B (OM 457.980)		Diesel		11967	265	360	10.04-	■	■
3236 B (OM 457.981)		Diesel		11967	265	360	10.04-	■	■
3336 B		Diesel		11967	265	360	10.04-	■	■
4136 B		Diesel		11967	265	360	10.04-	■	■
2640 B (OM 457.956)		Diesel		11967	295	401	10.04-	■	■
2640 B (OM 457.957)		Diesel		11967	295	401	10.04-	■	■
2640 B (OM 457.980)		Diesel		11967	295	401	10.04-	■	■
2640 B (OM 457.981)		Diesel		11967	295	401	10.04-	■	■
3240 B (OM 457.956)		Diesel		11967	295	401	10.04-	■	■
3240 B (OM 457.957)		Diesel		11967	295	401	10.04-	■	■
3240 B (OM 457.980)		Diesel		11967	295	401	10.04-	■	■
3240 B (OM 457.981)		Diesel		11967	295	401	10.04-	■	■
3340 B (OM 457.956)		Diesel		11967	295	401	10.04-10.05	■	■
3340 B (OM 457.957)		Diesel		11967	295	401	10.04-10.05	■	■
4140 B (OM 457.956)		Diesel		11967	295	401	01.11-	■	■
4140 B (OM 457.957)		Diesel		11967	295	401	01.11-	■	■
2643 B (OM 457.956)		Diesel		11967	315	428	10.04-	■	■
2643 B (OM 457.957)		Diesel		11967	315	428	10.04-	■	■
2643 B (OM 457.980)		Diesel		11967	315	428	10.04-	■	■
2643 B (OM 457.981)		Diesel		11967	315	428	10.04-	■	■
3243 B (OM 457.956)		Diesel		11967	315	428	10.04-	■	■
3243 B (OM 457.957)		Diesel		11967	315	428	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3243 B (OM 457.980)	Diesel	11967	315	428	10.04-	■	■
3243 B (OM 457.981)	Diesel	11967	315	428	10.04-	■	■
3343 B (OM 457.956)	Diesel	11967	315	428	10.04-	■	■
3343 B (OM 457.957)	Diesel	11967	315	428	10.04-	■	■
4143 B (OM 457.956)	Diesel	11967	315	428	01.11-	■	■
4143 B (OM 457.957)	Diesel	11967	315	428	01.11-	■	■
AXOR 2 10.04-						Dump Truck	
1823 K, 1823 KL, 1824 K (OM 902.913)	Diesel	6374	170	231	10.04-	■	■
1823 K, 1823 KL, 1824 K (OM 906.920)	Diesel	6374	170	231	10.04-	■	■
1823 K, 1823 KL, 1824 K (OM 906.925)	Diesel	6374	170	231	10.04-	■	■
1826 K (OM 902.914)	Diesel	6374	188	256	10.04-	■	■
1828 K, 1828 KL, 1829 K (OM 902.915)	Diesel	6374	205	279	10.04-	■	■
1828 K, 1828 KL, 1829 K (OM 906.921)	Diesel	6374	205	279	10.04-	■	■
1828 K, 1828 KL, 1829 K (OM 906.926)	Diesel	6374	205	279	10.04-	■	■
2528 K, 2528 KL (OM 906.921)	Diesel	6374	205	279	01.11-	■	
2628 K, 2629 K (OM 902.915)	Diesel	6374	205	279	10.04-	■	■
2628 K, 2629 K (OM 906.921)	Diesel	6374	205	279	10.04-	■	■
2628 K, 2629 K (OM 906.926)	Diesel	6374	205	279	10.04-	■	■
3028K (OM 906.921)	Diesel	6374	205	279	01.11-	■	
1829 K	Diesel	6374	210	286	10.04-	■	■
1833 K (OM 926.913)	Diesel	7201	240	326	10.04-	■	■
2633 K (OM 926.913)	Diesel	7201	240	326	10.04-	■	■
2633 K (OM 926.919)	Diesel	7201	240	326	10.04-	■	■
2633 K (OM 926.945)	Diesel	7201	240	326	10.04-	■	■
2635K	Diesel	11967	260	354	10.04-	■	■
3235K	Diesel	11967	260	354	10.04-	■	■
3335 K (OM 457.956)	Diesel	11967	260	354	06.09-	■	■
3335 K (OM 457.957)	Diesel	11967	260	354	06.09-	■	■
4135 K (OM 457.956)	Diesel	11967	260	354	06.09-	■	■
4135 K (OM 457.957)	Diesel	11967	260	354	06.09-	■	■
2636K (OM 457.937)	Diesel	11967	265	360	10.04-	■	■
2636K (OM 457.948)	Diesel	11967	265	360	10.04-	■	■
2636K (OM 457.956)	Diesel	11967	265	360	10.04-	■	■
2636K (OM 457.957)	Diesel	11967	265	360	10.04-	■	■
2636K (OM 457.980)	Diesel	11967	265	360	10.04-	■	■
2636K (OM 457.981)	Diesel	11967	265	360	10.04-	■	■
3236 K (OM 457.956)	Diesel	11967	265	360	10.04-	■	■
3236 K (OM 457.957)	Diesel	11967	265	360	10.04-	■	■
3236 K (OM 457.980)	Diesel	11967	265	360	10.04-	■	■
3236 K (OM 457.981)	Diesel	11967	265	360	10.04-	■	■
3336K	Diesel	11967	265	360	10.04-	■	■
4136 K	Diesel	11967	265	360	10.04-	■	■
2640 K (OM 457.956)	Diesel	11967	295	401	10.04-	■	■
2640 K (OM 457.957)	Diesel	11967	295	401	10.04-	■	■
2640 K (OM 457.980)	Diesel	11967	295	401	10.04-	■	■
2640 K (OM 457.981)	Diesel	11967	295	401	10.04-	■	■
3240 K (OM 457.956)	Diesel	11967	295	401	10.04-	■	■
3240 K (OM 457.957)	Diesel	11967	295	401	10.04-	■	■
3340 K, 3341 K (OM 457.910)	Diesel	11967	295	401	10.04-	■	■
3340 K, 3341 K (OM 457.917)	Diesel	11967	295	401	10.04-	■	■
3340 K, 3341 K (OM 457.918)	Diesel	11967	295	401	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

3340 K, 3341 K (OM 457.937)	Diesel	11967	295	401	10.04-	■	■
3340 K, 3341 K (OM 457.956)	Diesel	11967	295	401	10.04-	■	■
3340 K, 3341 K (OM 457.957)	Diesel	11967	295	401	10.04-	■	■
4140 K (OM 457.956)	Diesel	11967	295	401	06.09-	■	■
4140 K (OM 457.957)	Diesel	11967	295	401	06.09-	■	■
2643 K (OM 457.956)	Diesel	11967	315	428	10.04-	■	■
2643 K (OM 457.957)	Diesel	11967	315	428	10.04-	■	■
2643 K (OM 457.980)	Diesel	11967	315	428	10.04-	■	■
2643 K (OM 457.981)	Diesel	11967	315	428	10.04-	■	■
3243 K (OM 457.956)	Diesel	11967	315	428	10.04-	■	■
3243 K (OM 457.957)	Diesel	11967	315	428	10.04-	■	■
3243 K (OM 457.980)	Diesel	11967	315	428	10.04-	■	■
3243 K (OM 457.981)	Diesel	11967	315	428	10.04-	■	■
3343 K (OM 457.910)	Diesel	11967	315	428	01.11-	■	■
3343 K (OM 457.917)	Diesel	11967	315	428	01.11-	■	■
3343 K (OM 457.918)	Diesel	11967	315	428	01.11-	■	■
3343 K	Diesel	11967	315	428	10.04-	■	■
3344 K (OM 457.910)	Diesel	11967	315	428	01.11-	■	■
3344 K (OM 457.917)	Diesel	11967	315	428	01.11-	■	■
3344 K (OM 457.918)	Diesel	11967	315	428	01.11-	■	■
3344 K (OM 457.956)	Diesel	11967	315	428	01.11-	■	■
3344 K (OM 457.957)	Diesel	11967	315	428	01.11-	■	■
4143 K (OM 457.956)	Diesel	11967	315	428	01.11-	■	■
4143 K (OM 457.957)	Diesel	11967	315	428	01.11-	■	■
4143 K (OM 457.956)	Diesel	11967	315	428	06.09-	■	■
4143 K (OM 457.957)	Diesel	11967	315	428	06.09-	■	■
AXOR 2 10.04-						Platform/Chassis	
1823, 1823 L, 1824, 1824 L, LL (OM 902.913)	Diesel	6374	170	231	10.04-	■	■
1823, 1823 L, 1824, 1824 L, LL (OM 906.920)	Diesel	6374	170	231	10.04-	■	■
1823 LL	Diesel	6374	170	231	10.04-	■	■
2523 (OM 906.920)	Diesel	6374	170	231	01.11-	■	■
2523 L	Diesel	6374	170	231	10.04-	■	■
1826, 1826 L, LL (OM 902.914)	Diesel	6374	188	256	10.04-	■	■
1828, 1828 L, 1829, 1829 L, LL (OM 902.915)	Diesel	6374	205	279	10.04-	■	■
1828, 1828 L, 1829, 1829 L, LL (OM 906.921)	Diesel	6374	205	279	10.04-	■	■
1828, 1828 L, 1829, 1829 L, LL (OM 906.926)	Diesel	6374	205	279	10.04-	■	■
2528 L, 2529 L (OM 902.915)	Diesel	6374	205	279	10.04-	■	■
2528 L, 2529 L (OM 906.921)	Diesel	6374	205	279	10.04-	■	■
2528 L, 2529 L (OM 906.926)	Diesel	6374	205	279	10.04-	■	■
2528 L, 2529 L	Diesel	6374	205	279	10.04-	■	■
2628, 2629 (OM 902.915)	Diesel	6374	205	279	10.04-	■	■
2628, 2629 (OM 906.921)	Diesel	6374	205	279	10.04-	■	■
2628, 2629 (OM 906.926)	Diesel	6374	205	279	10.04-	■	■
2628, 2629 (OM 906.995)	Diesel	6374	205	279	10.04-	■	■
3228 (OM 906.921)	Diesel	6374	205	279	01.11-	■	■
1829	Diesel	6374	209	284	10.04-	■	■
3131	Diesel	7201	228	310	01.11-	■	■
1833, 1833 L, LL (OM 926.913)	Diesel	7201	240	326	10.04-	■	■
1933 (OM 926.921)	Diesel	7201	240	326	10.04-	■	■
1933 (OM 926.990)	Diesel	7201	240	326	10.04-	■	■
2533, 2533 L (OM 926.913)	Diesel	7201	240	326	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2533, 2533 L (OM 926.919)	Diesel		7201	240	326	10.04-	■	■
2533, 2533 L (OM 926.921)	Diesel		7201	240	326	10.04-	■	■
2533, 2533 L (OM 926.945)	Diesel		7201	240	326	10.04-	■	■
2533, 2533 L (OM 926.990)	Diesel		7201	240	326	10.04-	■	■
2533, 2533 L	Diesel		7201	240	326	10.04-	■	■
2533 LL	Diesel		7201	240	326	10.04-	■	■
2533 LL	Diesel		7201	240	326	10.04-	■	■
2633 (OM 926.913)	Diesel		7201	240	326	10.04-	■	■
2633 (OM 926.919)	Diesel		7201	240	326	10.04-	■	■
2633 (OM 926.945)	Diesel		7201	240	326	10.04-	■	■
2535 L, 2536 L, 2536 LL (OM 457.937)	Diesel		11967	260	354	10.04-	■	■
2535 L, 2536 L, 2536 LL (OM 457.948)	Diesel		11967	260	354	10.04-	■	■
2535 L, 2536 L, 2536 LL (OM 457.980)	Diesel		11967	260	354	10.04-	■	■
3235 (OM 457.937)	Diesel		11967	260	354	10.04-	■	■
3235 (OM 457.948)	Diesel		11967	260	354	10.04-	■	■
3335 (OM 457.937)	Diesel		11967	260	354	10.04-	■	■
2636 (OM 457.937)	Diesel		11967	265	360	10.04-	■	■
2540 L, LL (OM 457.937)	Diesel		11967	295	401	10.04-	■	■
2540 L, LL (OM 457.948)	Diesel		11967	295	401	10.04-	■	■
2540 L, LL (OM 457.980)	Diesel		11967	295	401	10.04-	■	■
2640 (OM 457.937)	Diesel		11967	295	401	10.04-	■	■
3240 (OM 457.937)	Diesel		11967	295	401	03.05-	■	■
3240 (OM 457.948)	Diesel		11967	295	401	03.05-	■	■
3340, 3341 (OM 457.910)	Diesel		11967	295	401	10.04-	■	■
3340, 3341 (OM 457.917)	Diesel		11967	295	401	10.04-	■	■
3340, 3341 (OM 457.918)	Diesel		11967	295	401	10.04-	■	■
3340, 3341 (OM 457.937)	Diesel		11967	295	401	10.04-	■	■
2543 L, LL (OM 457.937)	Diesel		11967	315	428	10.04-	■	■
2543 L, LL (OM 457.948)	Diesel		11967	315	428	10.04-	■	■
2543 L, LL (OM 457.980)	Diesel		11967	315	428	10.04-	■	■
2643 (OM 457.937)	Diesel		11967	315	428	10.04-	■	■
3243 (OM 457.937)	Diesel		11967	315	428	10.04-	■	■
3243 (OM 457.948)	Diesel		11967	315	428	10.04-	■	■
3343 (OM 457.937)	Diesel		11967	315	428	10.04-	■	■
4144	Diesel		11967	315	428	01.06-12.11	■	■
3344	Diesel		11967	323	437	10.04-	■	■
AXOR 2 10.04-							Truck Tractor	
1823 LS, 1824 LS (OM 902.913)	Diesel		6374	170	231	10.04-	■	■
1823 LS, 1824 LS (OM 906.920)	Diesel		6374	170	231	10.04-	■	■
1826 LS (OM 902.914)	Diesel		6374	188	256	10.04-	■	■
1828 LS (OM 906.921)	Diesel		6374	205	279	10.04-	■	■
1829 LS (OM 902.915)	Diesel		6374	210	286	10.04-	■	■
1833 LS (OM 926.913)	Diesel		7201	240	326	10.04-	■	■
1933 S (OM 926.921)	Diesel		7201	240	326	01.11-	■	■
1933 S (OM 926.990)	Diesel		7201	240	326	01.11-	■	■
1835 LS (OM 457.937)	Diesel		11967	260	354	01.11-	■	■
2035 S, 2036 S, LS (OM 457.910)	Diesel		11967	260	354	01.11-	■	■
2035 S, 2036 S, LS (OM 457.917)	Diesel		11967	260	354	01.11-	■	■
2035 S, 2036 S, LS (OM 457.918)	Diesel		11967	260	354	01.11-	■	■
2435 LS	Diesel		11967	260	354	10.04-	■	■
2535 LS	Diesel		11967	260	354	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2535 S, 2535 LS (OM 457.918)	Diesel	11967	260	354	10.04-	■	■
2535 S, 2535 LS (OM 457.981)	Diesel	11967	260	354	10.04-	■	■
3335 S (OM 457.962)	Diesel	11967	260	354	09.08-	■	■
1836 LS, LLS (OM 457.937)	Diesel	11967	265	360	10.04-	■	■
1836 LS, LLS (OM 457.948)	Diesel	11967	265	360	10.04-	■	■
1836 LS, LLS (OM 457.980)	Diesel	11967	265	360	10.04-	■	■
2436 LS, 2536 LS (OM 457.948)	Diesel	11967	265	360	10.04-	■	■
2436 LS, 2536 LS (OM 457.980)	Diesel	11967	265	360	10.04-	■	■
2536	Diesel	11967	265	360	01.12-	■	■
1840 LS, LLS (OM 457.937)	Diesel	11967	295	401	10.04-	■	■
1840 LS, LLS (OM 457.948)	Diesel	11967	295	401	10.04-	■	■
1840 LS, LLS (OM 457.955)	Diesel	11967	295	401	10.04-	■	■
1840 LS, LLS (OM 457.980)	Diesel	11967	295	401	10.04-	■	■
2040 S, 2041 S, 2041 S, 2041 LS (OM 457.910)	Diesel	11967	295	401	01.11-	■	■
2040 S, 2041 S, 2041 S, 2041 LS (OM 457.917)	Diesel	11967	295	401	01.11-	■	■
2040 S, 2041 S, 2041 S, 2041 LS (OM 457.918)	Diesel	11967	295	401	01.11-	■	■
2440 LS, 2540 LS (OM 457.948)	Diesel	11967	295	401	10.04-	■	■
2440 LS, 2540 LS (OM 457.981)	Diesel	11967	295	401	10.04-	■	■
2540 LS	Diesel	11967	295	401	10.04-	■	■
2540 S, 2541 S, LS (OM 457.918)	Diesel	11967	295	401	10.04-	■	■
2540 S, 2541 S, LS (OM 457.980)	Diesel	11967	295	401	10.04-	■	■
2640 S, 2641 S, LS (OM 457.918)	Diesel	11967	295	401	10.04-	■	■
3340 S, 3341 S (OM 457.910)	Diesel	11967	295	400	06.09-	■	■
3340 S, 3341 S (OM 457.917)	Diesel	11967	295	400	06.09-	■	■
3340 S, 3341 S (OM 457.918)	Diesel	11967	295	400	06.09-	■	■
3340 S, 3341 S (OM 457.962)	Diesel	11967	295	400	06.09-	■	■
1843 LS, LLS (OM 457.937)	Diesel	11967	315	428	10.04-	■	■
1843 LS, LLS (OM 457.948)	Diesel	11967	315	428	10.04-	■	■
1843 LS, LLS (OM 457.980)	Diesel	11967	315	428	10.04-	■	■
2044 S (OM 457.910)	Diesel	11967	315	428	01.11-	■	■
2044 S (OM 457.917)	Diesel	11967	315	428	01.11-	■	■
2044 S (OM 457.918)	Diesel	11967	315	428	01.11-	■	■
2443 LS, 2543 LS (OM 457.948)	Diesel	11967	315	428	10.04-	■	■
2443 LS, 2543 LS (OM 457.980)	Diesel	11967	315	428	10.04-	■	■
2543 S, 2543 LS (OM 457.980)	Diesel	11967	315	428	10.04-	■	■
2644 S, LS (OM 457.918)	Diesel	11967	315	428	10.04-	■	■
2644 S, LS (OM 457.937)	Diesel	11967	315	428	10.04-	■	■
2644 S, LS (OM 457.948)	Diesel	11967	315	428	10.04-	■	■
3343 S	Diesel	11967	315	428	10.04-	■	■
2544 S, 2544 LS	Diesel	11967	323	439	10.04-	■	■
2644 S, LS	Diesel	11967	323	439	10.04-	■	■
CAPACITY 04.07-						Bus	
CAPACITY	Diesel	10677	265	360	01.15-	■	■
CAPACITY L	Diesel	10677	265	360	01.15-	■	■
CAPACITY	Diesel	10677	290	394	01.15-	■	■
CAPACITY L	Diesel	10677	290	394	01.15-	■	■
CAPACITY (OM 457.950)	Diesel	11967	260	354	04.07-	■	■
CAPACITY (OM 457.973)	Diesel	11967	260	354	04.07-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

DCA						Air Suspension Unit			
DCA							01.53-	■	
DLS						Air Suspension Unit			
DLS 10Loch							01.53-	■	
ECONIC 01.98-						Municipal Vehicle			
1823 L, 1823 LL (OM 906.924)		Diesel		6374	170	231	03.98-	■	■
1823 L, 1823 LL (OM 906.940)		Diesel		6374	170	231	03.98-	■	■
1823 L, 1823 LL (OM 906.951)		Diesel		6374	170	231	03.98-	■	■
1824 L, 1824 LL (OM 902.933)		Diesel		6374	175	238	10.06-	■	■
2624 L (OM 902.933)		Diesel		6374	175	238	03.98-	■	■
1828 L, 1828 LL (OM 906.941)		Diesel		6374	205	279	03.98-	■	■
1828 L, 1828 LL (OM 906.952)		Diesel		6374	205	279	03.98-	■	■
2628 LL (OM 906.941)		Diesel		6374	205	279	03.98-	■	■
2628 LL (OM 906.952)		Diesel		6374	205	279	03.98-	■	■
2628 LL (OM 906.941)		Diesel		6374	205	279	01.98-	■	■
2628 LL (OM 906.952)		Diesel		6374	205	279	01.98-	■	■
1829 L, 1829 LL (OM 902.927)		Diesel		6374	210	286	10.06-	■	■
2629 L, 2629 LL (OM 902.927)		Diesel		6374	210	286	10.01-	■	■
2629 L, 2629 LL (OM 902.927)		Diesel		6374	210	286	10.01-	■	■
1833 L, 1833 LL (OM 926.924)		Diesel		7201	240	326	10.06-	■	■
1833 L, 1833 LL (OM 926.934)		Diesel		7201	240	326	10.06-	■	■
2633 L (OM 926.921)		Diesel		7201	240	326	10.01-	■	■
2633 L (OM 926.934)		Diesel		7201	240	326	10.01-	■	■
2633 L, 2633 LL (OM 926.924)		Diesel		7201	240	326	10.07-	■	■
2633 L, 2633 LL (OM 926.934)		Diesel		7201	240	326	10.07-	■	■
3233 L, 3233 LL (OM 926.934)		Diesel		7201	240	326	10.07-	■	■
ECONIC 01.98-						Municipal Vehicle			
1828 L (M 906.900)		Gasolina		6883	205	279	10.00-	■	■
1828 L, 1828 LL (M 902.900)		Gasolina		6883	205	279	10.06-	■	■
1828 L, 1828 LL (M 902.903)		Gasolina		6883	205	279	10.06-	■	■
2628 L (M 902.900)		Gasolina		6883	205	279	10.00-	■	■
2628 L (M 902.903)		Gasolina		6883	205	279	10.00-	■	■
2628 L (M 906.900)		Gasolina		6883	205	279	10.01-	■	■
ECONIC 01.98-						Platform/Chassis			
1823 LL		Diesel		6374	170	231	08.98-12.13	■	■
1824 LL		Diesel		6374	175	238	08.98-12.13	■	■
1828 LL		Diesel		6374	205	279	08.98-12.13	■	■
2628 LL		Diesel		6374	205	279	08.98-12.13	■	■
2628 LL		Diesel		6374	205	279	08.98-12.13	■	■
1829 LL		Diesel		6374	210	286	08.98-12.13	■	■
2629 LL		Diesel		6374	210	286	08.98-12.13	■	■
2629 LL		Diesel		6374	210	286	08.98-12.13	■	■
1833 LL		Diesel		7201	240	326	08.98-12.13	■	■
2633 LL		Diesel		7201	240	326	08.98-12.13	■	■
2633 LL		Diesel		7201	240	326	08.98-12.13	■	■
3233 LL		Diesel		7201	240	326	08.98-12.13	■	■
ECONIC 01.98-						Platform/Chassis			
1828 LL CNG		Gasolina		6883	205	279	08.98-12.13	■	■
2628 L (M 906.900)		Gasolina		6883	205	279	10.00-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2628 LL CNG		Gasolina		6883	205	279	08.98-12.13	■	■
ECONIC 01.98-					Truck Tractor				
1829 LS (OM 902.927)		Diesel		6374	210	286	10.07-	■	■
1833 LS (OM 926.934)		Diesel		7201	240	326	10.07-	■	■
ECONIC 01.98-					Truck Tractor				
1828 LS (M 902.903)		Gasolina		6883	205	279	10.04-	■	■
ECONIC 2 04.13-					Platform/Chassis				
1827 LL		Diesel		7698	200	272	09.17-	■	
2627 LL		Diesel		7698	200	272	09.17-	■	
2627 LL		Diesel		7698	200	299	09.17-	■	
1830 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■	
2630 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■	
2630 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■	
1835 LL		Diesel		7698	260	354	04.13-	■	
2635 LL		Diesel		7698	260	354	04.13-	■	
2635 LL		Diesel		7698	260	354	04.13-	■	
3235 LL		Diesel		7698	260	354	08.18-	■	
ECONIC 2 04.13-					Platform/Chassis				
1830 LL CNG		Gasolina		7698	222	302	09.14-	■	
2630 LL CNG		Gasolina		7698	222	302	09.14-	■	
ECONIC 2 04.13-					Platform/Chassis				
eECONIC 2730 LL		Mixto		0	400	544	11.21-	■	
F					Tractor Axle				
F-7,5/C22.5							01.53-	■	
F-8A/C22.5							01.53-	■	
F-9/C22.5							01.53-	■	
INTOURO 01.05-					Bus				
Intouro, Intouro E, Intouro M, Intouro ME (OM 926.939)		Diesel		7201	210	286	01.05-	■	■
Intouro		Diesel		7698	220	299	11.13-	■	■
Intouro		Diesel		7698	260	354	11.13-	■	■
Intouro, Intouro E, Intouro M, Intouro ME (OM 457.965)		Diesel		11967	220	299	01.05-	■	■
Intouro, Intouro E, Intouro M, Intouro ME (OM 457.965)		Diesel		11967	260	354	01.05-	■	■
Intouro, Intouro E, Intouro M, Intouro ME (OM 457.965)		Diesel		11967	300	408	01.05-	■	■
O 345 CONECTO (O 345) 11.01-					Bus				
CONECTO 12M (OM 902.925)		Diesel		6374	205	279	11.01-	■	■
CONECTO 12M (OM 906.961)		Diesel		6374	205	279	11.01-	■	■
CONECTO 12M (OM 926.939)		Diesel		7201	210	286	11.01-	■	■
CONECTO 12M (OM 447.949)		Diesel		11967	157	214	11.01-	■	■
CONECTO 18M (OM 457.943)		Diesel		11967	185	252	11.01-	■	■
CONECTO 12M (OM 457.967)		Diesel		11967	220	299	11.01-	■	■
CONECTO 18M		Diesel		11967	220	299	11.01-	■	■
CONECTO 12M (OM 457.951)		Diesel		11967	260	354	11.01-	■	■
CONECTO 18M (OM 457.951)		Diesel		11967	260	354	11.01-	■	■
CONECTO 18M (OM 457.975)		Diesel		11967	260	354	11.01-	■	■
O 350 TOURISMO (O 350) 09.94-					Bus				
Tourismo RHD, SHD (OM 441.980)		Diesel		10964	250	340	08.95-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

Tourismo RHD, SHD (OM 445.934)	Diesel	10964	250	340	08.95-	■	■	
Tourismo 15 RHD (OM 457.941)	Diesel	11967	185	252	01.03-	■	■	
Tourismo 15 RHD (OM 457.941)	Diesel	11967	220	299	01.03-	■	■	
Tourismo 15 RHD (OM 457.952)	Diesel	11967	220	299	01.03-	■	■	
Tourismo 15 RHD (OM 457.965)	Diesel	11967	220	299	01.03-	■	■	
Tourismo 16 RHD (OM 457.952)	Diesel	11967	220	299	01.03-	■	■	
Tourismo 16 RHD (OM 457.965)	Diesel	11967	220	299	01.03-	■	■	
Tourismo 15 RHD (OM 457.941)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 15 RHD (OM 457.953)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 15 RHD (OM 457.961)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 15 RHD (OM 457.965)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 15 SHD (OM 457.944)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 15 SHD (OM 457.953)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.944)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.952)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.961)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.965)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.944)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.953)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 16 RHD (OM 457.961)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 17 RHD (OM 457.944)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 17 RHD (OM 457.953)	Diesel	11967	260	354	01.03-	■	■	
Tourismo 17 RHD (OM 457.961)	Diesel	11967	260	354	01.03-	■	■	
Tourismo RHD, SHD (OM 457.944)	Diesel	11967	260	354	09.03-	■	■	
Tourismo 15 RHD (OM 457.952)	Diesel	11967	300	408	01.03-	■	■	
Tourismo 15 RHD (OM 457.965)	Diesel	11967	300	408	01.03-	■	■	
Tourismo 15 SHD (OM 457.944)	Diesel	11967	310	422	01.03-	■	■	
Tourismo 16 RHD (OM 457.944)	Diesel	11967	310	422	01.03-	■	■	
Tourismo 16 RHD (OM 457.953)	Diesel	11967	310	422	01.03-	■	■	
Tourismo 17 RHD (OM 457.944)	Diesel	11967	310	422	01.03-	■	■	
Tourismo RHD, SHD (OM 457.944)	Diesel	11967	310	422	09.03-	■	■	
Tourismo 16 RHD (OM 457.953)	Diesel	11967	315	428	01.03-	■	■	
Tourismo 16 RHD (OM 457.961)	Diesel	11967	315	428	01.03-	■	■	
Tourismo 17 RHD (OM 457.953)	Diesel	11967	315	428	01.03-	■	■	
Tourismo 17 RHD (OM 457.961)	Diesel	11967	315	428	01.03-	■	■	
Tourismo 15 RHD (OM 457.961)	Diesel	11967	335	456	01.03-	■	■	
Tourismo 16 RHD (OM 457.961)	Diesel	11967	335	456	01.03-	■	■	
Tourismo 17 RHD (OM 457.961)	Diesel	11967	335	456	01.03-	■	■	
Tourismo 17 RHD (OM 542.948)	Diesel	15928	320	435	01.03-	■	■	
Tourismo 16 RHD (OM 542.966)	Diesel	15928	350	476	01.03-	■	■	
Tourismo 17 RHD (OM 542.948)	Diesel	15928	350	476	01.03-	■	■	
Tourismo 17 RHD (OM 542.966)	Diesel	15928	350	476	01.03-	■	■	
Tourismo 16 RHD (OM 542.966)	Diesel	15928	370	503	01.03-	■	■	
Tourismo 17 RHD (OM 542.948)	Diesel	15928	370	503	01.03-	■	■	
Tourismo 17 RHD (OM 542.966)	Diesel	15928	370	503	01.03-	■	■	
O 403 01.95-12.06							Bus	
O 403 SHD (OM 441.980)	Diesel	10964	250	340	01.03-	■	■	
O 403 SHD (OM 445.934)	Diesel	10964	250	340	01.03-	■	■	
O 403 SHD (OM 457.944)	Diesel	11967	260	354	09.03-	■	■	
O 403 SHD (OM 457.944)	Diesel	11967	310	422	09.03-	■	■	
O 403 RHD (OM 402.970)	Diesel	12763	280	381	09.03-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

O 403 RHD		Diesel		14618	280	381	01.03-	■	■
O 500 TOURO (O 500) 01.96-								Bus	
O 500 M (OM 906.918)		Diesel		6374	180	245	01.01-	■	■
O 500 M (OM 906.975)		Diesel		6374	180	245	01.01-	■	■
O 500 M (OM 906.983)		Diesel		6374	180	245	01.01-	■	■
O 500 M (OM 906.988)		Diesel		6374	180	245	01.01-	■	■
O 500 U (OM 906.918)		Diesel		6374	180	245	01.01-	■	■
O 500 U (OM 906.988)		Diesel		6374	180	245	01.01-	■	■
O 500		Diesel		6374	205	279	01.01-	■	■
O 500 M (OM 906.933)		Diesel		6374	209	284	01.01-	■	■
O 500 M (OM 926.996)		Diesel		7201	188	256	01.96-	■	■
O 500 U (OM 926.996)		Diesel		7201	188	256	01.01-	■	■
O 500 R		Diesel		7201	224	305	01.01-	■	■
O 500 U		Diesel		7201	224	305	01.01-	■	■
O 500 R (OM 926.926)		Diesel		7201	225	306	01.01-	■	■
O 500 U (OM 926.926)		Diesel		7201	225	306	01.01-	■	■
O 500 R (OM 926.910)		Diesel		7201	240	326	01.01-	■	■
Touro (OM 457.944)		Diesel		11967	260	354	10.01-	■	■
O 500		Diesel		11967	265	360	01.01-	■	■
O 500		Diesel		11967	265	360	01.01-	■	■
O 500 GL, GLE (OM 457.915)		Diesel		11967	265	360	01.01-	■	■
O 500 RSD (OM 457.916)		Diesel		11967	265	360	01.01-	■	■
O 500 RSD (OM 457.932)		Diesel		11967	265	360	01.01-	■	■
O 500		Diesel		11967	295	401	01.01-	■	■
O 500		Diesel		11967	295	401	01.01-	■	■
O 500 RSD (OM 457.927)		Diesel		11967	295	401	01.01-	■	■
Touro (OM 457.944)		Diesel		11967	310	422	10.01-	■	■
O 520 CITO (O 520) 09.98-								Bus	
130 kW (OM 904.942)		Diesel		4249	130	177	06.99-	■	■
O 530 CITARO (O 530) 01.98-								Bus	
Citaro N (OM 906.931)		Diesel		6374	170	231	01.98-	■	■
Citaro N (OM 909.900)		Diesel		6374	170	231	01.98-	■	■
Citaro N (OM 909.911)		Diesel		6374	170	231	01.98-	■	■
Citaro N (OM 906.962)		Diesel		6374	180	245	04.99-	■	■
Citaro N (OM 906.963)		Diesel		6374	180	245	04.99-	■	■
Citaro G		Diesel		6374	185	252	01.98-	■	■
Citaro G (OM 906.930)		Diesel		6374	205	279	01.99-	■	■
Citaro G (OM 906.960)		Diesel		6374	205	279	01.99-	■	■
Citaro G (OM 906.961)		Diesel		6374	205	279	01.99-	■	■
Citaro G (OM 909.901)		Diesel		6374	205	279	01.99-	■	■
Citaro G (OM 909.921)		Diesel		6374	205	279	01.99-	■	■
Citaro N (OM 906.930)		Diesel		6374	205	279	01.98-	■	■
Citaro N (OM 906.960)		Diesel		6374	205	279	01.98-	■	■
Citaro N (OM 906.961)		Diesel		6374	205	279	01.98-	■	■
Citaro N (OM 909.901)		Diesel		6374	205	279	01.98-	■	■
Citaro N (OM 909.921)		Diesel		6374	205	279	01.98-	■	■
Citaro N (OM 906.930)		Diesel		6374	205	279	01.99-	■	■
Citaro N (OM 906.960)		Diesel		6374	205	279	01.99-	■	■
Citaro N (OM 909.901)		Diesel		6374	205	279	01.99-	■	■
Citaro N (OM 909.921)		Diesel		6374	205	279	01.99-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

Citaro, Citaro MUE (OM 902.926)		Diesel		6374	210	286	01.98-	■	■
Citaro, Citaro MUE (OM 902.934)		Diesel		6374	210	286	01.98-	■	■
Citaro C		Diesel		7201	210	286	05.99-	■	■
Citaro N (OM 457.942)		Diesel		11967	185	252	01.98-	■	■
Citaro G, Citaro GN3, Citaro LÜ (OM 457.943)		Diesel		11967	220	299	01.98-	■	■
Citaro G, Citaro GN3, Citaro LÜ (OM 457.950)		Diesel		11967	220	299	01.98-	■	■
Citaro G, Citaro GN3, Citaro LÜ (OM 457.959)		Diesel		11967	220	299	01.98-	■	■
Citaro G, Citaro GN3, Citaro LÜ (OM 457.973)		Diesel		11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.934)		Diesel		11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.942)		Diesel		11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.949)		Diesel		11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.950)		Diesel		11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.959)		Diesel		11967	220	299	01.98-	■	■
Citaro N, Citaro MUE (OM 457.973)		Diesel		11967	220	299	01.98-	■	■
Citaro G, Citaro LÜ (OM 457.950)		Diesel		11967	260	354	01.98-	■	■
Citaro G, Citaro LÜ (OM 457.959)		Diesel		11967	260	354	01.98-	■	■
Citaro G, Citaro LÜ (OM 457.973)		Diesel		11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.942)		Diesel		11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.950)		Diesel		11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.951)		Diesel		11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.957)		Diesel		11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.959)		Diesel		11967	260	354	01.98-	■	■
Citaro N, Citaro MUE (OM 457.973)		Diesel		11967	260	354	01.98-	■	■
O 530 CITARO (O 530) 01.98-								Bus	
Citaro NG (M 476.932)		Gasolina		11967	185	252	06.00-	■	■
Citaro NG (M 476.933)		Gasolina		11967	185	252	06.00-	■	■
Citaro NG (M 476.934)		Gasolina		11967	185	252	06.00-	■	■
Citaro GNG (M 476.930)		Gasolina		11967	240	326	04.00-	■	■
Citaro NG (M 476.930)		Gasolina		11967	240	326	04.00-	■	■
Citaro NG (M 476.933)		Gasolina		11967	240	326	04.00-	■	■
Citaro NG (M 476.934)		Gasolina		11967	240	326	04.00-	■	■
O 530 CITARO (O 530) 01.98-								Bus	
Citaro BZ		Mixto		0	225	306	01.02-	■	■
O 550 INTEGRO (O 550) 09.96-								Bus	
Integro, Integro M (OM 926.939)		Diesel		7201	210	286	01.06-	■	■
Integro L (OM 926.939)		Diesel		7201	210	286	01.06-	■	■
Integro, Integro M (OM 457.952)		Diesel		11967	220	299	01.06-	■	■
Integro, Integro M (OM 457.964)		Diesel		11967	220	299	01.06-	■	■
Integro L (OM 457.952)		Diesel		11967	220	300	01.06-	■	■
Integro L (OM 457.965)		Diesel		11967	220	300	01.06-	■	■
Integro, Integro M (OM 457.952)		Diesel		11967	260	354	01.06-	■	■
Integro, Integro M (OM 457.965)		Diesel		11967	260	354	01.06-	■	■
Integro L (OM 457.952)		Diesel		11967	260	354	01.06-	■	■
Integro		Diesel		11967	300	408	01.06-	■	■
Integro L (OM 457.952)		Diesel		11967	300	408	01.06-	■	■
O 580 TRAVEGO (O 580) 10.99-								Bus	
O 580-15 RH (OM 457.941)		Diesel		11967	185	252	10.99-	■	■
O 580-15 RH		Diesel		11967	220	299	01.99-12.06	■	■
O 580-15 RH/RHD (OM 457.940)		Diesel		11967	260	354	10.99-	■	■
O 580-15 RH/RHD (OM 457.944)		Diesel		11967	260	354	10.99-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

O 580-15 RH/RHD (OM 457.953)	Diesel	11967	260	354	10.99-	■	■	
O 580-15 RH/RHD (OM 457.961)	Diesel	11967	260	354	10.99-	■	■	
O 580-15 SHD (OM 457.944)	Diesel	11967	260	354	10.99-	■	■	
O 580-15 SHD (OM 457.953)	Diesel	11967	260	354	10.99-	■	■	
O 580-15 SHD (OM 457.961)	Diesel	11967	260	354	10.99-	■	■	
O 580-16 RHD (OM 457.944)	Diesel	11967	260	354	01.03-	■	■	
O 580-16 RHD (OM 457.953)	Diesel	11967	260	354	01.03-	■	■	
O 580-16 RHD (OM 457.961)	Diesel	11967	260	354	01.03-	■	■	
O 580-16 RHD	Diesel	11967	260	354	01.06-	■	■	
O 580-17 RHD (OM 457.944)	Diesel	11967	260	354	10.99-	■	■	
O 580-17 RHD (OM 457.953)	Diesel	11967	260	354	10.99-	■	■	
O 580-17 RHD (OM 457.961)	Diesel	11967	260	354	10.99-	■	■	
O 580-17 RHD	Diesel	11967	260	354	01.06-	■	■	
O 580-15 RH/RHD (OM 457.936)	Diesel	11967	300	408	10.99-	■	■	
O 580-15 RH/RHD (OM 457.938)	Diesel	11967	300	408	10.99-	■	■	
O 580-15 RHD (OM 457.944)	Diesel	11967	310	422	10.99-	■	■	
O 580-15 RHD (OM 457.953)	Diesel	11967	310	422	10.99-	■	■	
O 580-16 RHD, O 580-17 RHD (OM 457.944)	Diesel	11967	310	422	10.99-	■	■	
O 580-16 RHD	Diesel	11967	315	428	01.06-	■	■	
O 580-17 RHD	Diesel	11967	315	428	01.06-	■	■	
O 580-15 RHD (OM 457.961)	Diesel	11967	335	456	10.99-	■	■	
O 580-16 RHD (OM 457.961)	Diesel	11967	335	456	10.99-	■	■	
O 580-15 RHD	Diesel	15928	300	408	01.99-12.06	■	■	
O 580-15 RH (OM 542.948)	Diesel	15928	320	435	10.99-	■	■	
O 580-15 RHD	Diesel	15928	320	435	01.99-12.06	■	■	
O 580-16 RHD (OM 542.948)	Diesel	15928	320	435	10.99-	■	■	
O 580-17 RHD (OM 542.948)	Diesel	15928	320	435	10.99-	■	■	
O 580-17 SHD (OM 542.948)	Diesel	15928	320	435	10.99-	■	■	
O 580-15 RH (OM 942.900)	Diesel	15928	350	476	10.99-	■	■	
O 580-15 RH (OM 942.911)	Diesel	15928	350	476	10.99-	■	■	
O 580-16 RHD (OM 542.966)	Diesel	15928	350	476	10.99-	■	■	
O 580-17 RHD (OM 542.948)	Diesel	15928	350	476	10.99-	■	■	
O 580-17 RHD (OM 542.966)	Diesel	15928	350	476	10.99-	■	■	
O 580-17 SHD (OM 542.966)	Diesel	15928	350	476	10.99-	■	■	
O 580-15 RHD	Diesel	15928	370	503	01.99-12.06	■	■	
O 580-16 RHD (OM 542.966)	Diesel	15928	370	503	01.03-	■	■	
O 580-17 RHD	Diesel	15928	370	503	01.99-12.06	■	■	
OF 01.83-								
1113 (OM 384.906)	Diesel	3972	100	137	01.83-	■	■	
1113 (OM 344.949)	Diesel	5675	96	131	01.83-	■	■	
1113 (OM 352.997)	Diesel	5675	96	131	01.83-	■	■	
1113 (OM 352.998)	Diesel	5675	96	131	01.83-	■	■	
1313, 1314 (OM 352.997)	Diesel	5675	96	131	01.83-	■	■	
1413 (OM 352.997)	Diesel	5675	96	131	01.83-	■	■	
1117 (OM 386.952)	Diesel	5958	125	170	01.83-	■	■	
1317 (OM 327.919)	Diesel	7980	125	170	01.83-	■	■	
1417 (OM 327.940)	Diesel	7980	125	170	01.83-	■	■	
1317 (OM 360.937)	Diesel	8720	125	170	01.83-	■	■	
1317 (OM 360.951)	Diesel	8720	125	170	01.83-	■	■	
1417 (OM 360.938)	Diesel	8720	125	170	01.83-	■	■	
1417 (OM 360.952)	Diesel	8720	125	170	01.83-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1617 (OM 360.938)		Diesel		8720	125	170	01.83-	■	■	
1617 (OM 360.962)		Diesel		8720	125	170	01.83-	■	■	
1617 (OM 360.983)		Diesel		8720	125	170	01.83-	■	■	
1621 (OM 360.982)		Diesel		8720	154	210	01.83-	■	■	
TL							Tractor Axle			
TL4/8C6-9							01.53-	■		
VD							Tractor Axle			
VD4/40DCL-7,1							01.53-	■		
VD4/50DCL-7,5							01.53-	■		
VD4/51DCL-7,1							01.53-	■		
VL							Tractor Axle			
VL4/39DC-7,1							01.53-	■		
VL4/50DC-7,5							01.53-	■		
VL4/51DC-7,5							01.53-	■		
VL4/52DC-7,5							01.53-	■		
VL4/53DC-7,5							01.53-	■		
VL4/54DC-8							01.53-	■		
VL5/20DC-9							01.53-	■		
VL5/21DC-9							01.53-	■		
VL5/NR-9							01.53-	■		
VO							Tractor Axle			
VO4/01-7,1							01.53-	■		
VO4/36CL-7							01.53-	■		
VO4/37CL-7							01.53-	■		
VO4/38CL-7,5							01.53-	■		
VO4/39CL-7,5							01.53-	■		
VO4/40DCL-7,1							01.53-	■		
SETRA										
400 Series 06.01-							Bus			
MultiClass S 415 NF (OM 902.926)		Diesel		6374	210	286	01.05-	■	■	
MultiClass S 415 NF (OM 902.934)		Diesel		6374	210	286	01.05-	■	■	
MultiClass S 416 NF (OM 902.926)		Diesel		6374	210	286	01.05-	■	■	
MultiClass S 416 NF (OM 902.934)		Diesel		6374	210	286	01.05-	■	■	
MultiClass S 415 UL (OM 936.912)		Diesel		7698	220	299	01.13-	■	■	
MultiClass S 415 UL		Diesel		7698	260	354	08.16-	■	■	
MultiClass S 417 UL (OM 470.908)		Diesel		10677	265	360	08.16-	■	■	
MultiClass S 417 UL (OM 470.910)		Diesel		10677	290	394	08.16-	■	■	
TopClass S 411 HD (OM 541.950)		Diesel		11946	260	354	10.01-	■	■	
TopClass S 411 HD (OM 541.950)		Diesel		11946	300	408	10.01-	■	■	
ComfortClass S 415 GT (OM 457.941)		Diesel		11967	185	252	10.03-	■	■	
ComfortClass S 415 GT (OM 457.941)		Diesel		11967	220	299	10.03-	■	■	
ComfortClass S 415 GT (OM 457.952)		Diesel		11967	220	299	10.03-	■	■	
ComfortClass S 415 GT (OM 457.965)		Diesel		11967	220	299	10.03-	■	■	
ComfortClass S 416 GT		Diesel		11967	220	299	10.03-	■	■	
MultiClass S 412 UL (OM 457.952)		Diesel		11967	220	299	01.05-	■	■	
MultiClass S 412 UL (OM 457.964)		Diesel		11967	220	299	01.05-	■	■	
MultiClass S 412 UL (OM 457.965)		Diesel		11967	220	299	01.05-	■	■	
MultiClass S 415 H (OM 457.964)		Diesel		11967	220	299	01.05-	■	■	
MultiClass S 415 NF (OM 457.950)		Diesel		11967	220	299	01.05-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

MultiClass S 419 UL (OM 457.964)	Diesel	11967	260	354	01.05-	■	■
MultiClass S 419 UL (OM 457.965)	Diesel	11967	260	354	01.05-	■	■
TopClass S 415 HD (OM 457.944)	Diesel	11967	260	354	10.01-	■	■
TopClass S 415 HD (OM 457.953)	Diesel	11967	260	354	10.01-	■	■
TopClass S 415 HD (OM 457.961)	Diesel	11967	260	354	10.01-	■	■
TopClass S 415 HDH (OM 457.944)	Diesel	11967	260	354	10.01-	■	■
TopClass S 415 HDH (OM 457.953)	Diesel	11967	260	354	10.01-	■	■
TopClass S 415 HDH (OM 457.961)	Diesel	11967	260	354	10.01-	■	■
TopClass S 416 HDH (OM 457.944)	Diesel	11967	260	354	01.03-	■	■
TopClass S 416 HDH (OM 457.952)	Diesel	11967	260	354	01.03-	■	■
TopClass S 416 HDH (OM 457.953)	Diesel	11967	260	354	01.03-	■	■
TopClass S 416 HDH (OM 457.961)	Diesel	11967	260	354	01.03-	■	■
TopClass S 417 HDH (OM 457.944)	Diesel	11967	260	354	10.03-	■	■
TopClass S 417 HDH (OM 457.953)	Diesel	11967	260	354	10.03-	■	■
TopClass S 417 HDH (OM 457.961)	Diesel	11967	260	354	10.03-	■	■
ComfortClass S 415 GT (OM 457.941)	Diesel	11967	300	408	10.03-	■	■
ComfortClass S 415 GT (OM 457.944)	Diesel	11967	300	408	10.03-	■	■
ComfortClass S 415 GT (OM 457.952)	Diesel	11967	300	408	10.03-	■	■
ComfortClass S 415 GT (OM 457.965)	Diesel	11967	300	408	10.03-	■	■
ComfortClass S 416 GT (OM 457.952)	Diesel	11967	300	408	10.03-	■	■
ComfortClass S 416 GT (OM 457.965)	Diesel	11967	300	408	10.03-	■	■
MultiClass S 412 UL (OM 457.952)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 412 UL (OM 457.965)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 415 H	Diesel	11967	300	408	01.05-	■	■
MultiClass S 415 UL (OM 457.952)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 415 UL (OM 457.965)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 416 H (OM 457.965)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 416 UL (OM 457.952)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 416 UL (OM 457.965)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 417 UL (OM 457.952)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 417 UL (OM 457.965)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 419 UL (OM 457.952)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 419 UL (OM 457.957)	Diesel	11967	300	408	01.05-	■	■
MultiClass S 419 UL (OM 457.965)	Diesel	11967	300	408	01.05-	■	■
ComfortClass S 415 GT-HD	Diesel	11967	310	421	10.03-	■	■
ComfortClass S 416 GT-HD	Diesel	11967	310	421	10.03-	■	■
ComfortClass S 417 GT-HD	Diesel	11967	310	421	10.03-	■	■
TopClass S 415 HD (OM 457.944)	Diesel	11967	310	422	10.01-	■	■
TopClass S 415 HD (OM 457.953)	Diesel	11967	310	422	10.01-	■	■
TopClass S 415 HD (OM 457.961)	Diesel	11967	310	422	10.01-	■	■
TopClass S 415 HDH (OM 457.944)	Diesel	11967	310	422	10.01-	■	■
TopClass S 415 HDH (OM 457.953)	Diesel	11967	310	422	10.01-	■	■
TopClass S 416 HDH (OM 457.944)	Diesel	11967	310	422	10.02-	■	■
TopClass S 416 HDH (OM 457.953)	Diesel	11967	310	422	10.02-	■	■
TopClass S 417 HDH	Diesel	11967	310	421	10.03-	■	■
ComfortClass S 415 GT-HD (OM 457.953)	Diesel	11967	315	428	10.03-	■	■
ComfortClass S 415 GT-HD (OM 457.961)	Diesel	11967	315	428	10.03-	■	■
ComfortClass S 416 GT-HD	Diesel	11967	315	428	10.03-	■	■
ComfortClass S 416 GT-HD	Diesel	11967	315	428	10.03-	■	■
ComfortClass S 417 GT-HD (OM 457.944)	Diesel	11967	315	422	10.03-	■	■
ComfortClass S 417 GT-HD (OM 457.953)	Diesel	11967	315	422	10.03-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

ComfortClass S 417 GT-HD (OM 457.961)	Diesel	11967	315	422	10.03-	■	■
TopClass S 415 HD	Diesel	11967	315	428	01.08-	■	■
TopClass S 415 HDH	Diesel	11967	315	428	01.08-	■	■
TopClass S 416 HDH	Diesel	11967	315	428	01.08-	■	■
TopClass S 417 HDH	Diesel	11967	315	428	01.08-	■	■
ComfortClass S 415 GT-HD (OM 457.961)	Diesel	11967	335	456	10.03-	■	■
ComfortClass S 416 GT-HD (OM 457.961)	Diesel	11967	335	456	10.03-	■	■
ComfortClass S 416 GT-HD (OM 457.961)	Diesel	11967	335	456	10.03-	■	■
ComfortClass S 417 GT-HD (OM 457.961)	Diesel	11967	335	456	10.03-	■	■
TopClass S 415 HD	Diesel	11967	335	455	10.03-	■	■
TopClass S 415 HDH (OM 457.961)	Diesel	11967	335	456	10.01-	■	■
TopClass S 416 HDH (OM 457.961)	Diesel	11967	335	483	01.03-	■	■
TopClass S 417 HDH (OM 457.961)	Diesel	11967	335	483	10.03-	■	■
ComfortClass S 416 GT-HD (OM 542.948)	Diesel	15928	320	435	10.03-	■	■
ComfortClass S 417 GT-HD (OM 542.948)	Diesel	15928	320	435	10.03-	■	■
TopClass S 415 HD (OM 542.948)	Diesel	15928	320	435	10.01-	■	■
TopClass S 415 HDH (OM 542.948)	Diesel	15928	320	435	10.01-	■	■
TopClass S 416 HDH (OM 542.948)	Diesel	15928	320	435	10.02-	■	■
TopClass S 417 HDH	Diesel	15928	320	435	10.03-	■	■
TopClass S 431 DT (OM 542.948)	Diesel	15928	320	435	10.02-	■	■
ComfortClass S 416 GT-HD (OM 542.948)	Diesel	15928	350	476	10.03-	■	■
ComfortClass S 417 GT-HD (OM 542.948)	Diesel	15928	350	476	10.03-	■	■
ComfortClass S 417 GT-HD (OM 542.966)	Diesel	15928	350	476	10.03-	■	■
ComfortClass S 419 GT-HD (OM 542.966)	Diesel	15928	350	476	10.03-	■	■
TopClass S 415 HD	Diesel	15928	350	435	10.01-	■	■
TopClass S 415 HDH (OM 542.966)	Diesel	15928	350	476	10.01-	■	■
TopClass S 416 HDH (OM 542.966)	Diesel	15928	350	476	10.01-	■	■
TopClass S 417 HDH	Diesel	15928	350	476	10.01-	■	■
TopClass S 431 DT (OM 542.966)	Diesel	15928	350	476	10.02-	■	■
ComfortClass S 416 GT-HD (OM 542.948)	Diesel	15928	370	503	10.03-	■	■
ComfortClass S 416 GT-HD (OM 542.966)	Diesel	15928	370	503	10.03-	■	■
ComfortClass S 417 GT-HD (OM 542.948)	Diesel	15928	370	503	10.03-	■	■
ComfortClass S 417 GT-HD (OM 542.966)	Diesel	15928	370	503	10.03-	■	■
ComfortClass S 419 GT-HD (OM 542.966)	Diesel	15928	370	503	10.03-	■	■
TopClass S 415 HD (OM 542.948)	Diesel	15928	370	503	10.01-	■	■
TopClass S 415 HDH (OM 542.948)	Diesel	15928	370	503	10.01-	■	■
TopClass S 415 HDH (OM 542.966)	Diesel	15928	370	503	10.01-	■	■
TopClass S 416 HDH (OM 542.948)	Diesel	15928	370	503	10.02-	■	■
TopClass S 416 HDH (OM 542.966)	Diesel	15928	370	503	10.02-	■	■
TopClass S 417 HDH (OM 542.948)	Diesel	15928	370	503	10.02-	■	■
TopClass S 417 HDH (OM 542.966)	Diesel	15928	370	503	10.02-	■	■
TopClass S 431 DT (OM 542.948)	Diesel	15928	370	503	10.02-	■	■
TopClass S 431 DT (OM 542.966)	Diesel	15928	370	503	10.02-	■	■
ZF AXLES							
RL							Tractor Axle
RL75/E					01.53-		■