

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0006-1



Qty: 998 Weight: 36.000

O.E.M.	MAKE
1962298	DAF
2992477	IVECO
2996327	IVECO
7184136	IVECO
7189475	IVECO

78CV0006-1



Ø432x45x138.5

MAKE
IVECO



Trac.	CC	Kw	CV		
					Front / Rear

IVECO

04.21-							Concrete Mixer		
AD410T51B		Diesel		12882	375	510	04.21-		■

04.21-							Platform/Chassis		
AT260T45P		Diesel		12882	331	450	04.21-	■	■
AT260T45W		Diesel		12882	331	450	04.21-	■	■
AD260T46P MY24		Diesel		12882	338	460	11.23-	■	■
AD260T46W MY24		Diesel		12882	338	460	11.23-	■	■
AD410T51		Diesel		12882	375	510	04.21-		■
AD410T51P		Diesel		12882	375	510	04.21-		■

EuroCargo I-III 01.91-09.15							Dump Truck		
180 E 21 K tector (F4AE0681D)		Diesel		5883	154	209	09.00-09.15	■	■
180 E 24 K tector (F4AE0681B)		Diesel		5883	176	240	09.00-09.15	■	■
180 E 25 K tector (F4AE3681D)		Diesel		5883	185	252	09.06-09.15	■	■
180 E 28 K tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	■
180 E 28 K tector (F4AE3681E)		Diesel		5883	202	275	09.00-09.15	■	■
260 E 28 K tector, 260 E 28 KE tector (F4AE0681A)		Diesel		5883	202	275	09.00-09.15	■	
180 E 30 K tector (F4AE0681A)		Diesel		5883	220	299	09.06-09.15	■	■
180 E 30 K tector (F4AE3681A)		Diesel		5883	220	299	09.06-09.15	■	■

EuroCargo I-III 01.91-09.15							Platform/Chassis		
180 E 21 tector (F4AE0681C)		Diesel		5883	154	209	09.00-09.15	■	■
180 E 21 tector (F4AE0681D)		Diesel		5883	154	209	09.00-09.15	■	■
180 E 22 tector, 180 E 22 P tector (F4AE3681B)		Diesel		5883	160	218	09.06-09.15	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

180 E 24, 180 E 25 tector (F4AE0681B)	Diesel	5883	176	240	09.00-09.15	■	■
180 E 24, 180 E 25 tector (F4AE3681D)	Diesel	5883	176	240	09.00-09.15	■	■
190 EL 25 tector, 190 EL 25 P tector (F4AE3681D)	Diesel	5883	185	252	05.08-09.15	■	■
230 E 25 tector (F4AE3681D)	Diesel	5883	185	251	05.09-09.15	■	■
180 E 28 tector, 180 E 28 P tector (F4AE0681A)	Diesel	5883	202	275	09.00-09.15	■	■
180 E 28 tector, 180 E 28 P tector (F4AE3681E)	Diesel	5883	202	275	09.00-09.15	■	■
190EL.28	Diesel	5883	202	275	05.02-07.07	■	■
190EL.28P	Diesel	5883	202	275	05.02-07.07	■	■
225 E 28 tector (F4AE0681A)	Diesel	5883	202	275	09.06-09.15	■	■
230 E 28 tector (F4AE0681A)	Diesel	5883	202	275	09.06-09.15	■	■
190 E 28 tector, 190 E 28 P tector (F4AE3681E)	Diesel	5883	205	279	05.08-09.15	■	■
180 E 30 tector, 180 E 30 P tector (F4AE0681A)	Diesel	5883	220	299	08.06-09.15	■	■
180 E 30 tector, 180 E 30 P tector (F4AE3681A)	Diesel	5883	220	299	08.06-09.15	■	■
190 E 30 tector, 190 E 30 P tector (F4AE3681A)	Diesel	5883	220	299	05.08-09.15	■	■
230 E 30 tector (F4AE3681A)	Diesel	5883	220	299	02.08-09.15	■	■
EuroCargo I-III 01.91-09.15						Truck Tractor	
320 E 28 T tector (F4AE0681A)	Diesel	5883	202	275	09.00-09.15	■	■
EuroTech MH 01.98-						Dump Truck	
190 E 24 K (F2BE0681D)	Diesel	7790	180	245	09.98-	■	
190 E 27 K (F2BE0681C)	Diesel	7790	200	272	09.98-	■	
190 E 27 K (F2BE0681F)	Diesel	7790	200	272	09.98-	■	
190 E 31 K (F2BE0681B)	Diesel	7790	228	310	09.98-	■	
EuroTech MH 01.98-						Platform/Chassis	
190 E 24, 190 E 24 /P (F2BE0681D)	Diesel	7790	180	245	09.98-	■	
260 E 24 Y/P, 260 E 24 Y/PS, 260 E 24 Y/PT (F2BE0681D)	Diesel	7790	180	245	11.99-	■	
260 E 24 Y/P, 260 E 24 Y/PS, 260 E 24 Y/PT	Diesel	7790	180	245	11.99-	■	
190 E 27, 190 E 27 /P (F2BE0681C)	Diesel	7790	200	272	09.98-	■	
190 E 27, 190 E 27 /P (F2BE0681F)	Diesel	7790	200	272	09.98-	■	
260 E 27 Y/P, 260 E 27 Y/PS, 260 E 27 RY/PS, 260 E 27 RY/PT (F2BE0681C)	Diesel	7790	200	272	11.99-	■	
260 E 27 Y/P, 260 E 27 Y/PS, 260 E 27 RY/PS, 260 E 27 RY/PT (F2BE0681F)	Diesel	7790	200	272	11.99-	■	
260 E 27 Y/P, 260 E 27 Y/PS, 260 E 27 RY/PS, 260 E 27 RY/PT	Diesel	7790	200	272	11.99-	■	
190 E 30, 190 E 30 /P (F2BE0681E)	Diesel	7790	218	296	01.00-	■	
260 E 30 Y/PS (F2BE0681E)	Diesel	7790	218	296	01.00-	■	
260 E 30 Y/PS	Diesel	7790	218	296	01.00-	■	
190 E 31, 190 E 31 /P (F2BE0681B)	Diesel	7790	228	310	09.98-	■	
260 E 31 Y/P, 260 E 31 Y/PS, 260 E 31 Y/PT (F2BE0681B)	Diesel	7790	228	310	11.99-	■	
260 E 31 Y/P, 260 E 31 Y/PS, 260 E 31 Y/PT	Diesel	7790	228	310	11.99-	■	
190 E 35, 190 E 35 /P, 190 E 35 /FP (F2BE0681A)	Diesel	7790	259	352	09.98-	■	
260 E 35 Y/P, 260 E 35 Y/PT, 260 E 35 Y/TN (F2BE0681A)	Diesel	7790	259	352	11.99-	■	
260 E 35 Y/P, 260 E 35 Y/PT, 260 E 35 Y/TN	Diesel	7790	259	352	11.99-	■	
EuroTech MH 01.98-						Truck Tractor	
400 E 31 TP, 440 E 31 T, 440 E 31 TP (F2BE0681B)	Diesel	7790	228	310	09.98-	■	
400 E 35 TP, 440 E 35 T, 440 E 35 T/P, 440 E 35 T/FP (F2BE0681A)	Diesel	7790	259	352	09.98-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

440 E 35 TX/P (F2BE0681A)	Diesel	7790	259	352	02.00-	■
EuroTech MP 01.92-						Platform/Chassis
240 E 30 PS (8460.41C. TCA)	Diesel	9498	221	301	01.97-	■
190 E 34 (8460.41K.406)	Diesel	9498	254	345	01.93-	■
190 E 38 (8460.41L TCA)	Diesel	9498	276	375	01.93-	■
240 E 38 (8460.41L.5020)	Diesel	9498	276	375	01.92-	■
240 E 38	Diesel	9498	276	375	01.92-	■
260 E 38 P (8460.41N)	Diesel	9498	276	375	01.94-	■
190 E 39, 190 E 39 /P, 190 E39 /FP (F3AE0681E)	Diesel	10308	287	390	11.99-	■
260 E 39 Y, 260 E 39 Y/P, 260 E 39 Y/FP, 260 E 39 Y/FS (F3AE0681E)	Diesel	10308	287	390	11.99-	■
190 E 40 /P (F3AE0681B)	Diesel	10308	294	400	01.01-	■
260 E 40 (F3AE0681B)	Diesel	10308	294	400	01.01-	■
260 E 40	Diesel	10308	294	400	01.01-	■
190 E 43, 190 E 43 /P (F3AE0681D)	Diesel	10308	316	430	01.01-	■
260 E 43 Y, 260 E 43 Y/P (F3AE0681D)	Diesel	10308	316	430	11.99-	■
190 E 42, 190 E 42 /P (8210.42L.400)	Diesel	13798	309	420	01.93-	■
240 E 42 (8210.42L.400)	Diesel	13798	309	420	01.92-	■
240 E 42	Diesel	13798	309	420	01.92-	■
260 E 42 (8210.42L.400)	Diesel	13798	309	420	01.94-	■
EuroTech MP 01.92-						Truck Tractor
400 E 34 T, 440 E 34 T (8460.41K.406)	Diesel	9498	254	345	01.92-	■
400 E 38 T, 440 E 38 T, 440 E 38 T /P (8460.41L.5020)	Diesel	9498	276	375	01.92-	■
400 E 38 T, 440 E 38 T, 440 E 38 T /P (8460.41N)	Diesel	9498	276	375	01.92-	■
440 E 38 TZ (8460.41L TCA)	Diesel	9498	276	375	01.93-	■ ■
440 E 39 T, 440 E 39 T/P, 440 E 39 T/FP-CT (F3AE0681E)	Diesel	10308	287	390	11.99-	■
440 E 39 TX/P (F3AE0681E)	Diesel	10308	287	390	11.99-	■
440 E 40 T/P (F3AE0681B)	Diesel	10308	294	400	09.00-	■
440 E 40 TX/P (F3AE0681B)	Diesel	10308	294	400	01.01-	■
440 E 43 T, 440 E 43 T/P (F3AE0681D)	Diesel	10308	316	430	11.99-	■
440 E 43 TX/P (F3AE0681D)	Diesel	10308	316	430	11.99-	■
400 E 42 T, 440 E 42 T, 440 E 42 T/P (8210.42L(TCA))	Diesel	13798	309	420	01.92-	■
400 E 42 T, 440 E 42 T, 440 E 42 T/P (8210.42L.400)	Diesel	13798	309	420	01.92-	■
440 E 42 TZ (8210.42L.400)	Diesel	13798	309	420	01.93-	■ ■
4500	Diesel	14015	321	437	01.02-	■ ■
4500	Diesel	14015	351	477	01.02-	■ ■
4500	Diesel	14015	373	507	01.02-	■ ■
4500	Diesel	14951	410	558	01.02-	■ ■
EuroTrakker 01.93-12.06						Concrete Mixer
MP 260 E 31 HB Cursor (F2BE0681B)	Diesel	7790	228	310	11.99-11.04	■ ■
MP 340 E 35 HB Cursor (F2BE0681A)	Diesel	7790	259	352	01.01-11.04	■ ■
MP 340 E 38 HB Cursor (F3BE0681G)	Diesel	12882	280	380	01.01-11.04	■ ■
MP 380 E 38 HB Cursor (F3BE0681G)	Diesel	12882	280	380	01.01-11.04	■ ■
MP 410 E 38 HB Cursor (F3BE0681G)	Diesel	12882	280	380	01.01-11.04	■ ■
MP 340 E 44 HB Cursor (F3BE0681C)	Diesel	12882	324	440	01.01-11.04	■ ■
MP 380 E 44 HB Cursor (F3BE0681C)	Diesel	12882	324	440	01.01-11.04	■ ■
MP 410 E 44 HB Cursor (F3BE0681C)	Diesel	12882	324	440	01.01-11.04	■ ■

LISTA DE APLICACIONES - BUYERS GUIDE

EuroTrakker 01.93-12.06						Dump Truck			
MP 190 E 31 H Cursor (F2BE0681B)	Diesel		7790	228	310	09.99-11.04	■	■	
MP 190 E 31 W Cursor (F2BE0681B)	Diesel		7790	228	310	09.99-11.04	■	■	
MP 260 E 31 H Cursor (F2BE0681B)	Diesel		7790	228	310	09.99-11.04	■	■	
MP 190 E 35 H Cursor (F2BE0681A)	Diesel		7790	259	352	09.99-11.04	■	■	
MP 190 E 35 W Cursor (F2BE0681A)	Diesel		7790	259	352	09.99-11.04	■	■	
MP 260 E 35 H Cursor (F2BE0681A)	Diesel		7790	259	352	01.00-11.04	■	■	
MP 260 E 35 W Cursor (F2BE0681A)	Diesel		7790	259	352	09.99-11.04	■	■	
MP 340 E 35 H Cursor (F2BE0681A)	Diesel		7790	259	352	09.99-11.04	■	■	
MP 190 E 30 H (8460.41C.)	Diesel		9498	221	301	01.93-11.04	■	■	
MP 190 E 30 W (8460.41C.)	Diesel		9498	221	301	01.93-11.04	■	■	
MP 260 E 30 H (8460.41C.)	Diesel		9498	221	301	01.93-11.04	■	■	
MP 190 E 34 H (8460.41K.)	Diesel		9498	254	345	01.93-11.04	■	■	
MP 190 E 34 W (8460.41K.)	Diesel		9498	254	345	01.93-11.04	■	■	
MP 260 E 34 H (8460.41K.)	Diesel		9498	254	345	01.93-11.04	■	■	
MP 260 E 34 W (8460.41K.)	Diesel		9498	254	345	01.93-11.04	■	■	
MP 340 E 34 H (8460.41K.)	Diesel		9498	254	345	01.93-11.04	■	■	
MP 380 E 34 H (8460.41K.)	Diesel		9498	254	345	01.93-11.04	■	■	
MP 190 E 38 W Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 260 E 38 H Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 260 E 38 W Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 340 E 38 H Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 380 E 38 H Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 380 E 38 W Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 410 E 38 H Cursor (F3BE0681G)	Diesel		12882	280	380	01.01-11.04	■	■	
MP 190 E 44 W Cursor (F3BE0681C)	Diesel		12882	324	440	09.00-11.04	■	■	
MP 260 E 44 H Cursor (F3BE0681C)	Diesel		12882	324	440	01.01-11.04	■	■	
MP 260 E 44 W Cursor (F3BE0681C)	Diesel		12882	324	440	01.01-11.04	■	■	
MP 340 E 44 H Cursor (F3BE0681C)	Diesel		12882	324	440	01.01-11.04	■	■	
MP 380 E 44 H Cursor (F3BE0681C)	Diesel		12882	324	440	01.01-11.04	■	■	
MP 380 E 44 W Cursor (F3BE0681C)	Diesel		12882	324	440	01.01-11.04	■	■	
MP 410 E 44 H Cursor (F3BE0681C)	Diesel		12882	324	440	01.01-11.04	■	■	
MP 190 E 37 H (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 190 E 37 W (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 260 E 37 H (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 260 E 37 W (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 340 E 37 H (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 380 E 37 H (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 380 E 37 W (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 410 E 37 H (8210.42K.)	Diesel		13798	272	370	01.93-11.04	■	■	
MP 190 E 42 H (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 190 E 42 W (8210.42L(TCA))	Diesel		13798	309	420	01.93-11.04	■	■	
MP 190 E 42 W (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 260 E 42 H (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 260 E 42 W (8210.42L(TCA))	Diesel		13798	309	420	01.93-11.04	■	■	
MP 260 E 42 W (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 340 E 42 H (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 380 E 42 H (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 380 E 42 W (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	
MP 410 E 42 H (8210.42L.)	Diesel		13798	309	420	01.93-11.04	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

EuroTrakker 01.93-12.06					Platform/Chassis				
MP 180 E 24 W Cursor (F2BE0681D)		Diesel		7790	180	245	09.99-11.04	■	■
MP 190 E 24 H Cursor (F2BE0681D)		Diesel		7790	180	245	09.99-11.04	■	■
MP 190 E 27		Diesel		7790	200	272	10.00-11.04	■	■
MP 190 E 31 H Cursor (F2BE0681B)		Diesel		7790	228	310	09.99-11.04	■	■
MP 190 E 31 W Cursor (F2BE0681B)		Diesel		7790	228	310	09.99-11.04	■	■
MP 260 E 31 H Cursor (F2BE0681B)		Diesel		7790	228	310	09.99-11.04	■	■
MP 190 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 190 E 35 W Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 260 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	01.00-11.04	■	■
MP 260 E 35 W Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 340 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	09.99-11.04	■	■
MP 380 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	01.00-11.04	■	■
MP 380 E 35 W Cursor (F2BE0681A)		Diesel		7790	259	352	01.00-11.04	■	■
MP 410 E 35 H Cursor (F2BE0681A)		Diesel		7790	259	352	01.00-11.04	■	■
MP 180 E 25 W (8460.41 T)		Diesel		9498	185	251	05.99-11.04	■	■
MP 190 E 30 W (8460.41C.)		Diesel		9498	221	301	11.99-11.04	■	■
MP 190 E 34 W (8460.41K. TCA)		Diesel		9498	254	345	11.99-11.04	■	■
MP 260 E 34 H (8460.41K.)		Diesel		9498	254	345	11.99-11.04	■	■
MP 260 E 34 H (8460.41K. TCA)		Diesel		9498	254	345	11.99-11.04	■	■
MP 260 E 34 W (8460.41K.)		Diesel		9498	254	345	11.99-11.04	■	■
MP 260 E 34 W (8460.41K. TCA)		Diesel		9498	254	345	11.99-11.04	■	■
MP 340 E 34 H (8460.41K.)		Diesel		9498	254	345	11.99-11.04	■	■
MP 340 E 34 H (8460.41K. TCA)		Diesel		9498	254	345	11.99-11.04	■	■
MP 380 E 34 H (8460.41K.)		Diesel		9498	254	345	11.99-11.04	■	■
MP 380 E 34 H (8460.41K. TCA)		Diesel		9498	254	345	11.99-11.04	■	■
MP 380 E 34 W (8460.41K.)		Diesel		9498	254	345	11.99-11.04	■	■
MP 380 E 34 W (8460.41K. TCA)		Diesel		9498	254	345	11.99-11.04	■	■
MP 190 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 260 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 260 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 340 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 380 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 380 E 38 W Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 410 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
MP 190 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	09.00-11.04	■	■
MP 260 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.00-11.04	■	■
MP 260 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 340 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 380 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 380 E 44 W Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 410 E 44 H Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 190 E 37 H (8210.42K(TCA))		Diesel		13798	272	370	01.00-11.04	■	■
MP 190 E 37 W (8210.42K(TCA))		Diesel		13798	272	370	11.99-11.04	■	■
MP 260 E 37 W (8210.42K(TCA))		Diesel		13798	272	370	11.99-11.04	■	■
MP 260 E 37 W (8210.42K.)		Diesel		13798	272	370	11.99-11.04	■	■
MP 340 E 37 H (8210.42K(TCA))		Diesel		13798	272	370	11.99-11.04	■	■
MP 340 E 37 H (8210.42K.)		Diesel		13798	272	370	11.99-11.04	■	■
MP 380 E 37 H (8210.42K(TCA))		Diesel		13798	272	370	01.98-11.04	■	■
MP 380 E 37 H (8210.42K.)		Diesel		13798	272	370	01.98-11.04	■	■
MP 380 E 37 W (8210.42K(TCA))		Diesel		13798	272	370	11.99-11.04	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

MP 380 E 37 W (8210.42K.)		Diesel		13798	272	370	11.99-11.04	■	■
MP 410 E 37 H (8210.42K(TCA))		Diesel		13798	272	370	11.99-11.04	■	■
MP 190 E 42 H (8210.42L(TCA))		Diesel		13798	309	420	11.99-11.04	■	■
MP 190 E 42 H (8210.42L.)		Diesel		13798	309	420	11.99-11.04	■	■
MP 260 E 42 H (8210.42L(TCA))		Diesel		13798	309	420	11.99-11.04	■	■
MP 340 E 42 H (8210.42L(TCA))		Diesel		13798	309	420	11.99-11.04	■	■
MP 340 E 42 H (8210.42L.)		Diesel		13798	309	420	11.99-11.04	■	■
MP 380 E 42 H (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 380 E 42 H (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 380 E 42 W (8210.42L(TCA))		Diesel		13798	309	420	11.99-11.04	■	■
MP 380 E 42 W (8210.42L.)		Diesel		13798	309	420	11.99-11.04	■	■
MP 410 E 42 H (8210.42L(TCA))		Diesel		13798	309	420	11.99-11.04	■	■
MP 410 E 42 W (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 410 E 42 W (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 260 E 47 H (8210.42M. TCA)		Diesel		13798	345	469	11.99-11.04	■	■
MP 380 E 47 H (8210.42M. TCA)		Diesel		13798	345	470	11.99-11.04	■	■
EuroTrakker 01.93-12.06							Truck Tractor		
MP 400 E 35 HT Cursor (F2BE0681A)		Diesel		7790	259	352	01.00-11.04	■	■
MP 400 E 34 HT (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 400 E 34 HT (8460.41K. TCA)		Diesel		9498	254	345	01.93-11.04	■	■
MP 440 E 34 HT (8460.41K.)		Diesel		9498	254	345	01.93-11.04	■	■
MP 440 E 34 HT (8460.41K. TCA)		Diesel		9498	254	345	01.93-11.04	■	■
MP 440 E 38 HT Cursor (F3BE0681G)		Diesel		12882	279	380	01.01-11.04	■	■
MP 720 E 38 HT Cursor (F3BE0681G)		Diesel		12882	279	380	01.01-11.04	■	■
MP 440 E 44 HT Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 720 E 44 HT Cursor (F3BE0681C)		Diesel		12882	324	440	01.01-11.04	■	■
MP 720 E 48 HT Cursor (F3BE0681E)		Diesel		12882	354	480	01.01-11.04	■	■
MP 400 E 37 HT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 37 HT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 37 WT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 37 WT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 440 E 37 HT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 440 E 37 HT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 HT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 HT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 WT (8210.42K(TCA))		Diesel		13798	272	370	01.93-11.04	■	■
MP 720 E 37 WT (8210.42K.)		Diesel		13798	272	370	01.93-11.04	■	■
MP 400 E 42 HT (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 400 E 42 HT (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 400 E 42 WT (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 400 E 42 WT (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 440 E 42 HT (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 440 E 42 HT (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 HT (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 HT (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 WT (8210.42L(TCA))		Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 42 WT (8210.42L.)		Diesel		13798	309	420	01.93-11.04	■	■
MP 720 E 47 HT (8210.42M. TCA)		Diesel		13798	345	469	01.93-11.04	■	■
Stralis 02.02-							Municipal Vehicle		
AD 190S27, AT 190S27 (F2BE0681F)		Diesel		7790	200	272	04.04-	■	■
AD 260S27, AT 260S27 (F2BE0681F)		Diesel		7790	200	272	04.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

AD 260S27, AT 260S27	Diesel	7790	200	272	04.04-	■	■
AD 190S30 (F2BE0681E)	Diesel	7790	218	296	04.04-	■	■
AD 260S30, AT 260S30	Diesel	7790	218	296	04.04-	■	■
AD 190S31, AT 190S31 (F2BE3681C)	Diesel	7790	228	310	04.04-	■	■
AD 260S31, AT 260S31 (F2BE3681C)	Diesel	7790	228	310	04.04-	■	■
AD 260S31, AT 260S31	Diesel	7790	228	310	04.04-	■	■
AD 190S33, AT 190S33 (F2BE3681B)	Diesel	7790	243	330	05.07-	■	■
AD 260S33, AT 260S33 (F2BE3681B)	Diesel	7790	243	330	06.07-	■	■
AD 260S33, AT 260S33	Diesel	7790	243	330	06.07-	■	■
AD 190S35 (F2BE0681A)	Diesel	7790	259	352	04.04-	■	■
AD 190S36, AT 190S36 (F2BE3681A)	Diesel	7790	265	360	05.07-	■	■
AD 260S36, AT 260S36 (F2BE3681A)	Diesel	7790	265	360	07.07-	■	■
AD 260S36, AT 260S36	Diesel	7790	265	360	07.07-	■	■
Stralis 02.02-						Platform/Chassis	
AD 190S27, AT 190S27 (F2BE0681C)	Diesel	7790	200	272	06.03-	■	■
AD 190S27, AT 190S27 (F2BE0681F)	Diesel	7790	200	272	06.03-	■	■
AD 260S30, AT 260S30 (F2BE0681E)	Diesel	7790	218	296	10.05-	■	■
AD 260S31, AT 260S31 (F2BE0681B)	Diesel	7790	228	310	06.03-	■	■
AD 260S31, AT 260S31 (F2BE3681C)	Diesel	7790	228	310	06.03-	■	■
AD 260S31, AT 260S31	Diesel	7790	228	310	06.03-	■	■
AD 260S33, AT 260S33 (F2BE3681B)	Diesel	7790	243	330	12.06-	■	■
AD 260S33, AT 260S33	Diesel	7790	243	330	12.06-	■	■
AD 260S35, AT 260S35, AD 260S36, AT 260S36 (F2BE0681A)	Diesel	7790	259	352	06.03-	■	■
AD 260S35, AT 260S35, AD 260S36, AT 260S36 (F2BE3681A)	Diesel	7790	259	352	06.03-	■	■
AD 260S35, AT 260S35, AD 260S36, AT 260S36	Diesel	7790	259	352	06.03-	■	■
AS 260S43 (F3AE0681D)	Diesel	10300	316	430	02.02-	■	■
AD 190S40, AT 190S40 (F3AE0681B)	Diesel	10308	294	400	03.03-	■	■
AD 190S40, AT 190S40 (F3AE0681H)	Diesel	10308	294	400	03.03-	■	■
AD 260S40, AT 260S40 (F3AE0681B)	Diesel	10308	294	400	06.03-	■	■
AD 260S40, AT 260S40 (F3AE0681H)	Diesel	10308	294	400	06.03-	■	■
AD 260S40, AT 260S40	Diesel	10308	294	400	06.03-	■	■
AS 190S40 (F3AE0681B)	Diesel	10308	294	400	02.02-	■	■
AS 190S40 (F3AE0681H)	Diesel	10308	294	400	02.02-	■	■
AS 260S40 (F3AE0681B)	Diesel	10308	294	400	02.02-	■	■
AS 260S40 (F3AE0681H)	Diesel	10308	294	400	02.02-	■	■
AS 260S40	Diesel	10308	294	400	02.02-	■	■
AD 260S42, AT 260S42 (F3AE3681B)	Diesel	10308	310	422	12.06-	■	■
AD 260S42, AT 260S42, AS 260S42 (F3AE3681B)	Diesel	10308	310	422	05.07-	■	■
AD 260S42, AT 260S42, AS 260S42	Diesel	10308	310	422	05.07-	■	■
AD 190S43, AT 190S43 (F3AE0681D)	Diesel	10308	316	430	06.03-	■	■
AD 260S43, AT 260S43 (F3AE0681D)	Diesel	10308	316	430	06.03-	■	■
AD 260S43, AT 260S43	Diesel	10308	316	430	06.03-	■	■
AS 190S43 (F3AE0681D)	Diesel	10308	316	430	02.02-	■	■
AS 260S43	Diesel	10308	316	430	02.02-	■	■
AD 190S45, AT 190S45 (F3AE3681A)	Diesel	10308	331	450	12.06-	■	■
AD 260S45, AT 260S45 (F3AE3681A)	Diesel	10308	331	450	12.06-	■	■
AD 260S45, AT 260S45, AS 260S45 (F3AE3681A)	Diesel	10308	331	450	05.07-	■	■
AD 260S45, AT 260S45, AS 260S45	Diesel	10308	331	450	05.07-	■	■
AS 190S45 (F3AE3681A)	Diesel	10308	331	450	12.06-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

AS 190S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■	
AS 260S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■	
AS 260S48		Diesel		12882	353	480	02.02-	■	■	
AS 260S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■	
AS 260S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■	
AS 260S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■	
Stralis 02.02-							Platform/Chassis			
AD 260S27 CNG, AT 260S27 CNG		Gasolina		7790	200	272	01.08-	■	■	
AD 260S30 CNG (F2GE0682A)		Gasolina		7790	220	299	01.13-	■	■	
Stralis 02.02-							Truck Tractor			
AD 440S31, AT 440S31 (F2BE0681B)		Diesel		7790	228	310	06.03-	■	■	
AD 440S33, AT 440S33 (F2BE3681B)		Diesel		7790	243	330	12.06-	■	■	
AD 440S35, AT 440S35, AD 440S36, AT 440S36 (F2BE0681A)		Diesel		7790	259	352	06.03-	■	■	
AD 440S35, AT 440S35, AD 440S36, AT 440S36 (F2BE3681A)		Diesel		7790	259	352	06.03-	■	■	
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■	
AD 440S40, AT 440S40 (F3AE0681H)		Diesel		10308	294	400	06.03-	■	■	
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■	
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	03.03-	■	■	
AD 440S40, AT 440S40 (F3AE0681H)		Diesel		10308	294	400	03.03-	■	■	
AS 440S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■	
AS 440S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■	
AS 440S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■	
AS 440S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■	
AD 440S42, AT 440S42 (F3AE3681B)		Diesel		10308	310	422	04.06-	■	■	
AD 440S42, AT 440S42 (F3AE3681D)		Diesel		10308	310	422	04.06-	■	■	
AS 440S42 (F3AE3681B)		Diesel		10308	310	420	01.06-	■	■	
AS 440S42 (F3AE3681D)		Diesel		10308	310	420	01.06-	■	■	
AS 440S42 (F3AE3681B)		Diesel		10308	310	420	07.06-	■	■	
AT 440S42 (F3AE3681B)		Diesel		10308	310	420	07.06-	■	■	
AD 440S43, AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■	
AD 440S43, AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■	
AS 440S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■	
AS 440S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■	
AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■	
AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■	
AD 440S45, AT 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■	
AS 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■	
AS 440S45, AT 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■	
AS 440S45, AT 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■	
AT 440S45 (F3AE3681A)		Diesel		10308	331	450	07.06-	■	■	
AS 440S46		Diesel		10308	338	460	12.09-	■	■	
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■	
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■	
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■	
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■	
ES 440S48 (F3BE0681E)		Diesel		12882	353	480	10.04-	■	■	
AS 440S50, AT 440S50 (F3B3681B)		Diesel		12882	368	500	12.06-12.12	■	■	
AS 440S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■	
AS 440S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■	
AS 440S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

AS 440S56, AT 440S56 (F3B3681A)	Diesel		12882	412	560	12.06-	■	■
Stralis 02.02-				Truck Tractor				
AT 440S33 CNG (F2GE0682A)	Gasolina		7790	243	330	01.13-	■	■
Stralis II 09.12-				Platform/Chassis				
AD260S31FP	Diesel		7790	228	310	09.12-	■	■
AD260S31P	Diesel		7790	228	310	09.12-	■	■
AT260S31P	Diesel		7790	228	310	09.12-	■	■
AD260S33FP	Diesel		7790	243	330	09.12-	■	■
AD260S33P	Diesel		7790	243	330	09.12-	■	■
AT260S33FP	Diesel		7790	243	330	09.12-	■	■
AT260S33P	Diesel		7790	243	330	09.12-	■	■
AD260S36FP	Diesel		7790	265	360	09.12-	■	■
AD260S36P	Diesel		7790	265	360	09.12-	■	■
AT260S36FP	Diesel		7790	265	360	09.12-	■	■
AT260S36P	Diesel		7790	265	360	09.12-	■	■
AD190S31P	Diesel		8709	228	310	09.12-	■	■
AD190S31P MY16	Diesel		8709	228	310	06.16-	■	■
AD260S31FP	Diesel		8709	228	310	09.12-	■	■
AD260S31FP	Diesel		8709	228	310	09.12-	■	■
AD260S31FP MY16	Diesel		8709	228	310	06.16-	■	■
AD260S31FP MY16	Diesel		8709	228	310	06.16-	■	■
AD260S31P	Diesel		8709	228	310	09.12-	■	■
AD260S31P	Diesel		8709	228	310	09.12-	■	■
AT190S31FP	Diesel		8709	228	310	09.12-	■	■
AT190S31FP MY16	Diesel		8709	228	310	06.16-	■	■
AT190S31P	Diesel		8709	228	310	09.12-	■	■
AT190S31P MY16	Diesel		8709	228	310	06.16-	■	■
AT260S31P	Diesel		8709	228	310	09.12-	■	■
AT260S31P	Diesel		8709	228	310	09.12-	■	■
AT260S31P MY16	Diesel		8709	228	310	06.16-	■	■
AT260S31P MY16	Diesel		8709	228	310	06.16-	■	■
AD260S33FP	Diesel		8709	243	330	09.12-	■	■
AD260S33FP MY16	Diesel		8709	243	330	06.16-	■	■
AD260S33P	Diesel		8709	243	330	09.12-	■	■
AD260S33P	Diesel		8709	243	330	09.12-	■	■
AD260S33P MY16	Diesel		8709	243	330	06.16-	■	■
AD260S33P MY16	Diesel		8709	243	330	06.16-	■	■
AT190S33P	Diesel		8709	243	330	09.12-	■	■
AT260S33P	Diesel		8709	243	330	09.12-	■	■
AT260S33P	Diesel		8709	243	330	09.12-	■	■
AT260S33P MY16	Diesel		8709	243	330	06.16-	■	■
AT260S33P MY16	Diesel		8709	243	330	06.16-	■	■
AD190S36P	Diesel		8709	265	360	09.12-	■	■
AD190S36P MY16	Diesel		8709	265	360	06.16-	■	■
AD260S36FP	Diesel		8709	265	360	09.12-	■	■
AD260S36FP MY16	Diesel		8709	265	360	06.16-	■	■
AD260S36P	Diesel		8709	265	360	09.12-	■	■
AD260S36P MY16	Diesel		8709	265	360	06.16-	■	■
AD260S36P MY16	Diesel		8709	265	360	06.16-	■	■
AT260S36P	Diesel		8709	265	360	09.12-	■	■
AT260S36P	Diesel		8709	265	360	09.12-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

AT260S36P MY16	Diesel	8709	265	360	06.16-	■	■
AT260S36P MY16	Diesel	8709	265	360	06.16-	■	■
AD190S40P	Diesel	8709	294	400	09.12-	■	■
AD190S40P MY16	Diesel	8709	294	400	06.16-	■	■
AD260S40FP	Diesel	8709	294	400	09.12-	■	■
AD260S40FP	Diesel	8709	294	400	09.12-	■	■
AD260S40P MY16	Diesel	8709	294	400	06.16-	■	■
AT260S40FP MY16	Diesel	8709	294	400	06.16-	■	■
AT260S40P	Diesel	8709	294	400	09.12-	■	■
AT260S40P MY16	Diesel	8709	294	400	06.16-	■	■
AT190S46FP	Diesel	10308	338	460	09.12-	■	■
AT260S46P	Diesel	10308	338	460	09.12-	■	■
AT260S46P	Diesel	10308	338	460	09.12-	■	■
AD260S42FP	Diesel	11118	309	420	09.12-	■	■
AD260S42FP MY16	Diesel	11118	309	420	06.16-	■	■
AD260S42P	Diesel	11118	309	420	09.12-	■	■
AD260S42P	Diesel	11118	309	420	09.12-	■	■
AD260S42P MY16	Diesel	11118	309	420	06.16-	■	■
AS260S42FP	Diesel	11118	309	420	09.12-	■	■
AS260S42P	Diesel	11118	309	420	09.12-	■	■
AT260S42FP	Diesel	11118	309	420	09.12-	■	■
AT260S42P	Diesel	11118	309	420	09.12-	■	■
AD260S46FP	Diesel	11118	338	460	09.12-	■	■
AD260S46P	Diesel	11118	338	460	09.12-	■	■
AD260S46P	Diesel	11118	338	460	09.12-	■	■
AD260S46P MY16	Diesel	11118	338	460	06.16-	■	■
AT190S46FP	Diesel	11118	338	460	09.12-	■	■
AT190S46FP MY16	Diesel	11118	338	460	06.16-	■	■
AT260S46FP	Diesel	11118	338	460	09.12-	■	■
AT260S46P MY16	Diesel	11118	338	460	06.16-	■	■
AT260S48P	Diesel	11118	353	480	09.12-	■	■
Stralis II 09.12-						Truck Tractor	
AD440S36TP	Diesel	8709	265	360	09.12-	■	■
AT440S36TP	Diesel	8709	265	360	09.12-	■	■
AD440S40TP MY16	Diesel	8709	294	400	06.16-	■	■
AT440S40TP	Diesel	8709	294	400	09.12-	■	■
AT440S40TP MY16	Diesel	8709	294	400	06.16-	■	■
AD440S42TP	Diesel	10308	310	421	09.12-	■	■
AT440S42TFP	Diesel	10308	310	421	09.12-	■	■
AT440S42TP	Diesel	10308	310	421	09.12-	■	■
AS440S46TFP	Diesel	10308	338	460	09.12-	■	■
AS440S46TP	Diesel	10308	338	460	09.12-	■	■
AS440S46TP	Diesel	10308	338	460	09.12-	■	■
AS440S46TP	Diesel	10308	338	460	09.12-	■	■
AT440S46TFP	Diesel	10308	338	460	09.12-	■	■
AT440S46TP	Diesel	10308	338	460	09.12-	■	■
AT440S46TP	Diesel	10308	338	460	09.12-	■	■
AT440S46TP	Diesel	10308	338	460	09.12-	■	■
AD440S42TP	Diesel	11118	309	420	09.12-	■	■
AD440S42TP MY16	Diesel	11118	309	420	06.16-	■	■
AS440S42TP	Diesel	11118	309	420	09.12-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

AS440S42TP MY16		Diesel		11118	309	420	06.16-	■	■
AT440S42TFP		Diesel		11118	309	420	09.12-	■	■
AT440S42TP		Diesel		11118	309	420	09.12-	■	■
AT440S42TP MY16		Diesel		11118	309	420	06.16-	■	■
AT440S42TP MY16		Diesel		11118	309	420	06.16-	■	■
AS440S46TP		Diesel		11118	338	460	09.12-	■	■
AS440S46TP		Diesel		11118	338	460	09.12-	■	■
AS440S46TP		Diesel		11118	338	460	09.12-	■	■
AS440S46TP MY16		Diesel		11118	338	460	06.16-	■	■
AS440S46TP MY16		Diesel		11118	338	460	06.16-	■	■
AT440S46TFP		Diesel		11118	338	460	09.12-	■	■
AT440S46TFP MY16		Diesel		11118	338	460	06.16-	■	■
AT440S46TP		Diesel		11118	338	460	09.12-	■	■
AT440S46TP		Diesel		11118	338	460	09.12-	■	■
AT440S46TP		Diesel		11118	338	460	09.12-	■	■
AT440S46TP		Diesel		11118	338	460	09.12-	■	■
AT440S46TP MY16		Diesel		11118	338	460	06.16-	■	■
AT440S46TP MY16		Diesel		11118	338	460	06.16-	■	■
AT440S46TP MY16		Diesel		11118	338	460	06.16-	■	■
AS440S48TFP MY16		Diesel		11118	353	480	06.16-	■	■
AS440S48TP		Diesel		11118	353	480	09.12-	■	■
AS440S48TP		Diesel		11118	353	480	09.12-	■	■
AS440S48TP		Diesel		11118	353	480	09.12-	■	■
AS440S48TP MY16		Diesel		11118	353	480	06.16-	■	■
AS440S48TP MY16		Diesel		11118	353	480	06.16-	■	■
AT440S48TP		Diesel		11118	353	480	09.12-	■	■
AT440S48TP		Diesel		11118	353	480	09.12-	■	■
AT440S48TP		Diesel		11118	353	480	09.12-	■	■
AS440S50TFP		Diesel		12882	368	500	09.12-	■	■
AS440S50TP		Diesel		12882	368	500	09.12-	■	■
AS440S50TP		Diesel		12882	368	500	09.12-	■	■
AS440S50TP		Diesel		12882	368	500	09.12-	■	■
AS440S51TP MY16		Diesel		12882	375	510	06.16-	■	■
AS440S51TP MY16		Diesel		12882	375	510	06.16-	■	■
AS440S51TP MY16		Diesel		12882	375	510	06.16-	■	■
AS440S56TP		Diesel		12882	412	560	09.12-	■	■
AS440S56TP		Diesel		12882	412	560	09.12-	■	■
AS440S56TP		Diesel		12882	412	560	09.12-	■	■
AS440S57TP MY16		Diesel		12882	420	571	06.16-	■	■
AS440S57TP MY16		Diesel		12882	420	571	06.16-	■	■
S-WAY 07.19-					Platform/Chassis				
AT260S34FP		Diesel		8709	251	341	07.19-	■	■
AD280S36P		Diesel		8709	265	360	07.19-	■	■
AT300S36		Diesel		8709	265	360	07.19-	■	■
AD280S43P		Diesel		12882	316	430	07.19-	■	■
AS260S53FP		Diesel		12882	387	526	07.19-	■	■
AS260S53P		Diesel		12882	387	526	07.19-	■	■
S-WAY 07.19-					Truck Tractor				
AT440S48TFP		Diesel		11118	353	480	07.19-	■	■
AT440S47TP		Diesel		12882	349	475	07.19-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

AS440S49TFP		Diesel		12882	357	485	07.19-	■	■
Tector II 08.12-12.18				Platform/Chassis					
150E21 (F4AFE411C)		Diesel		4485	150	204	01.12-	■	■
170E22 (F4AE3681B)		Diesel		5883	160	218	01.12-	■	■
170E28 (F4AE3681E)		Diesel		5883	206	280	01.12-	■	■
240E28 (F4AE3681E)		Diesel		5883	206	280	01.12-	■	■
Tector II 08.12-12.18				Truck Tractor					
170E28 (F4AE3681E)		Diesel		5883	206	280	09.12-	■	■
Trakker 09.04-				Concrete Mixer					
AD260T31		Diesel		7790	228	310	11.04-10.07	■	
AD 260T31 B (F2BE0681B)		Diesel		7790	228	310	06.05-10.07	■	
AD260T33		Diesel		7790	243	330	11.04-12.12	■	
AD 260T33 B (F2BE3681B)		Diesel		7790	243	330	11.04-12.12	■	
AD 260T35 B (F2BE0681A)		Diesel		7790	259	352	06.05-10.07	■	
AD 340T35 B, AT 340T35 B (F2BE0681A)		Diesel		7790	259	352	06.05-10.07	■	
AD340T35P		Diesel		7790	259	352	11.04-10.07	■	
AD380T35		Diesel		7790	259	352	11.04-10.07	■	
AD 260T36 B (F2BE3681A)		Diesel		7790	265	360	07.07-12.12	■	
AD 340T36 B (F2BE3681A)		Diesel		7790	265	360	06.06-12.12	■	
AD410T36		Diesel		7790	265	360	11.04-12.12	■	
AD 260T38 B (F3BE0681G)		Diesel		12882	280	380	06.05-10.07	■	
AD 340T38 B, AT 34T38 B (F3BE0681G)		Diesel		12882	280	380	06.05-10.07	■	
AD 380T38 B (F3BE0681G)		Diesel		12882	280	380	06.05-12.12	■	
AD 410T38 B, AT 410T38 B (F3BE0681G)		Diesel		12882	280	380	06.05-10.07	■	
AT380T38		Diesel		12882	280	381	11.04-10.07	■	
AT380T38		Diesel		12882	280	381	11.04-12.12	■	
AD 340T41 B (F3B3681D)		Diesel		12882	302	410	06.06-12.12	■	
AD380T41		Diesel		12882	302	411	11.04-12.12	■	
AD380T41P		Diesel		12882	302	411	01.07-12.12	■	
AD380T41W		Diesel		12882	302	411	01.07-12.12	■	
AD410T41		Diesel		12882	302	411	11.04-12.12	■	
AT380T42		Diesel		12882	309	420	11.04-12.12	■	
AD260T44P		Diesel		12882	324	441	11.04-10.07	■	
AD 340T44 B, AT 340T44 B (F3BE0681C)		Diesel		12882	324	440	06.05-10.07	■	
AD 380T44 B (F3BE0681C)		Diesel		12882	324	440	06.05-10.07	■	
AD 410T44 B, AT 410T44 B (F3BE0681C)		Diesel		12882	324	440	06.05-12.12	■	
AD410T44W		Diesel		12882	324	441	01.07-12.12	■	
AD 340T45 B (F3B3681C)		Diesel		12882	332	450	06.06-12.12	■	
AD380T45W		Diesel		12882	332	451	01.07-12.12	■	
AD410T45		Diesel		12882	332	451	11.04-12.12	■	
AD380T48		Diesel		12882	353	480	11.04-10.07	■	
AD 410T48 B, AT 410T48 B (F3BE0681E)		Diesel		12882	353	480	06.05-10.07	■	
Trakker 09.04-				Dump Truck					
AD 190T31, AT 190T31 (F2BE0681B)		Diesel		7790	228	310	10.04-10.07	■	
AD 260T31, AT 260T31 (F2BE0681B)		Diesel		7790	228	310	10.04-	■	
AD 190T35, AD 190T36, AT 190T35, AT 190T36 (F2BE0681A)		Diesel		7790	259	352	10.04-12.12	■	
AD 190T35, AD 190T36, AT 190T35, AT 190T36 (F2BE3681A)		Diesel		7790	259	352	10.04-12.12	■	
AD 260T35, 260T36, 380T36, AT 260T35, 260T36, 380T36 (F2BE0681A)		Diesel		7790	259	352	10.04-12.12	■	

LISTA DE APLICACIONES - BUYERS GUIDE

AD 260T35, 260T36, 380T36, AT 260T35, 260T36, 380T36 (F2BE3681A)	Diesel		7790	259	352	10.04-12.12	■
AD 190T38, AT 190T38 (F3BE0681G)	Diesel		12882	280	380	10.04-12.12	■
AD 260T38, AT 260T38 (F3BE0681G)	Diesel		12882	280	380	10.04-	■
AD 190T44, AD 190T45, AT 190T44, AT 190T45 (F3BE0681C)	Diesel		12882	324	440	10.04-12.12	■
AD 190T44, AD 190T45, AT 190T44, AT 190T45 (F3BE3681C)	Diesel		12882	324	440	10.04-12.12	■
Trakker 09.04-							Platform/Chassis
AD 190T27, AT 190T27 (F2BE0681F)	Diesel		7790	200	272	06.05-10.07	■
AD 260T31, AT 260T31 (F2BE0681B)	Diesel		7790	228	310	10.04-10.07	■
AD 190T33, AT 190T33 (F2BE3681B)	Diesel		7790	243	330	03.06-12.12	■
AD 260T33, AD 380T33, AT 260T33, AT 380T33 (F2BE3681B)	Diesel		7790	243	330	03.06-12.12	■
AD 190T35, AT 190T35, AD 190T36, AT 190T36 (F2BE0681A)	Diesel		7790	259	352	06.05-10.07	■
AD 190T35 W, AT 190T35 W, AD 190T36 W, AT 190T36 W (F2BE0681A)	Diesel		7790	259	352	01.05-10.07	■
AD 190T35 W, AT 190T35 W, AD 190T36 W, AT 190T36 W (F2BE3681A)	Diesel		7790	259	352	01.05-10.07	■
AD 260T35, AT 260T35 (F2BE0681A)	Diesel		7790	259	352	10.04-10.07	■
AD 260T35 W, AT 260T35 W (F2BE0681A)	Diesel		7790	259	352	06.05-10.07	■
AD 340T35, AT 340T35 (F2BE0681A)	Diesel		7790	259	352	06.05-10.07	■
AD380T35 (F2BE0681A)	Diesel		7790	259	352	01.05-10.07	■
AD 410T35 (F2BE0681A)	Diesel		7790	259	352	02.05-10.07	■
AD 260T36, AT 260T36 (F2BE3681A)	Diesel		7790	265	360	03.06-10.07	■
AD 340T36, AT 340T36 (F2BE3681A)	Diesel		7790	265	360	03.06-12.12	■
AD 340T36, AT 340T36 (F2BE3681A)	Diesel		7790	265	360	07.07-12.12	■
AD 380T36 W, AT 380T36 W (F2BE3681A)	Diesel		7790	265	360	04.06-10.07	■
AD 410T36, AT 410T36 (F2BE3681A)	Diesel		7790	265	360	03.06-	■
AD 190T38, AT 190T38 (F3BE0681G)	Diesel		12882	280	380	10.04-12.12	■
AD 190T38 W, AT 190T38 W	Diesel		12882	280	380	06.05-12.12	■
AD 260T38, AD 260T38 /P, AT 260T38 (F3BE0681G)	Diesel		12882	280	380	06.05-10.07	■
AD 260T38 W, AT 260T38 W (F3BE0681G)	Diesel		12882	280	380	06.05-10.07	■
AD340T38	Diesel		12882	280	381	11.04-10.07	■
AD 380T38, AT 380T38 (F3BE0681G)	Diesel		12882	280	380	01.05-10.07	■
AD 380T38 W, AT 380T38 W (F3BE0681G)	Diesel		12882	280	380	06.05-10.07	■
AD410T38 (F3BE0681G)	Diesel		12882	280	380	02.05-10.07	■
AT380T38	Diesel		12882	280	381	11.04-10.07	■
AD 340T41, AT 340T41 (F3BE3681D)	Diesel		12882	302	410	03.06-12.12	■
AD 410T41, AT 410T41 (F3BE3681D)	Diesel		12882	302	410	03.06-12.12	■
AD 380T42 W (F3BE0681V)	Diesel		12882	309	420	01.05-12.12	■
AD 190T44, AT 190T44, AD 19T45, AT 190T45 (F3B3681G)	Diesel		12882	324	440	06.05-10.07	■
AD 260T44, AD 260T44 /P, AT 260T44 (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AD 260T44 W, AT 260T44 W (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AD 340T44, AT 340T44 (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AD 380T44, AT 380T44 (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AD 380T44 W, AT 380T44 W (F3BE0681C)	Diesel		12882	324	440	06.05-12.12	■
AD 410T44, AT 410T44 (F3BE0681C)	Diesel		12882	324	440	02.05-10.07	■
AD 410T44 W, AT 410T44 W (F3BE0681C)	Diesel		12882	324	440	06.05-12.12	■
AD 340T45, AT 340T45 (F3BE3681C)	Diesel		12882	332	450	03.06-12.12	■
AD 410T45, AT 410T45 (F3BE3681C)	Diesel		12882	332	450	03.06-12.12	■
AD 410T45 W (F3B3681C)	Diesel		12882	332	450	07.07-12.12	■
AD 260T48, AT 260T48 (F3BE0681E)	Diesel		12882	353	480	06.05-10.07	■

LISTA DE APLICACIONES - BUYERS GUIDE

AD 380T48, AD 380T48 (F3BE0681E)	Diesel		12882	353	480	06.05-10.07	■
AD 410T48, AT 410T48 (F3BE0681E)	Diesel		12882	353	480	02.05-10.07	■
AD 410T50, AT 410T50 (F3BE3681B)	Diesel		12882	368	500	03.06-12.12	■
Trakker 09.04-				Truck Tractor			
AD 400T35 T, AT 400T35 T (F2BE0681A)	Diesel		7790	259	352	06.05-10.07	■
AD 400T36 T, AT 400T36 T (F2BE3681A)	Diesel		7790	265	360	10.04-12.12	■
AD 400T38 T, AT 400T38 T (F3BE0681G)	Diesel		12882	280	380	06.05-12.12	■
AD 400T38 WT, AT 400T38 WT (F3BE0681G)	Diesel		12882	280	380	06.05-10.07	■
AD 720T38 T, AT 720T38 T (F3BE0681G)	Diesel		12882	280	380	06.05-12.12	■
AD 720T38 WT, AT 720T38 WT (F3BE0681G)	Diesel		12882	280	380	06.05-12.12	■
AD720T41	Diesel		12882	302	411	11.04-12.12	■
AD720T41P	Diesel		12882	302	411	01.07-12.12	■
AD720T41W	Diesel		12882	302	411	11.04-12.12	■
AT 400T42 TH (F3BE0681V)	Diesel		12882	309	420	06.05-12.12	■
AT 720T42 T (F3BE0681V)	Diesel		12882	309	420	04.05-12.12	■
AT 720T42 WT (F3BE0681V)	Diesel		12882	309	420	06.05-12.12	■
AD 400T44 T, AT 400T44 T (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AD 400T44 WT, AT 400T44 WT (F3BE0681C)	Diesel		12882	324	440	06.05-12.12	■
AD 720T44 T, AT 720T44 T (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AD 720T44 WT, AT 720T44 WT (F3BE0681C)	Diesel		12882	324	440	06.05-10.07	■
AT400T44P	Diesel		12882	324	441	11.04-10.07	■
AD 720T48 T, AT 720T48 T (F3BE0681E)	Diesel		12882	353	480	06.05-10.07	■
AD440T50	Diesel		12882	368	500	11.04-10.07	■
AD440T50P	Diesel		12882	368	500	11.04-12.12	■
Trakker II 09.12-				Platform/Chassis			
AD190T31	Diesel		7790	228	310	09.12-	■
AD190T33	Diesel		8709	243	330	09.12-	■
AD260T33	Diesel		8709	243	330	09.12-	■
AT190T33	Diesel		8709	243	330	09.12-	■
AT260T33	Diesel		8709	243	330	09.12-	■
AD190T36	Diesel		8709	265	360	09.12-	■
AD260T36	Diesel		8709	265	360	09.12-	■
AD340T36	Diesel		8709	265	360	09.12-	■
AT190T36	Diesel		8709	265	360	09.12-	■
AT260T36	Diesel		8709	265	360	09.12-	■
AT340T36	Diesel		8709	265	360	09.12-	■
AD190T31	Diesel		8710	228	310	09.12-	■
AD190T41	Diesel		12882	302	411	09.12-	■
AD260T41	Diesel		12882	302	411	09.12-	■
AD260T41P	Diesel		12882	302	411	09.12-	■
AD340T41	Diesel		12882	302	411	09.12-	■
AD340T41P	Diesel		12882	302	411	09.12-	■
AD380T41	Diesel		12882	302	411	09.12-	■
AD380T41P	Diesel		12882	302	411	09.12-	■
AD380T41W	Diesel		12882	302	411	09.12-	■
AD410T41P	Diesel		12882	302	411	09.12-	■
AT190T41	Diesel		12882	302	411	09.12-	■
AT260T41	Diesel		12882	302	411	09.12-	■
AT260T41P	Diesel		12882	302	411	09.12-	■
AT340T41	Diesel		12882	302	411	09.12-	■
AT340T41P	Diesel		12882	302	411	09.12-	■

LISTA DE APLICACIONES - BUYERS GUIDE

AT380T41		Diesel		12882	302	411	09.12-	■
AT380T41P		Diesel		12882	302	411	09.12-	■
AT410T41		Diesel		12882	302	411	09.12-	■
AD260T45		Diesel		12882	331	450	09.12-	■
AD340T45		Diesel		12882	331	450	09.12-	■
AD340T45P		Diesel		12882	331	450	09.12-	■
AD380T45		Diesel		12882	331	450	09.12-	■
AD380T45P		Diesel		12882	331	450	09.12-	■
AD380T45W		Diesel		12882	331	450	09.12-	■
AD410T45		Diesel		12882	331	450	09.12-	■
AD410T45P		Diesel		12882	331	450	09.12-	■
AT260T45		Diesel		12882	331	450	09.12-	■
AT340T45		Diesel		12882	331	450	09.12-	■
AT340T45P		Diesel		12882	331	450	09.12-	■
AT380T45		Diesel		12882	331	450	09.12-	■
AT380T45P		Diesel		12882	331	450	09.12-	■
AT380T45W		Diesel		12882	331	450	09.12-	■
AT410T45		Diesel		12882	331	450	09.12-	■
AD380T45W		Diesel		12882	332	451	09.12-	■
AT190T45W		Diesel		12882	332	451	09.12-	■
AT380T45W		Diesel		12882	332	451	09.12-	■
AD260T50		Diesel		12882	368	500	09.12-	■
AD260T50P		Diesel		12882	368	500	09.12-	■
AD380T50		Diesel		12882	368	500	09.12-	■
AD380T50P		Diesel		12882	368	500	09.12-	■
AT260T50		Diesel		12882	368	500	09.12-	■
AT260T50P		Diesel		12882	368	500	09.12-	■
AT380T50		Diesel		12882	368	500	09.12-	■
AT380T50P		Diesel		12882	368	500	09.12-	■
Trakker II 09.12-					Truck Tractor			
AD400T36		Diesel		8709	265	360	09.12-	■
AT400T36		Diesel		8709	265	360	09.12-	■
AD400T41		Diesel		12882	302	411	09.12-	■
AD400T41P		Diesel		12882	302	411	09.12-	■
AD440T41		Diesel		12882	302	411	09.12-	■
AD720T41		Diesel		12882	302	411	09.12-	■
AT400T41		Diesel		12882	302	411	09.12-	■
AT400T41P		Diesel		12882	302	411	09.12-	■
AT440T41		Diesel		12882	302	411	09.12-	■
AT720T41		Diesel		12882	302	411	09.12-	■
AD400T45		Diesel		12882	331	450	09.12-	■
AD400T45P		Diesel		12882	331	450	09.12-	■
AD440T45		Diesel		12882	331	450	09.12-	■
AD720T45		Diesel		12882	331	450	09.12-	■
AT400T45		Diesel		12882	331	450	09.12-	■
AT400T45P		Diesel		12882	331	450	09.12-	■
AT440T45		Diesel		12882	331	450	09.12-	■
AT720T45		Diesel		12882	331	450	09.12-	■
AD400T50		Diesel		12882	368	500	09.12-	■
AD400T50P		Diesel		12882	368	500	09.12-	■
AD440T50		Diesel		12882	368	500	09.12-	■

LISTA DE APLICACIONES - BUYERS GUIDE

AD720T50		Diesel		12882	368	500	09.12-	■
AT400T50		Diesel		12882	368	500	09.12-	■
AT440T50		Diesel		12882	368	500	09.12-	■
AT720T50		Diesel		12882	368	500	09.12-	■
X-WAY 07.19-				Concrete Mixer				
AD300X36B		Diesel		8709	265	360	07.19-	■
AD300X40B		Diesel		8709	294	400	07.19-	■
AD360X40B		Diesel		8709	294	400	07.19-	■
AD360X40BP		Diesel		8709	294	400	07.19-	■
AD300X42B		Diesel		11118	309	420	07.19-	■
AD360X42B		Diesel		11118	309	420	07.19-	■
AD300X46B		Diesel		11118	338	460	07.19-	■
AD350X46BP		Diesel		11118	338	460	07.19-	■
AD360X46B		Diesel		11118	338	460	07.19-	■
AD360X46BP		Diesel		11118	338	460	07.19-	■
AD360X48B		Diesel		11118	353	480	07.19-	■
AD360X48BP		Diesel		11118	353	480	07.19-	■
X-WAY 07.19-								
AD300X40B MY24		Diesel		8709	294	400	11.23-	■
AD360X40B MY24		Diesel		8709	294	400	11.23-	■
AD360X46B MY24		Diesel		12882	338	460	11.23-	■
AD360X50BP MY24		Diesel		12882	368	500	11.23-	■
X-WAY 07.19-				Platform/Chassis				
AD200X33		Diesel		8709	243	330	07.19-	■
AD200X33P		Diesel		8709	243	330	07.19-	■
AD280X33P		Diesel		8709	243	330	07.19-	■
AD280X33P		Diesel		8709	243	330	07.19-	■
AD300X33		Diesel		8709	243	330	07.19-	■
AT280X33P		Diesel		8709	243	330	07.19-	■
AD200X34		Diesel		8709	251	340	07.19-	■
AD200X34 MY24		Diesel		8709	251	341	11.23-	■
AD200X34P		Diesel		8709	251	340	07.19-	■
AD280X34P		Diesel		8709	251	340	07.19-	■
AD280X34P		Diesel		8709	251	340	07.19-	■
AD280X34P MY24		Diesel		8709	251	341	11.23-	■
AD200X36		Diesel		8709	265	360	07.19-	■
AD200X36 MY24		Diesel		8709	265	360	11.23-	■
AD200X36P		Diesel		8709	265	360	07.19-	■
AD200X36P MY24		Diesel		8709	265	360	11.23-	■
AD280X36FP		Diesel		8709	265	360	07.19-	■ ■
AD280X36P		Diesel		8709	265	360	07.19-	■
AD280X36P		Diesel		8709	265	360	07.19-	■
AD280X36P MY24		Diesel		8709	265	360	11.23-	■
AD280X36P MY24		Diesel		8709	265	360	11.23-	■
AD300X36		Diesel		8709	265	360	07.19-	■
AD300X36 MY24		Diesel		8709	265	360	11.23-	■
AD300X36P		Diesel		8709	265	360	07.19-	■
AD350X36P		Diesel		8709	265	360	07.19-	■
AD350X36P MY24		Diesel		8709	265	360	11.23-	■
AD360X36		Diesel		8709	265	360	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

AD360X36P MY24	Diesel	8709	265	360	11.23-
AT200X36P	Diesel	8709	265	360	07.19-
AT280X36FP	Diesel	8709	265	360	07.19-
AT280X36P	Diesel	8709	265	360	07.19-
AT280X36P	Diesel	8709	265	360	07.19-
AT300X36	Diesel	8709	265	360	07.19-
AT300X36P	Diesel	8709	265	360	07.19-
AD200X40	Diesel	8709	294	400	07.19-
AD200X40 MY24	Diesel	8709	294	400	11.23-
AD200X40P	Diesel	8709	294	400	07.19-
AD200X40P MY24	Diesel	8709	294	400	11.23-
AD280X40P	Diesel	8709	294	400	07.19-
AD280X40P	Diesel	8709	294	400	07.19-
AD280X40P MY24	Diesel	8709	294	400	11.23-
AD300X40	Diesel	8709	294	400	07.19-
AD300X40 MY24	Diesel	8709	294	400	11.23-
AD300X40P	Diesel	8709	294	400	07.19-
AD300X40P MY24	Diesel	8709	294	400	11.23-
AD350X40P	Diesel	8709	294	400	07.19-
AD350X40P	Diesel	8709	294	400	07.19-
AD350X40P MY24	Diesel	8709	294	400	11.23-
AD360X40	Diesel	8709	294	400	07.19-
AD360X40P	Diesel	8709	294	400	07.19-
AD360X40P MY24	Diesel	8709	294	400	11.23-
AT200X40P	Diesel	8709	294	400	07.19-
AT200X40P MY24	Diesel	8709	294	400	11.23-
AT280X40FP	Diesel	8709	294	400	07.19-
AT280X40P	Diesel	8709	294	400	07.19-
AT280X40P	Diesel	8709	294	400	07.19-
AT280X40P MY24	Diesel	8709	294	400	11.23-
AT300X40 MY24	Diesel	8709	294	400	11.23-
AT350X40P	Diesel	8709	294	400	07.19-
AD200X42	Diesel	11118	309	420	07.19-
AD200X42P	Diesel	11118	309	420	07.19-
AD280X42FP	Diesel	11118	309	420	07.19-
AD280X42P	Diesel	11118	309	420	07.19-
AD280X42P	Diesel	11118	309	420	07.19-
AD300X42	Diesel	11118	309	420	07.19-
AD300X42P	Diesel	11118	309	420	07.19-
AD350X42P	Diesel	11118	309	420	07.19-
AD350X42P	Diesel	11118	309	420	07.19-
AD360X42	Diesel	11118	309	420	07.19-
AD360X42P	Diesel	11118	309	420	07.19-
AS280X42P	Diesel	11118	309	420	07.19-
AT200X42P	Diesel	11118	309	420	07.19-
AT280X42P	Diesel	11118	309	420	07.19-
AT300X42P	Diesel	11118	309	420	07.19-
AT350X42P	Diesel	11118	309	420	07.19-
AD200X46	Diesel	11118	338	460	07.19-
AD200X46P	Diesel	11118	338	460	07.19-
AD280X46FP	Diesel	11118	338	460	07.19-

LISTA DE APLICACIONES - BUYERS GUIDE

AD280X46P		Diesel		11118	338	460	07.19-	■
AD280X46P		Diesel		11118	338	460	07.19-	■
AD300X46		Diesel		11118	338	460	07.19-	■
AD300X46P		Diesel		11118	338	460	07.19-	■
AD350X46P		Diesel		11118	338	460	07.19-	■
AD350X46P		Diesel		11118	338	460	07.19-	■
AD360X46		Diesel		11118	338	460	07.19-	■
AD360X46P		Diesel		11118	338	460	07.19-	■
AS280X46P		Diesel		11118	338	460	07.19-	■
AT280X46FP		Diesel		11118	338	460	07.19-	■
AT280X46P		Diesel		11118	338	460	07.19-	■
AT300X46		Diesel		11118	338	460	07.19-	■
AT300X46P		Diesel		11118	338	460	07.19-	■
AT350X46P		Diesel		11118	338	460	07.19-	■
AT350X46P		Diesel		11118	338	460	07.19-	■
AT360X46		Diesel		11118	338	460	07.19-	■
AT360X46P		Diesel		11118	338	460	07.19-	■
AD200X48		Diesel		11118	353	480	07.19-	■
AD200X48P		Diesel		11118	353	480	07.19-	■
AD280X48FP		Diesel		11118	353	480	07.19-	■
AD280X48P		Diesel		11118	353	480	07.19-	■
AD280X48P		Diesel		11118	353	480	07.19-	■
AD300X48		Diesel		11118	353	480	07.19-	■
AD300X48P		Diesel		11118	353	480	07.19-	■
AD350X48P		Diesel		11118	353	480	07.19-	■
AD350X48P		Diesel		11118	353	480	07.19-	■
AD360X48		Diesel		11118	353	480	07.19-	■
AD360X48P		Diesel		11118	353	480	07.19-	■
AS280X48P (F3GFE611G)		Diesel		11118	353	480	07.19-	■
AT200X48		Diesel		11118	353	480	07.19-	■
AT200X48P		Diesel		11118	353	480	07.19-	■
AT280X48FP		Diesel		11118	353	480	07.19-	■
AT280X48P		Diesel		11118	353	480	07.19-	■
AT280X48P		Diesel		11118	353	480	07.19-	■
AT300X48		Diesel		11118	353	480	07.19-	■
AT300X48P		Diesel		11118	353	480	07.19-	■
AT350X48P		Diesel		11118	353	480	07.19-	■
AT350X48P		Diesel		11118	353	480	07.19-	■
AT360X48		Diesel		11118	353	480	07.19-	■
AT360X48P		Diesel		11118	353	480	07.19-	■
AD200X46FP MY24		Diesel		12882	338	460	11.23-	■
AD200X46 MY24		Diesel		12882	338	460	11.23-	■
AD200X46P MY24		Diesel		12882	338	460	11.23-	■
AD280X46FP MY24		Diesel		12882	338	460	11.23-	■
AD280X46P MY24		Diesel		12882	338	460	11.23-	■
AD300X46 MY24		Diesel		12882	338	460	11.23-	■
AD300X46P MY24		Diesel		12882	338	460	11.23-	■
AD350X46P MY24		Diesel		12882	338	460	11.23-	■
AD360X46 MY24		Diesel		12882	338	460	11.23-	■
AD360X46P MY24		Diesel		12882	338	460	11.23-	■
AS280X46FP MY24		Diesel		12882	338	460	11.23-	■

LISTA DE APLICACIONES - BUYERS GUIDE

AT280X46FP MY24	Diesel	12882	338	460	11.23-
AT280X46P MY24	Diesel	12882	338	460	11.23-
AT300X46P MY24	Diesel	12882	338	460	11.23-
AS280X49FP	Diesel	12882	357	485	07.19-
AS280X49P	Diesel	12882	357	490	07.19-
AD200X50 MY24	Diesel	12882	368	500	11.23-
AD200X50P MY24	Diesel	12882	368	500	11.23-
AD280X50FP MY24	Diesel	12882	368	500	11.23-
AD280X50P MY24	Diesel	12882	368	500	11.23-
AD300X50 MY24	Diesel	12882	368	500	11.23-
AD300X50P MY24	Diesel	12882	368	500	11.23-
AD350X50P MY24	Diesel	12882	368	500	11.23-
AD360X50 MY24	Diesel	12882	368	500	11.23-
AD360X50P MY24	Diesel	12882	368	500	11.23-
AS280X50FP MY24	Diesel	12882	368	500	11.23-
AS280X50P MY24	Diesel	12882	368	500	11.23-
AS300X50P MY24	Diesel	12882	368	500	11.23-
AS350X50P MY24	Diesel	12882	368	500	11.23-
AS360X50P MY24	Diesel	12882	368	500	11.23-
AT280X50FP MY24	Diesel	12882	368	500	11.23-
AT280X50P MY24	Diesel	12882	368	500	11.23-
AT300X50 MY24	Diesel	12882	368	500	11.23-
AT300X50P MY24	Diesel	12882	368	500	11.23-
AT350X50P MY24	Diesel	12882	368	500	11.23-
AS280X51P (F3HFE611G)	Diesel	12882	375	510	07.19-
AS300X51	Diesel	12882	375	510	07.19-
AS300X51P	Diesel	12882	375	510	07.19-
AS350X51P	Diesel	12882	375	510	07.19-
AS350X51P	Diesel	12882	375	510	07.19-
AS360X51	Diesel	12882	375	510	07.19-
AS360X51P	Diesel	12882	375	510	07.19-
AS280X53FP	Diesel	12882	387	526	07.19-
AS280X53P	Diesel	12882	387	530	07.19-
AS300X53	Diesel	12882	387	526	07.19-
AS300X53P	Diesel	12882	387	530	07.19-
AS350X53P	Diesel	12882	387	530	07.19-
AS350X53P	Diesel	12882	387	530	07.19-
AS360X53	Diesel	12882	387	530	07.19-
AS360X53P	Diesel	12882	387	526	07.19-
AD280X54FP MY24	Diesel	12882	397	540	11.23-
AD280X54P MY24	Diesel	12882	397	540	11.23-
AD300X54 MY24	Diesel	12882	397	540	11.23-
AD300X54P MY24	Diesel	12882	397	540	11.23-
AD350X54P MY24	Diesel	12882	397	540	11.23-
AD360X54 MY24	Diesel	12882	397	540	11.23-
AT200X54P MY24	Diesel	12882	397	540	11.23-
AT300X54 MY24	Diesel	12882	397	540	11.23-
AS280X57FP	Diesel	12882	420	571	07.19-
AS280X57FP	Diesel	12882	420	571	07.19-
AS280X57P (F3HFE611F)	Diesel	12882	420	570	07.19-
AS280X57P	Diesel	12882	420	570	07.19-

LISTA DE APLICACIONES - BUYERS GUIDE

AS300X57 (F3HFE611F)		Diesel		12882	420	570	07.19-	■	
AS300X57P (F3HFE611F)		Diesel		12882	420	570	07.19-	■	
AS350X57P		Diesel		12882	420	570	07.19-	■	
AS350X57P		Diesel		12882	420	570	07.19-	■	
AS360X57 (F3HFE611F)		Diesel		12882	420	570	07.19-	■	
AS360X57P (F3HFE611F)		Diesel		12882	420	570	07.19-	■	
AS280X58FP MY24		Diesel		12882	426	579	11.23-	■	
AS280X58P MY24		Diesel		12882	426	579	11.23-	■	
AS300X58 MY24		Diesel		12882	426	579	11.23-	■	
AS300X58P MY24		Diesel		12882	426	579	11.23-	■	
AS350X58P MY24		Diesel		12882	426	579	11.23-	■	
AS350X58P MY24		Diesel		12882	426	579	11.23-	■	
AS360X58P MY24		Diesel		12882	426	579	11.23-	■	
X-WAY 07.19-									Truck Tractor
AD440X42T		Diesel		11118	309	420	07.19-	■	
AD440X42T		Diesel		11118	309	420	07.19-	■	
AD440X42TP		Diesel		11118	309	420	07.19-	■	
AD440X42TP		Diesel		11118	309	420	07.19-	■	
AS440X42TP (F3GFE611F)		Diesel		11118	309	420	07.19-	■	
AT440X42TP		Diesel		11118	309	420	07.19-	■	
AT440X42TP		Diesel		11118	309	420	07.19-	■	
AD440X46T		Diesel		11118	338	460	07.19-	■	
AD440X46TP		Diesel		11118	338	460	07.19-	■	
AD440X46TP		Diesel		11118	338	460	07.19-	■	
AS440X46T (F3GFE611E)		Diesel		11118	338	460	07.19-	■	
AS440X46TP (F3GFE611E)		Diesel		11118	338	460	07.19-	■	
AT440X46TP		Diesel		11118	338	460	07.19-	■	
AT440X46TP		Diesel		11118	338	460	07.19-	■	
AD440X48T		Diesel		11118	353	480	07.19-	■	
AD440X48TP		Diesel		11118	353	480	07.19-	■	
AD440X48TP		Diesel		11118	353	480	07.19-	■	
AS440X48TP (F3GFE611G)		Diesel		11118	353	480	07.19-	■	
AT440X48T		Diesel		11118	353	480	07.19-	■	
AT440X48TP		Diesel		11118	353	480	07.19-	■	
AT440X48TP		Diesel		11118	353	480	07.19-	■	
AD440X46TP MY24		Diesel		12882	338	460	11.23-	■	
AD440X46TP MY24		Diesel		12882	338	460	11.23-	■	
AT440X46TP MY24		Diesel		12882	338	460	11.23-	■	
AS440X49TP		Diesel		12882	357	490	07.19-	■	
AD440X50TP MY24		Diesel		12882	368	500	11.23-	■	
AS440X50TFP MY24		Diesel		12882	368	500	11.23-	■	
AS440X50TP MY24		Diesel		12882	368	500	11.23-	■	
AS440X50TP MY24		Diesel		12882	368	500	11.23-	■	
AT440X50TFP MY24		Diesel		12882	368	500	11.23-	■	
AT440X50TP MY24		Diesel		12882	368	500	11.23-	■	
AS440X51T		Diesel		12882	375	510	07.19-	■	
AS440X51TP (F3HFE611G)		Diesel		12882	375	510	07.19-	■	
AS440X51TP (F3HFE611G)		Diesel		12882	375	510	07.19-	■	
AS440X53T		Diesel		12882	387	530	07.19-	■	
AS440X53T		Diesel		12882	387	526	07.19-	■	
AS440X53TFP		Diesel		12882	387	526	07.19-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

AS440X53TP		Diesel		12882	387	530	07.19-	■	
AS440X53TP		Diesel		12882	387	530	07.19-	■	
AT440X54TP MY24		Diesel		12882	397	540	11.23-	■	
AS440X57T		Diesel		12882	420	570	07.19-	■	
AS440X57TFP		Diesel		12882	420	571	07.19-	■	
AS440X57TP (F3HFE611F)		Diesel		12882	420	570	07.19-	■	
AS440X57TP (F3HFE611F)		Diesel		12882	420	570	07.19-	■	
AS440X58TFP MY24		Diesel		12882	426	579	11.23-	■	
AS440X58TP MY24		Diesel		12882	426	579	11.23-	■	
AS440X58TP MY24		Diesel		12882	426	579	11.23-	■	
X-WAY 07.19-					Truck Tractor				
AS440X46TP CNG		Gasolina		12882	338	460	07.19-	■	
AS440X46TP CNG+LNG		Gasolina		12882	338	460	07.19-	■	
AS440X46TP LNG		Gasolina		12882	338	460	07.19-	■	