

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0015-1



Qty: 998 Weight: 36.000

O.E.M.	MAKE
1962300	DAF
2995812	IVECO
2996328	IVECO
7185503	IVECO
7189476	IVECO

78CV0015-1



Ø432x45x154.5

MAKE
IRISBUS
IVECO



Trac.	CC	Kw	CV	Hourglass	Front / Rear

IRISBUS

EURORIDER 01.01-12.13								Bus	
EuroRider 8		Diesel		7790	228	310	01.01-12.13	■	
EuroRider 8		Diesel		7790	243	330	01.01-12.13	■	
EuroRider 8		Diesel		7790	257	349	01.01-12.13	■	
EuroRider 10		Diesel		10308	279	379	01.01-12.13	■	
EuroRider 10		Diesel		10308	316	430	01.01-12.13	■	
EuroRider 10		Diesel		10308	330	449	05.07-	■	■

IVECO

04.21-								Concrete Mixer	
AD410T51B		Diesel		12882	375	510	04.21-	■	
04.21-								Platform/Chassis	
AD410T51		Diesel		12882	375	510	04.21-	■	
AD410T51P		Diesel		12882	375	510	04.21-	■	
EuroTrakker 01.93-12.06								Platform/Chassis	
MP 380 E 38 H Cursor (F3BE0681G)		Diesel		12882	280	380	01.01-11.04	■	■
Stralis 02.02-								Platform/Chassis	
AD 260S31, AT 260S31 (F2BE0681B)		Diesel		7790	228	310	06.03-	■	■
AD 260S31, AT 260S31 (F2BE3681C)		Diesel		7790	228	310	06.03-	■	■
AD 260S33, AT 260S33 (F2BE3681B)		Diesel		7790	243	330	12.06-	■	■
AD 260S35, AT 260S35, AD 260S36, AT 260S36 (F2BE0681A)		Diesel		7790	259	352	06.03-	■	■
AD 260S35, AT 260S35, AD 260S36, AT 260S36 (F2BE3681A)		Diesel		7790	259	352	06.03-	■	■
AS 260S43 (F3AE0681D)		Diesel		10300	316	430	02.02-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

AD 190S40, AT 190S40 (F3AE0681B)		Diesel		10308	294	400	03.03-	■	■
AD 190S40, AT 190S40 (F3AE0681H)		Diesel		10308	294	400	03.03-	■	■
AS 190S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AS 190S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■
AS 260S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AS 260S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■
AS 260S40		Diesel		10308	294	400	02.02-	■	■
AD 260S42, AT 260S42 (F3AE3681B)		Diesel		10308	310	422	12.06-	■	■
AD 190S43, AT 190S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AD 260S43, AT 260S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AS 190S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■
AS 260S43		Diesel		10308	316	430	02.02-	■	■
AD 190S45, AT 190S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AD 260S45, AT 260S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AS 190S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AS 190S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 260S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 260S48		Diesel		12882	353	480	02.02-	■	■
AS 260S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■
AS 260S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■
<b>Stralis 02.02-</b>								<b>Platform/Chassis</b>	
AD 260S30 CNG (F2GE0682A)		Gasolina		7790	220	299	01.13-	■	■
<b>Stralis 02.02-</b>								<b>Truck Tractor</b>	
AD 440S33, AT 440S33 (F2BE3681B)		Diesel		7790	243	330	12.06-	■	■
AD 440S35, AT 440S35, AD 440S36, AT 440S36 (F2BE0681A)		Diesel		7790	259	352	06.03-	■	■
AD 440S35, AT 440S35, AD 440S36, AT 440S36 (F2BE3681A)		Diesel		7790	259	352	06.03-	■	■
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■
AD 440S40, AT 440S40 (F3AE0681H)		Diesel		10308	294	400	06.03-	■	■
AD 440S40, AT 440S40 (F3AE0681B)		Diesel		10308	294	400	06.03-	■	■
AS 440S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AS 440S40 (F3AE0681H)		Diesel		10308	294	400	02.02-	■	■
AS 440S40 (F3AE0681B)		Diesel		10308	294	400	02.02-	■	■
AD 440S42, AT 440S42 (F3AE3681B)		Diesel		10308	310	422	04.06-	■	■
AD 440S42, AT 440S42 (F3AE3681D)		Diesel		10308	310	422	04.06-	■	■
AD 440S43, AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AD 440S43, AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AS 440S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■
AS 440S43 (F3AE0681D)		Diesel		10308	316	430	02.02-	■	■
AT 440S43 (F3AE0681D)		Diesel		10308	316	430	06.03-	■	■
AD 440S45, AT 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AS 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AS 440S45, AT 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AS 440S45, AT 440S45 (F3AE3681A)		Diesel		10308	331	450	12.06-	■	■
AS 440S46		Diesel		10308	338	460	12.09-	■	■
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 440S48 (F3BE0681E)		Diesel		12882	353	480	02.02-	■	■
AS 440S50, AT 440S50 (F3B3681B)		Diesel		12882	368	500	12.06-12.12	■	■
AS 440S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■
AS 440S54 (F3BE0681A)		Diesel		12882	397	540	02.02-	■	■

# LISTA DE APLICACIONES - BUYERS GUIDE

AS 440S56, AT 440S56 (F3B3681A)	Diesel		12882	412	560	12.06-	■	■
<b>Stralis 02.02-</b>				<b>Truck Tractor</b>				
AT 440S33 CNG (F2GE0682A)	Gasolina		7790	243	330	01.13-	■	■
<b>Stralis II 09.12-</b>				<b>Platform/Chassis</b>				
AD260S42FP	Diesel		11118	309	420	09.12-	■	■
AD260S42P	Diesel		11118	309	420	09.12-	■	■
AS260S42FP	Diesel		11118	309	420	09.12-	■	■
AS260S42P	Diesel		11118	309	420	09.12-	■	■
AT260S42FP	Diesel		11118	309	420	09.12-	■	■
AT260S42P	Diesel		11118	309	420	09.12-	■	■
<b>Stralis II 09.12-</b>				<b>Truck Tractor</b>				
AS440S46TFP	Diesel		10308	338	460	09.12-	■	■
AS440S46TP	Diesel		10308	338	460	09.12-	■	■
<b>S-WAY 07.19-</b>				<b>Platform/Chassis</b>				
AD190S33FP	Diesel		8709	243	330	07.19-		■
AD190S33P	Diesel		8709	243	330	07.19-		■
AD260S33FP	Diesel		8709	243	330	07.19-		■
AD260S33P	Diesel		8709	243	330	07.19-		■
AD260S33P	Diesel		8709	243	330	07.19-		■
AD260S33P	Diesel		8709	243	330	07.19-		■
AD260S33P	Diesel		8709	243	330	07.19-		■
AT190S33FP	Diesel		8709	243	330	07.19-		■
AT190S33P	Diesel		8709	243	330	07.19-		■
AT260S33FP	Diesel		8709	243	330	07.19-		■
AT260S33P	Diesel		8709	243	330	07.19-		■
AT260S33P	Diesel		8709	243	330	07.19-		■
AD190S34FP	Diesel		8709	251	340	07.19-		■
AD190S34FP MY24	Diesel		8709	251	341	11.23-		■
AD190S34P	Diesel		8709	251	340	07.19-		■
AD190S34P MY24	Diesel		8709	251	341	11.23-		■
AD260S34FP	Diesel		8709	251	340	07.19-		■
AD260S34FP MY24	Diesel		8709	251	341	11.23-		■
AD260S34P	Diesel		8709	251	340	07.19-		■
AD260S34P	Diesel		8709	251	340	07.19-		■
AD260S34P MY24	Diesel		8709	251	341	11.23-		■
AT190S34FP	Diesel		8709	251	340	07.19-		■
AT190S34FP MY24	Diesel		8709	251	341	11.23-		■
AT190S34P	Diesel		8709	251	340	07.19-		■
AT190S34P MY24	Diesel		8709	251	341	11.23-		■
AT260S34FP	Diesel		8709	251	341	07.19-		■
AT260S34FP MY24	Diesel		8709	251	341	11.23-		■
AT260S34P	Diesel		8709	251	340	07.19-		■
AT260S34P	Diesel		8709	251	340	07.19-		■
AD190S36FP	Diesel		8709	265	360	07.19-		■
AD190S36P	Diesel		8709	265	360	07.19-		■
AD190S36P MY24	Diesel		8709	265	360	11.23-		■
AD200S36	Diesel		8709	265	360	07.19-		■
AD260S36FP	Diesel		8709	265	360	07.19-		■
AD260S36FP	Diesel		8709	265	360	07.19-		■
AD260S36FP MY24	Diesel		8709	265	360	11.23-		■
AD260S36P	Diesel		8709	265	360	07.19-		■

# LISTA DE APLICACIONES - BUYERS GUIDE

AD260S36P	Diesel	8709	265	360	07.19-
AD260S36P MY24	Diesel	8709	265	360	11.23-
AD280S36FP	Diesel	8709	265	360	07.19-
AD280S36P	Diesel	8709	265	360	07.19-
AD300S36	Diesel	8709	265	360	07.19-
AT190S36FP	Diesel	8709	265	360	07.19-
AT190S36FP MY24	Diesel	8709	265	360	11.23-
AT190S36P	Diesel	8709	265	360	07.19-
AT190S36P MY24	Diesel	8709	265	360	11.23-
AT260S36FP	Diesel	8709	265	360	07.19-
AT260S36FP MY24	Diesel	8709	265	360	11.23-
AT260S36P	Diesel	8709	265	360	07.19-
AT260S36P	Diesel	8709	265	360	07.19-
AT260S36P MY24	Diesel	8709	265	360	11.23-
AT280S36P	Diesel	8709	265	360	07.19-
AT300S36	Diesel	8709	265	360	07.19-
AD190S40FP	Diesel	8709	294	400	07.19-
AD190S40FP MY24	Diesel	8709	294	400	11.23-
AD190S40P	Diesel	8709	294	400	07.19-
AD190S40P MY24	Diesel	8709	294	400	11.23-
AD260S40FP	Diesel	8709	294	400	07.19-
AD260S40FP MY24	Diesel	8709	294	400	11.23-
AD260S40P	Diesel	8709	294	400	07.19-
AD260S40P	Diesel	8709	294	400	07.19-
AD260S40P MY24	Diesel	8709	294	400	11.23-
AT190S40FP	Diesel	8709	294	400	07.19-
AT190S40FP MY24	Diesel	8709	294	400	11.23-
AT190S40P	Diesel	8709	294	400	07.19-
AT190S40P MY24	Diesel	8709	294	400	11.23-
AT260S40FP	Diesel	8709	294	400	07.19-
AT260S40FP MY24	Diesel	8709	294	400	11.23-
AT260S40P	Diesel	8709	294	400	07.19-
AT260S40P MY24	Diesel	8709	294	400	11.23-
AD190S42FP	Diesel	11118	309	420	07.19-
AD190S42P	Diesel	11118	309	420	07.19-
AD260S42FP	Diesel	11118	309	420	07.19-
AD260S42FP	Diesel	11118	309	420	07.19-
AD260S42P	Diesel	11118	309	420	07.19-
AD260S42P	Diesel	11118	309	420	07.19-
AS190S42FP	Diesel	11118	309	420	07.19-
AS190S42P	Diesel	11118	309	420	07.19-
AS260S42FP	Diesel	11118	309	420	07.19-
AS260S42FP	Diesel	11118	309	420	07.19-
AS260S42P	Diesel	11118	309	420	07.19-
AS260S42P	Diesel	11118	309	420	07.19-
AT190S42FP	Diesel	11118	309	420	07.19-
AT190S42P	Diesel	11118	309	420	07.19-
AT260S42FP	Diesel	11118	309	420	07.19-
AT260S42FP	Diesel	11118	309	420	07.19-
AT260S42P	Diesel	11118	309	420	07.19-
AT260S42P	Diesel	11118	309	420	07.19-

## LISTA DE APLICACIONES - BUYERS GUIDE

AD190S46FP		Diesel		11118	338	460	07.19-	■
AD190S46P		Diesel		11118	338	460	07.19-	■
AD260S46FP		Diesel		11118	338	460	07.19-	■
AD260S46P		Diesel		11118	338	460	07.19-	■
AD260S46P		Diesel		11118	338	460	07.19-	■
AS190S46FP (F3GFE611E)		Diesel		11118	338	460	07.19-	■
AS190S46P (F3GFE611E)		Diesel		11118	338	460	07.19-	■
AS260S46FP		Diesel		11118	338	460	07.19-	■
AS260S46FP		Diesel		11118	338	460	07.19-	■
AS260S46P		Diesel		11118	338	460	07.19-	■
AS260S46P		Diesel		11118	338	460	07.19-	■
AT190S46FP		Diesel		11118	338	460	07.19-	■
AT190S46P		Diesel		11118	338	460	07.19-	■
AT260S46FP		Diesel		11118	338	460	07.19-	■
AT260S46FP		Diesel		11118	338	460	07.19-	■
AT260S46P		Diesel		11118	338	460	07.19-	■
AT260S46P		Diesel		11118	338	460	07.19-	■
AD190S48FP		Diesel		11118	353	480	07.19-	■
AD190S48P		Diesel		11118	353	480	07.19-	■
AD260S48FP		Diesel		11118	353	480	07.19-	■
AD260S48FP		Diesel		11118	353	480	07.19-	■
AD260S48P		Diesel		11118	353	480	07.19-	■
AS190S48FP		Diesel		11118	353	480	07.19-	■
AS190S48P		Diesel		11118	353	480	07.19-	■
AS260S48FP		Diesel		11118	353	480	07.19-	■
AS260S48FP		Diesel		11118	353	480	07.19-	■
AS260S48P		Diesel		11118	353	480	07.19-	■
AS260S48P		Diesel		11118	353	480	07.19-	■
AT190S48FP		Diesel		11118	353	480	07.19-	■
AT260S48FP		Diesel		11118	353	480	07.19-	■
AT260S48FP		Diesel		11118	353	480	07.19-	■
AT260S48P		Diesel		11118	353	480	07.19-	■
AT260S48P		Diesel		11118	353	480	07.19-	■
AD200S43		Diesel		12882	316	430	07.19-	■
AD200S43P		Diesel		12882	316	430	07.19-	■
AD280S43P		Diesel		12882	316	430	07.19-	■
AT280S43P		Diesel		12882	316	430	07.19-	■
AD260S46FP MY24		Diesel		12882	338	460	11.23-	■
AD260S46P MY24		Diesel		12882	338	460	11.23-	■
AS190S46FP MY24		Diesel		12882	338	460	11.23-	■
AS190S46P MY24		Diesel		12882	338	460	11.23-	■
AS260S46FP MY24		Diesel		12882	338	460	11.23-	■
AS260S46P MY24		Diesel		12882	338	460	11.23-	■
AT260S46FP MY24		Diesel		12882	338	460	11.23-	■
AT260S46P MY24		Diesel		12882	338	460	11.23-	■
AS190S49FP		Diesel		12882	357	490	07.19-	■
AS190S49P		Diesel		12882	357	490	07.19-	■
AS260S49FP		Diesel		12882	357	490	07.19-	■
AS260S49FP		Diesel		12882	357	490	07.19-	■
AS260S49P		Diesel		12882	357	490	07.19-	■
AS260S49P		Diesel		12882	357	490	07.19-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

AD190S50FP MY24		Diesel		12882	368	500	11.23-	■
AD260S50FP MY24		Diesel		12882	368	500	11.23-	■
AD260S50P MY24		Diesel		12882	368	500	11.23-	■
AS190S50FP MY24		Diesel		12882	368	500	11.23-	■
AS190S50P MY24		Diesel		12882	368	500	11.23-	■
AS260S50FP MY24		Diesel		12882	368	500	11.23-	■
AS260S50P MY24		Diesel		12882	368	500	11.23-	■
AT190S50FP MY24		Diesel		12882	368	500	11.23-	■
AT260S50FP MY24		Diesel		12882	368	500	11.23-	■
AS190S51FP		Diesel		12882	375	510	07.19-	■
AS190S51P		Diesel		12882	375	510	07.19-	■
AS260S51FP (F3GFE611G)		Diesel		12882	375	510	07.19-	■
AS260S51FP		Diesel		12882	375	510	07.19-	■
AS260S51P (F3GFE611G)		Diesel		12882	375	510	07.19-	■
AS260S51P (F3GFE611G)		Diesel		12882	375	510	07.19-	■
AS190S53FP		Diesel		12882	387	530	07.19-	■
AS190S53P		Diesel		12882	387	526	07.19-	■
AS260S53FP		Diesel		12882	387	530	07.19-	■
AS260S53FP		Diesel		12882	387	526	07.19-	■
AS260S53P		Diesel		12882	387	530	07.19-	■
AS260S53P		Diesel		12882	387	526	07.19-	■
AS260S57FP		Diesel		12882	420	570	07.19-	■
AS260S57FP		Diesel		12882	420	570	07.19-	■
AS260S57P		Diesel		12882	420	570	07.19-	■
AS190S58FP MY24		Diesel		12882	426	579	11.23-	■
AS260S58FP MY24		Diesel		12882	426	579	11.23-	■
AS260S58P MY24		Diesel		12882	426	579	11.23-	■
<b>S-WAY 07.19-</b>				<b>Platform/Chassis</b>				
AD190S27P CNG		Gasolina		8709	200	272	07.19-	■
AD190S27P CNG+LNG		Gasolina		8709	200	272	07.19-	■
AD190S27P LNG		Gasolina		8709	200	272	07.19-	■
AD260S27P CNG		Gasolina		8709	200	272	07.19-	■
AD260S27P CNG+LNG		Gasolina		8709	200	272	07.19-	■
AD260S27P LNG		Gasolina		8709	200	272	07.19-	■
AD190S34FP CNG		Gasolina		8709	250	340	07.19-	■
AD190S34FP CNG+LNG		Gasolina		8709	250	340	07.19-	■
AD190S34FP LNG		Gasolina		8709	250	340	07.19-	■
AD190S34P CNG		Gasolina		8709	250	340	07.19-	■
AD190S34P CNG+LNG		Gasolina		8709	250	340	07.19-	■
AD190S34P LNG		Gasolina		8709	250	340	07.19-	■
AD260S34FP CNG		Gasolina		8709	250	340	07.19-	■
AD260S34FP CNG+LNG		Gasolina		8709	250	340	07.19-	■
AD260S34FP LNG		Gasolina		8709	250	340	07.19-	■
AD260S34P CNG		Gasolina		8709	250	340	07.19-	■
AD260S34P CNG+LNG		Gasolina		8709	250	340	07.19-	■
AD260S34P LNG		Gasolina		8709	250	340	07.19-	■
AT190S34FP CNG		Gasolina		8709	250	340	07.19-	■
AT190S34FP CNG+LNG		Gasolina		8709	250	340	07.19-	■
AT190S34FP LNG		Gasolina		8709	250	340	07.19-	■
AT190S34P CNG		Gasolina		8709	250	340	07.19-	■
AT190S34P CNG+LNG		Gasolina		8709	250	340	07.19-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

AT190S34P LNG	Gasolina	8709	250	340	07.19-	■	
AT260S34FP CNG	Gasolina	8709	250	340	07.19-	■	
AT260S34FP CNG+LNG	Gasolina	8709	250	340	07.19-	■	
AT260S34FP LNG	Gasolina	8709	250	340	07.19-	■	
AD190S40FP CNG	Gasolina	8709	294	400	07.19-	■	
AD190S40FP CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AD190S40FP LNG	Gasolina	8709	294	400	07.19-	■	
AD190S40P CNG	Gasolina	8709	294	400	07.19-	■	
AD190S40P CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AD190S40P LNG	Gasolina	8709	294	400	07.19-	■	
AD260S40FP CNG	Gasolina	8709	294	400	07.19-	■	
AD260S40FP CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AD260S40FP LNG	Gasolina	8709	294	400	07.19-	■	
AD260S40P CNG	Gasolina	8709	294	400	07.19-	■	
AD260S40P CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AD260S40P LNG	Gasolina	8709	294	400	07.19-	■	
AT190S40FP CNG	Gasolina	8709	294	400	07.19-	■	
AT190S40FP CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AT190S40FP LNG	Gasolina	8709	294	400	07.19-	■	
AT190S40P CNG	Gasolina	8709	294	400	07.19-	■	
AT190S40P CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AT190S40P LNG	Gasolina	8709	294	400	07.19-	■	
AT260S40FP CNG	Gasolina	8709	294	400	07.19-	■	
AT260S40FP CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AT260S40FP LNG	Gasolina	8709	294	400	07.19-	■	
AT260S40P CNG	Gasolina	8709	294	400	07.19-	■	
AT260S40P CNG+LNG	Gasolina	8709	294	400	07.19-	■	
AT260S40P LNG	Gasolina	8709	294	400	07.19-	■	
AS190S46FP CNG	Gasolina	12882	338	460	07.19-	■	
AS190S46FP CNG+LNG	Gasolina	12882	338	460	07.19-	■	
AS190S46FP LNG	Gasolina	12882	338	460	07.19-	■	
AS260S46FP CNG	Gasolina	12882	338	460	07.19-	■	
AS260S46FP CNG+LNG	Gasolina	12882	338	460	07.19-	■	
AS260S46FP LNG	Gasolina	12882	338	460	07.19-	■	
AS260S46P CNG	Gasolina	12882	338	460	07.19-	■	
AS260S46P CNG+LNG	Gasolina	12882	338	460	07.19-	■	
AS260S46P LNG	Gasolina	12882	338	460	07.19-	■	
<b>S-WAY 07.19-</b>				<b>Truck Tractor</b>			
AT440S33TP	Diesel	8709	243	330	07.19-	■	
AD440S34TP	Diesel	8709	251	341	07.19-	■	
AT440S34TP	Diesel	8709	251	341	07.19-	■	
AD440S36TFP	Diesel	8709	265	360	07.19-	■	
AD440S36TP	Diesel	8709	265	360	07.19-	■	
AT440S36TP	Diesel	8709	265	360	07.19-	■	
AT440S36TP MY24	Diesel	8709	265	360	11.23-	■	
AD440S40TP	Diesel	8709	294	400	07.19-	■	
AT440S40TFP	Diesel	8709	294	400	07.19-	■	
AT440S40TFP MY24	Diesel	8709	294	400	11.23-	■	
AT440S40TP	Diesel	8709	294	400	07.19-	■	
AT440S40TP MY24	Diesel	8709	294	400	11.23-	■	
AD440S42TP	Diesel	11118	309	420	07.19-	■	

## LISTA DE APLICACIONES - BUYERS GUIDE

AS440S42TFP (F3GFE611F)	Diesel	11118	309	420	07.19-
AS440S42TP (F3GFE611F)	Diesel	11118	309	420	07.19-
AS440S42TP	Diesel	11118	309	420	07.19-
AT440S42TFP	Diesel	11118	309	420	07.19-
AT440S42TP	Diesel	11118	309	420	07.19-
AD440S46TFP	Diesel	11118	338	460	07.19-
AD440S46TP	Diesel	11118	338	460	07.19-
AS440S46TFP (F3GFE611E)	Diesel	11118	338	460	07.19-
AS440S46TFP	Diesel	11118	338	460	07.19-
AS440S46TP (F3GFE611E)	Diesel	11118	338	460	07.19-
AS440S46TP	Diesel	11118	338	460	07.19-
AS440S46TP	Diesel	11118	338	460	07.19-
AT440S46TFP	Diesel	11118	338	460	07.19-
AT440S46TP	Diesel	11118	338	460	07.19-
AT440S46TP	Diesel	11118	338	460	07.19-
AT440S46TP	Diesel	11118	338	460	07.19-
AD440S48TFP	Diesel	11118	353	480	07.19-
AD440S48TP	Diesel	11118	353	480	07.19-
AS440S48TFP (F3GFE611G)	Diesel	11118	353	480	07.19-
AS440S48TFP	Diesel	11118	353	480	07.19-
AS440S48TFP	Diesel	11118	353	480	07.19-
AS440S48TP (F3GFE611G)	Diesel	11118	353	480	07.19-
AS440S48TP	Diesel	11118	353	480	07.19-
AS440S48TP	Diesel	11118	353	480	07.19-
AT440S48TFP	Diesel	11118	353	480	07.19-
AT440S48TFP	Diesel	11118	353	480	07.19-
AT440S48TP	Diesel	11118	353	480	07.19-
AT440S48TP	Diesel	11118	353	480	07.19-
AT440S48TP	Diesel	11118	353	480	07.19-
AD440S43T	Diesel	12882	316	430	07.19-
AS440S43TP	Diesel	12882	316	430	07.19-
AT440S43T	Diesel	12882	316	430	07.19-
AT440S43TP	Diesel	12882	316	430	07.19-
AT440S43TP	Diesel	12882	316	430	07.19-
AD440S46TP MY24	Diesel	12882	338	460	11.23-
AS440S46TFP MY24	Diesel	12882	338	460	11.23-
AS440S46TP MY24	Diesel	12882	338	460	11.23-
AT440S46TP MY24	Diesel	12882	338	460	11.23-
AD440S47TP	Diesel	12882	349	475	07.19-
AS440S47TFP	Diesel	12882	349	475	07.19-
AT440S47T	Diesel	12882	349	475	07.19-
AT440S47TP	Diesel	12882	349	475	07.19-
AS440S48TP	Diesel	12882	353	480	07.19-
AS440S48TP	Diesel	12882	353	480	07.19-
AS440S48TP	Diesel	12882	353	480	07.19-
AT440S48T	Diesel	12882	353	480	07.19-
AT440S48TFP	Diesel	12882	353	480	07.19-
AT440S48TP	Diesel	12882	353	480	07.19-
AS440S49TFP	Diesel	12882	357	490	07.19-
AS440S49TFP	Diesel	12882	357	490	07.19-
AS440S49TFP	Diesel	12882	357	485	07.19-

# LISTA DE APLICACIONES - BUYERS GUIDE

AS440S49TP		Diesel		12882	357	490	07.19-	■
AS440S49TP		Diesel		12882	357	490	07.19-	■
AS440S49TP		Diesel		12882	357	490	07.19-	■
AS440S50TFP MY24		Diesel		12882	368	500	11.23-	■
AS440S50TFP MY24		Diesel		12882	368	500	11.23-	■
AS440S50TP MY24		Diesel		12882	368	500	11.23-	■
AS440S50TP MY24		Diesel		12882	368	500	11.23-	■
AT440S50TFP MY24		Diesel		12882	368	500	11.23-	■
AT440S50TP MY24		Diesel		12882	368	500	11.23-	■
AS440S51TFP (F3HFE611G)		Diesel		12882	375	510	07.19-	■
AS440S51TFP		Diesel		12882	375	510	07.19-	■
AS440S51TFP		Diesel		12882	375	510	07.19-	■
AS440S51TP		Diesel		12882	375	510	07.19-	■
AS440S51TP (F3HFE611G)		Diesel		12882	375	510	07.19-	■
AS440S51TP (F3HFE611G)		Diesel		12882	375	510	07.19-	■
AS440S51TP		Diesel		12882	375	510	07.19-	■
AS440S53TFP		Diesel		12882	387	530	07.19-	■
AS440S53TFP		Diesel		12882	387	530	07.19-	■
AS440S53TFP		Diesel		12882	387	530	07.19-	■
AS440S53TP		Diesel		12882	387	530	07.19-	■
AS440S53TP		Diesel		12882	387	530	07.19-	■
AS440S53TP		Diesel		12882	387	530	07.19-	■
AT440S54TP MY24		Diesel		12882	397	540	11.23-	■
AS440S57TFP (F3HFE611F)		Diesel		12882	420	570	07.19-	■
AS440S57TFP		Diesel		12882	420	570	07.19-	■
AS440S57TFP		Diesel		12882	420	570	07.19-	■
AS440S57TP (F3HFE611F)		Diesel		12882	420	570	07.19-	■
AS440S57TP		Diesel		12882	420	570	07.19-	■
AS440S57TP		Diesel		12882	420	570	07.19-	■
AS440S57TP		Diesel		12882	420	570	07.19-	■
AS440S58TFP MY24		Diesel		12882	426	579	11.23-	■
AS440S58TFP MY24		Diesel		12882	426	579	11.23-	■
AS440S58TP MY24		Diesel		12882	426	579	11.23-	■
AS440S58TP MY24		Diesel		12882	426	579	11.23-	■
<b>S-WAY 07.19-</b>				<b>Truck Tractor</b>				
AS440S40TP CNG		Gasolina		8709	294	400	07.19-	■
AS440S40TP CNG+LNG		Gasolina		8709	294	400	07.19-	■
AS440S40TP LNG		Gasolina		8709	294	400	07.19-	■
AS440S46TFP CNG		Gasolina		12882	338	460	07.19-	■
AS440S46TFP CNG+LNG		Gasolina		12882	338	460	07.19-	■
AS440S46TFP LNG		Gasolina		12882	338	460	07.19-	■
AS440S46TP CNG		Gasolina		12882	338	460	07.19-	■
AS440S46TP CNG		Gasolina		12882	338	460	07.19-	■
AS440S46TP CNG+LNG		Gasolina		12882	338	460	07.19-	■
AS440S46TP CNG+LNG		Gasolina		12882	338	460	07.19-	■
AS440S46TP LNG		Gasolina		12882	338	460	07.19-	■
AS440S46TP LNG		Gasolina		12882	338	460	07.19-	■
<b>X-WAY 07.19-</b>				<b>Concrete Mixer</b>				
AD300X36B		Diesel		8709	265	360	07.19-	■
AD300X40B		Diesel		8709	294	400	07.19-	■
AD360X40B		Diesel		8709	294	400	07.19-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

AD360X40BP		Diesel		8709	294	400	07.19-	■
AD300X42B		Diesel		11118	309	420	07.19-	■
AD360X42B		Diesel		11118	309	420	07.19-	■
AD300X46B		Diesel		11118	338	460	07.19-	■
AD350X46BP		Diesel		11118	338	460	07.19-	■
AD360X46B		Diesel		11118	338	460	07.19-	■
AD360X46BP		Diesel		11118	338	460	07.19-	■
AD360X48B		Diesel		11118	353	480	07.19-	■
AD360X48BP		Diesel		11118	353	480	07.19-	■
<b>X-WAY 07.19-</b>								
AD300X40B MY24		Diesel		8709	294	400	11.23-	■
AD360X40B MY24		Diesel		8709	294	400	11.23-	■
AD360X46B MY24		Diesel		12882	338	460	11.23-	■
AD360X50BP MY24		Diesel		12882	368	500	11.23-	■
<b>X-WAY 07.19-</b>								
								<b>Platform/Chassis</b>
AD200X33		Diesel		8709	243	330	07.19-	■
AD200X33P		Diesel		8709	243	330	07.19-	■
AD280X33P		Diesel		8709	243	330	07.19-	■
AD280X33P		Diesel		8709	243	330	07.19-	■
AD300X33		Diesel		8709	243	330	07.19-	■
AT280X33P		Diesel		8709	243	330	07.19-	■
AD200X34		Diesel		8709	251	340	07.19-	■
AD200X34 MY24		Diesel		8709	251	341	11.23-	■
AD200X34P		Diesel		8709	251	340	07.19-	■
AD280X34P		Diesel		8709	251	340	07.19-	■
AD280X34P		Diesel		8709	251	340	07.19-	■
AD280X34P MY24		Diesel		8709	251	341	11.23-	■
AD200X36		Diesel		8709	265	360	07.19-	■
AD200X36 MY24		Diesel		8709	265	360	11.23-	■
AD200X36P		Diesel		8709	265	360	07.19-	■
AD200X36P MY24		Diesel		8709	265	360	11.23-	■
AD280X36FP		Diesel		8709	265	360	07.19-	■
AD280X36P		Diesel		8709	265	360	07.19-	■
AD280X36P		Diesel		8709	265	360	07.19-	■
AD280X36P MY24		Diesel		8709	265	360	11.23-	■
AD280X36P MY24		Diesel		8709	265	360	11.23-	■
AD300X36		Diesel		8709	265	360	07.19-	■
AD300X36 MY24		Diesel		8709	265	360	11.23-	■
AD300X36P		Diesel		8709	265	360	07.19-	■
AD350X36P		Diesel		8709	265	360	07.19-	■
AD350X36P MY24		Diesel		8709	265	360	11.23-	■
AD360X36		Diesel		8709	265	360	07.19-	■
AD360X36P MY24		Diesel		8709	265	360	11.23-	■
AT200X36P		Diesel		8709	265	360	07.19-	■
AT280X36FP		Diesel		8709	265	360	07.19-	■
AT280X36P		Diesel		8709	265	360	07.19-	■
AT280X36P		Diesel		8709	265	360	07.19-	■
AT300X36		Diesel		8709	265	360	07.19-	■
AT300X36P		Diesel		8709	265	360	07.19-	■
AD200X40		Diesel		8709	294	400	07.19-	■
AD200X40 MY24		Diesel		8709	294	400	11.23-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

AD200X40P		Diesel		8709	294	400	07.19-	■
AD200X40P MY24		Diesel		8709	294	400	11.23-	■
AD280X40P		Diesel		8709	294	400	07.19-	■
AD280X40P		Diesel		8709	294	400	07.19-	■
AD280X40P MY24		Diesel		8709	294	400	11.23-	■
AD300X40		Diesel		8709	294	400	07.19-	■
AD300X40 MY24		Diesel		8709	294	400	11.23-	■
AD300X40P		Diesel		8709	294	400	07.19-	■
AD300X40P MY24		Diesel		8709	294	400	11.23-	■
AD350X40P		Diesel		8709	294	400	07.19-	■
AD350X40P		Diesel		8709	294	400	07.19-	■
AD350X40P MY24		Diesel		8709	294	400	11.23-	■
AD360X40		Diesel		8709	294	400	07.19-	■
AD360X40P		Diesel		8709	294	400	07.19-	■
AD360X40P MY24		Diesel		8709	294	400	11.23-	■
AT200X40P		Diesel		8709	294	400	07.19-	■
AT200X40P MY24		Diesel		8709	294	400	11.23-	■
AT280X40FP		Diesel		8709	294	400	07.19-	■
AT280X40P		Diesel		8709	294	400	07.19-	■
AT280X40P		Diesel		8709	294	400	07.19-	■
AT280X40P MY24		Diesel		8709	294	400	11.23-	■
AT300X40 MY24		Diesel		8709	294	400	11.23-	■
AT350X40P		Diesel		8709	294	400	07.19-	■
AD200X42		Diesel		11118	309	420	07.19-	■
AD200X42P		Diesel		11118	309	420	07.19-	■
AD280X42FP		Diesel		11118	309	420	07.19-	■
AD280X42P		Diesel		11118	309	420	07.19-	■
AD280X42P		Diesel		11118	309	420	07.19-	■
AD300X42		Diesel		11118	309	420	07.19-	■
AD300X42P		Diesel		11118	309	420	07.19-	■
AD350X42P		Diesel		11118	309	420	07.19-	■
AD350X42P		Diesel		11118	309	420	07.19-	■
AD360X42		Diesel		11118	309	420	07.19-	■
AD360X42P		Diesel		11118	309	420	07.19-	■
AS280X42P		Diesel		11118	309	420	07.19-	■
AT200X42P		Diesel		11118	309	420	07.19-	■
AT280X42P		Diesel		11118	309	420	07.19-	■
AT300X42P		Diesel		11118	309	420	07.19-	■
AT350X42P		Diesel		11118	309	420	07.19-	■
AD200X46		Diesel		11118	338	460	07.19-	■
AD200X46P		Diesel		11118	338	460	07.19-	■
AD280X46FP		Diesel		11118	338	460	07.19-	■
AD280X46P		Diesel		11118	338	460	07.19-	■
AD280X46P		Diesel		11118	338	460	07.19-	■
AD300X46		Diesel		11118	338	460	07.19-	■
AD300X46P		Diesel		11118	338	460	07.19-	■
AD350X46P		Diesel		11118	338	460	07.19-	■
AD350X46P		Diesel		11118	338	460	07.19-	■
AD360X46		Diesel		11118	338	460	07.19-	■
AD360X46P		Diesel		11118	338	460	07.19-	■
AS280X46P		Diesel		11118	338	460	07.19-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

AT200X46P		Diesel		11118	338	460	07.19-	■
AT280X46FP		Diesel		11118	338	460	07.19-	■
AT280X46P		Diesel		11118	338	460	07.19-	■
AT300X46		Diesel		11118	338	460	07.19-	■
AT300X46P		Diesel		11118	338	460	07.19-	■
AT350X46P		Diesel		11118	338	460	07.19-	■
AT350X46P		Diesel		11118	338	460	07.19-	■
AT360X46		Diesel		11118	338	460	07.19-	■
AT360X46P		Diesel		11118	338	460	07.19-	■
AD200X48		Diesel		11118	353	480	07.19-	■
AD200X48P		Diesel		11118	353	480	07.19-	■
AD280X48FP		Diesel		11118	353	480	07.19-	■
AD280X48P		Diesel		11118	353	480	07.19-	■
AD280X48P		Diesel		11118	353	480	07.19-	■
AD300X48		Diesel		11118	353	480	07.19-	■
AD300X48P		Diesel		11118	353	480	07.19-	■
AD350X48P		Diesel		11118	353	480	07.19-	■
AD350X48P		Diesel		11118	353	480	07.19-	■
AD360X48		Diesel		11118	353	480	07.19-	■
AD360X48P		Diesel		11118	353	480	07.19-	■
AS280X48P (F3GFE611G)		Diesel		11118	353	480	07.19-	■
AT200X48		Diesel		11118	353	480	07.19-	■
AT200X48FP		Diesel		11118	353	480	07.19-	■
AT200X48P		Diesel		11118	353	480	07.19-	■
AT280X48FP		Diesel		11118	353	480	07.19-	■
AT280X48P		Diesel		11118	353	480	07.19-	■
AT280X48P		Diesel		11118	353	480	07.19-	■
AT300X48		Diesel		11118	353	480	07.19-	■
AT300X48P		Diesel		11118	353	480	07.19-	■
AT350X48P		Diesel		11118	353	480	07.19-	■
AT350X48P		Diesel		11118	353	480	07.19-	■
AT360X48		Diesel		11118	353	480	07.19-	■
AT360X48P		Diesel		11118	353	480	07.19-	■
AD200X46FP MY24		Diesel		12882	338	460	11.23-	■
AD200X46 MY24		Diesel		12882	338	460	11.23-	■
AD200X46P MY24		Diesel		12882	338	460	11.23-	■
AD280X46FP MY24		Diesel		12882	338	460	11.23-	■
AD280X46P MY24		Diesel		12882	338	460	11.23-	■
AD300X46 MY24		Diesel		12882	338	460	11.23-	■
AD300X46P MY24		Diesel		12882	338	460	11.23-	■
AD350X46P MY24		Diesel		12882	338	460	11.23-	■
AD360X46 MY24		Diesel		12882	338	460	11.23-	■
AD360X46P MY24		Diesel		12882	338	460	11.23-	■
AS280X46FP MY24		Diesel		12882	338	460	11.23-	■
AT280X46FP MY24		Diesel		12882	338	460	11.23-	■
AT280X46P MY24		Diesel		12882	338	460	11.23-	■
AT300X46P MY24		Diesel		12882	338	460	11.23-	■
AS280X49FP		Diesel		12882	357	485	07.19-	■
AS280X49P		Diesel		12882	357	490	07.19-	■
AD200X50 MY24		Diesel		12882	368	500	11.23-	■
AD200X50P MY24		Diesel		12882	368	500	11.23-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

AD280X50FP MY24	Diesel	12882	368	500	11.23-
AD280X50P MY24	Diesel	12882	368	500	11.23-
AD300X50 MY24	Diesel	12882	368	500	11.23-
AD300X50P MY24	Diesel	12882	368	500	11.23-
AD350X50P MY24	Diesel	12882	368	500	11.23-
AD360X50 MY24	Diesel	12882	368	500	11.23-
AD360X50P MY24	Diesel	12882	368	500	11.23-
AS280X50FP MY24	Diesel	12882	368	500	11.23-
AS280X50P MY24	Diesel	12882	368	500	11.23-
AS300X50P MY24	Diesel	12882	368	500	11.23-
AS350X50P MY24	Diesel	12882	368	500	11.23-
AS360X50P MY24	Diesel	12882	368	500	11.23-
AT280X50FP MY24	Diesel	12882	368	500	11.23-
AT280X50P MY24	Diesel	12882	368	500	11.23-
AT300X50 MY24	Diesel	12882	368	500	11.23-
AT300X50P MY24	Diesel	12882	368	500	11.23-
AT350X50P MY24	Diesel	12882	368	500	11.23-
AS280X51P (F3HFE611G)	Diesel	12882	375	510	07.19-
AS300X51	Diesel	12882	375	510	07.19-
AS300X51P	Diesel	12882	375	510	07.19-
AS350X51P	Diesel	12882	375	510	07.19-
AS350X51P	Diesel	12882	375	510	07.19-
AS360X51	Diesel	12882	375	510	07.19-
AS360X51P	Diesel	12882	375	510	07.19-
AS280X53FP	Diesel	12882	387	526	07.19-
AS280X53P	Diesel	12882	387	530	07.19-
AS300X53	Diesel	12882	387	526	07.19-
AS300X53P	Diesel	12882	387	530	07.19-
AS350X53P	Diesel	12882	387	530	07.19-
AS350X53P	Diesel	12882	387	530	07.19-
AS360X53	Diesel	12882	387	530	07.19-
AS360X53P	Diesel	12882	387	526	07.19-
AD280X54FP MY24	Diesel	12882	397	540	11.23-
AD280X54P MY24	Diesel	12882	397	540	11.23-
AD300X54 MY24	Diesel	12882	397	540	11.23-
AD300X54P MY24	Diesel	12882	397	540	11.23-
AD350X54P MY24	Diesel	12882	397	540	11.23-
AD360X54 MY24	Diesel	12882	397	540	11.23-
AT200X54P MY24	Diesel	12882	397	540	11.23-
AT300X54 MY24	Diesel	12882	397	540	11.23-
AS280X57FP	Diesel	12882	420	571	07.19-
AS280X57FP	Diesel	12882	420	571	07.19-
AS280X57P (F3HFE611F)	Diesel	12882	420	570	07.19-
AS280X57P	Diesel	12882	420	570	07.19-
AS300X57 (F3HFE611F)	Diesel	12882	420	570	07.19-
AS300X57P (F3HFE611F)	Diesel	12882	420	570	07.19-
AS350X57P	Diesel	12882	420	570	07.19-
AS350X57P	Diesel	12882	420	570	07.19-
AS360X57 (F3HFE611F)	Diesel	12882	420	570	07.19-
AS360X57P (F3HFE611F)	Diesel	12882	420	570	07.19-
AS280X58FP MY24	Diesel	12882	426	579	11.23-

# LISTA DE APLICACIONES - BUYERS GUIDE

AS280X58P MY24		Diesel		12882	426	579	11.23-	■
AS300X58 MY24		Diesel		12882	426	579	11.23-	■
AS300X58P MY24		Diesel		12882	426	579	11.23-	■
AS350X58P MY24		Diesel		12882	426	579	11.23-	■
AS350X58P MY24		Diesel		12882	426	579	11.23-	■
AS360X58P MY24		Diesel		12882	426	579	11.23-	■
<b>X-WAY 07.19-</b>								<b>Truck Tractor</b>
AD440X42T		Diesel		11118	309	420	07.19-	■
AD440X42T		Diesel		11118	309	420	07.19-	■
AD440X42TP		Diesel		11118	309	420	07.19-	■
AD440X42TP		Diesel		11118	309	420	07.19-	■
AS440X42TP (F3GFE611F)		Diesel		11118	309	420	07.19-	■
AT440X42TP		Diesel		11118	309	420	07.19-	■
AT440X42TP		Diesel		11118	309	420	07.19-	■
AD440X46T		Diesel		11118	338	460	07.19-	■
AD440X46TP		Diesel		11118	338	460	07.19-	■
AD440X46TP		Diesel		11118	338	460	07.19-	■
AS440X46T (F3GFE611E)		Diesel		11118	338	460	07.19-	■
AS440X46TP (F3GFE611E)		Diesel		11118	338	460	07.19-	■
AT440X46TP		Diesel		11118	338	460	07.19-	■
AT440X46TP		Diesel		11118	338	460	07.19-	■
AD440X48T		Diesel		11118	353	480	07.19-	■
AD440X48TP		Diesel		11118	353	480	07.19-	■
AD440X48TP		Diesel		11118	353	480	07.19-	■
AS440X48TP (F3GFE611G)		Diesel		11118	353	480	07.19-	■
AT440X48T		Diesel		11118	353	480	07.19-	■
AT440X48TP		Diesel		11118	353	480	07.19-	■
AT440X48TP		Diesel		11118	353	480	07.19-	■
AD440X46TP MY24		Diesel		12882	338	460	11.23-	■
AD440X46TP MY24		Diesel		12882	338	460	11.23-	■
AT440X46TP MY24		Diesel		12882	338	460	11.23-	■
AS440X49T		Diesel		12882	357	485	07.19-	■
AS440X49TFP		Diesel		12882	357	485	07.19-	■
AS440X49TP		Diesel		12882	357	490	07.19-	■
AD440X50TP MY24		Diesel		12882	368	500	11.23-	■
AS440X50TFP MY24		Diesel		12882	368	500	11.23-	■
AS440X50TP MY24		Diesel		12882	368	500	11.23-	■
AS440X50TP MY24		Diesel		12882	368	500	11.23-	■
AT440X50TFP MY24		Diesel		12882	368	500	11.23-	■
AT440X50TP MY24		Diesel		12882	368	500	11.23-	■
AS440X51T		Diesel		12882	375	510	07.19-	■
AS440X51TP (F3HFE611G)		Diesel		12882	375	510	07.19-	■
AS440X51TP (F3HFE611G)		Diesel		12882	375	510	07.19-	■
AS440X53T		Diesel		12882	387	530	07.19-	■
AS440X53T		Diesel		12882	387	526	07.19-	■
AS440X53TFP		Diesel		12882	387	526	07.19-	■
AS440X53TP		Diesel		12882	387	530	07.19-	■
AS440X53TP		Diesel		12882	387	530	07.19-	■
AT440X54TP MY24		Diesel		12882	397	540	11.23-	■
AS440X57T		Diesel		12882	420	570	07.19-	■
AS440X57TFP		Diesel		12882	420	571	07.19-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

AS440X57TP (F3HFE611F)	Diesel	12882	420	570	07.19-	■
AS440X57TP (F3HFE611F)	Diesel	12882	420	570	07.19-	■
AS440X58TFP MY24	Diesel	12882	426	579	11.23-	■
AS440X58TP MY24	Diesel	12882	426	579	11.23-	■
AS440X58TP MY24	Diesel	12882	426	579	11.23-	■
<b>X-WAY 07.19-</b>				<b>Truck Tractor</b>		
AS440X46TP CNG	Gasolina	12882	338	460	07.19-	■
AS440X46TP CNG+LNG	Gasolina	12882	338	460	07.19-	■
AS440X46TP LNG	Gasolina	12882	338	460	07.19-	■