

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0025-1



Qty: 998 Weight: 31.000

O.E.M.	MAKE
5006172150	RENAULT TRUCKS
5010216437	RENAULT
5010422363	RENAULT
5010422593	RENAULT TRUCKS

78CV0025-1



Ø438x45x96.7

MAKE
IRISBUS
RENAULT TRUCKS



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

IRISBUS

CROSSWAY 06.06-

Bus

Model	Fuel	CC	Kw	CV	Year	Front	Rear
LE 12M	Diesel	5861	194	264	06.06-	■	■
10.6M	Diesel	7790	194	264	06.06-	■	■
10.6M	Diesel	7790	220	300	06.06-	■	■
10.6M	Diesel	7790	243	330	06.06-	■	■
12.8m	Diesel	7790	243	330	06.06-	■	■
12m	Diesel	7790	243	330	06.06-	■	■
LE 12.8M	Diesel	7790	243	330	06.06-	■	■
LE 12M	Diesel	7790	243	330	06.06-	■	■
10.6M	Diesel	7790	280	381	06.06-	■	■
12.8m	Diesel	7790	280	381	06.06-	■	■
12m	Diesel	7790	280	381	06.06-	■	■
LE 12.8M	Diesel	7790	280	381	06.06-	■	■
LE 12M	Diesel	7790	280	381	06.06-	■	■

RENAULT TRUCKS

04.96-03.05

Platform/Chassis

Model	Fuel	CC	Kw	CV	Year	Front	Rear
390.24	Diesel	11929	287	390	04.96-04.00	■	■
430.24	Diesel	11929	316	430	04.96-04.00	■	■
470.24	Diesel	11929	346	470	11.96-04.00	■	■

04.96-03.05

Truck Tractor

Model	Fuel	CC	Kw	CV	Year	Front	Rear
560.22	Diesel	16356	412	560	04.96-12.99	■	■
560.24	Diesel	16356	412	560	04.96-12.99	■	■
AE 560.18T (MACK-EE9-560)	Diesel	16361	412	560	04.96-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

AE 560.19T (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
AE 560.26T (MACK-EE9-560)		Diesel		16361	412	560	01.97-	■	
AE 560.26T (MACK-EE9-560)		Diesel		16361	412	560	01.98-	■	
Magnum 01.90-04.99					Platform/Chassis				
AE 390.18 (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 390.19 (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 390.26 (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 430.18 (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 430.19 (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 430.26 (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 470.18 (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-	■	
AE 470.19 (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-	■	
AE 470.26 (MIDR 06.24.65 C/42)		Diesel		11929	346	471	01.97-	■	
AE 385ti.18 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	02.92-10.96	■	
AE 385ti.19 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	02.92-10.96	■	
AE 385ti.24 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	02.92-10.96	■	
AE 385ti.26 (MIDR 06.35.40 N/3)		Diesel		12024	283	385	02.92-10.96	■	
AE 420ti.18 (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.18 (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.19 (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.19 (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.24 (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.24 (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.26 (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.26 (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■	
AE 520.18 (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■	
AE 520.19 (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■	
AE 520.24 (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■	
AE 520.26 (MACK-EE9-530)		Diesel		16361	390	530	10.92-	■	
AE 560.18 (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
AE 560.19 (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
AE 560.26 (MACK-EE9-560)		Diesel		16361	412	560	04.96-	■	
Magnum 01.90-04.99					Truck Tractor				
AE 390.18T (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 390.19T (MIDR 06.24.65 A/42)		Diesel		11929	287	390	09.96-	■	
AE 430.18T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 430.19T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	09.96-	■	
AE 430.26T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	01.98-	■	
AE 430.26T (MIDR 06.24.65 B/42)		Diesel		11929	316	430	01.97-	■	
AE 470.18T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-	■	
AE 470.19T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	11.96-	■	
AE 470.26T (MIDR 06.24.65 C/42)		Diesel		11929	346	471	01.98-	■	
AE 385ti.18T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	02.92-10.96	■	
AE 385ti.19T (MIDR 06.35.40 N/3)		Diesel		12024	283	385	02.92-10.96	■	
AE 420ti.18T (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.18T (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.19T (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.19T (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■	
AE 420ti.22T (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-10.96	■	
AE 420ti.22T (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-10.96	■	
AE 420ti.24T (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■	

LISTA DE APLICACIONES - BUYERS GUIDE

AE 420ti.24T (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■
AE 420ti.26T (MIDR 06.35.40 J/3)		Diesel		12024	305	415	10.92-12.96	■
AE 420ti.26T (MIDR 06.35.40 P/41)		Diesel		12024	305	415	10.92-12.96	■
AE 520.18T (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■
AE 520.19T (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■
AE 520.22T (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■
AE 520.24T (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■
AE 520.26T (MACK-EE9-530)		Diesel		16361	390	530	10.92-05.96	■
Premium 04.96-				Municipal Vehicle				
Distribution 220.16		Diesel		6177	160	218	11.00-10.06	■
Distribution 220.18		Diesel		6177	160	218	11.00-10.06	■
Distribution 270.16		Diesel		6177	198	269	11.00-10.06	■
Distribution 270.18		Diesel		6177	198	269	11.00-10.06	■
Distribution 270.19		Diesel		6177	198	269	11.00-10.06	■
Distribution 260.16		Diesel		9840	191	260	02.96-09.01	■
Distribution 260.18		Diesel		9840	191	260	02.96-09.01	■
Distribution 260.19		Diesel		9840	191	260	02.96-09.01	■
Distribution 300.16		Diesel		9840	221	300	02.96-09.01	■
Distribution 300.18		Diesel		9840	221	300	02.96-09.01	■
Distribution 300.19		Diesel		9840	221	300	02.96-09.01	■
Distribution 300.26		Diesel		9840	221	300	02.96-12.99	■
Distribution 300.26		Diesel		9840	221	300	09.98-09.01	■
Distribution 340.26		Diesel		9840	250	340	09.98-09.01	■
Distribution 320.26		Diesel		11123	232	315	03.01-09.06	■
Distribution 370.26		Diesel		11123	266	362	03.01-09.06	■
Premium 04.96-				Platform/Chassis				
Distribution 210.16 (MIDR 06.02.26 W/4)		Diesel		6177	154	209	04.96-	■
Distribution 210.18D, 220.18 (DCI 6W)		Diesel		6177	154	209	04.96-	■
Distribution 210.18D, 220.18 (MIDR 06.02.26 W/4)		Diesel		6177	154	209	04.96-	■
Distribution 210.19D		Diesel		6177	155	210	04.96-	■
Distribution 220.16		Diesel		6177	160	218	11.00-10.06	■
Distribution 250.16 (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	04.96-	■
Distribution 250.18D (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	04.96-	■
Distribution 250.19 (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	04.96-	■
Distribution 270.18 (DCI 6A)		Diesel		6177	195	265	08.00-	■
Distribution 270.16		Diesel		6177	198	269	11.00-10.06	■
Distribution 270.19		Diesel		6177	198	269	11.00-10.06	■
Distribution 260.16 (MIDR 06.20.45 C/4)		Diesel		9839	188	256	04.96-	■
Distribution 260.18 (MIDR 06.20.45 C/4)		Diesel		9839	188	256	04.96-	■
Distribution 260.19 (MIDR 06.20.45 C/4)		Diesel		9839	188	256	04.96-	■
Distribution 300.16D (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■
Distribution 300.18D (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■
Distribution 300.19 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■
Distribution 300.26D (MIDR 06.20.45 D/41)		Diesel		9839	219	298	04.96-	■
Distribution 300.26D		Diesel		9839	219	298	04.96-	■
Route 300.16 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■ ■
Route 300.18 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■ ■
Route 300.19 (MIDR 06.20.45 D/41)		Diesel		9839	219	298	09.96-	■ ■
Distribution 340.18D (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■
Distribution 340.19D (MIDR 06.20.45 E/41)		Diesel		9839	249	339	04.96-	■

LISTA DE APLICACIONES - BUYERS GUIDE

Distribution 340.26D (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	
Distribution 340.26D	Diesel		9839	249	339	04.96-	■	
Route 340.18 (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	■
Route 340.19 (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	■
Route 340.24 (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	■
Route 340.26 (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	■
Distribution 260.26	Diesel		9840	191	260	02.96-12.99	■	
Route 300.26	Diesel		9840	221	300	02.96-12.99	■	
Distribution 320.18 D (DCI 11G)	Diesel		11123	230	313	08.00-	■	
Distribution 320.24D (DCI 11G)	Diesel		11123	230	313	08.00-	■	
Distribution 320.26D (DCI 11G)	Diesel		11123	230	313	08.00-	■	
Distribution 320.26D	Diesel		11123	230	313	08.00-	■	
Route 320.18 (DCI 11G)	Diesel		11123	230	313	08.00-	■	■
Distribution 320.16	Diesel		11123	232	315	11.00-11.06	■	
Distribution 320.19	Diesel		11123	232	315	11.00-11.06	■	
Distribution 370.18D (DCI 11E)	Diesel		11123	266	362	08.00-	■	
Distribution 370.19	Diesel		11123	266	362	11.00-11.06	■	
Distribution 370.24D (DCI 11E)	Diesel		11123	266	362	08.00-	■	
Distribution 370.26D (DCI 11E)	Diesel		11123	266	362	08.00-	■	
Distribution 370.26D	Diesel		11123	266	362	08.00-	■	
Route 370.18 (DCI 11E)	Diesel		11123	266	362	08.00-	■	■
Route 370.24 (DCI 11E)	Diesel		11123	266	362	08.00-	■	■
Route 370.26 (DCI 11E)	Diesel		11123	266	362	08.00-	■	■
Route 385.18,400.18 (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.18,400.18 (MIDR 06.23.56 B/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.19,400.19 (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.19,400.19 (MIDR 06.23.56 B/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.24,400.24 (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.24,400.24 (MIDR 06.23.56 B/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.26 (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.26,400.26 (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.26,400.26 (MIDR 06.23.56 B/41)	Diesel		11123	280	381	04.96-	■	■
Distribution 420.18D (DCI 11C)	Diesel		11123	303	412	08.00-	■	
Route 420.18 (DCI 11C)	Diesel		11123	303	412	08.00-	■	■
Route 420.24 (DCI 11C)	Diesel		11123	303	412	08.00-	■	■
Route 420.26 (DCI 11C)	Diesel		11123	303	412	08.00-	■	■
Premium 04.96-				Truck Tractor				
Distribution 300.16T (MIDR 06.20.45 D/41)	Diesel		9839	219	298	04.96-	■	
Distribution 300.18D/T (MIDR 06.20.45 D/41)	Diesel		9839	219	298	04.96-	■	
Distribution 300.19D/T (MIDR 06.20.45 D/41)	Diesel		9839	219	298	04.96-	■	
Route 300.18T (MIDR 06.20.45 D/41)	Diesel		9839	219	298	09.96-	■	■
Route 300.19T (MIDR 06.20.45 D/41)	Diesel		9839	219	298	09.96-	■	■
Distribution 340.18D/T (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	
Distribution 340.19D/T (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	
Route 340.18T (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	■
Route 340.19T (MIDR 06.20.45 E/41)	Diesel		9839	249	339	04.96-	■	■
Route 340.24	Diesel		9840	250	340	02.96-09.01	■	■
Distribution 320.18 (DCI 11G)	Diesel		11123	230	313	08.00-	■	
Route 320.18 (DCI 11G)	Diesel		11123	230	313	08.00-	■	■
Distribution 320.19	Diesel		11123	232	315	10.00-12.06	■	
Distribution 370.18 (DCI 11E)	Diesel		11123	266	362	08.00-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

Distribution 370.19	Diesel		11123	266	362	10.00-12.06	■	
Route 370.18 (DCI 11E)	Diesel		11123	266	362	08.00-	■	■
Route 385.18T,400.18T (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.18T,400.18T (MIDR 06.23.56 B/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.19T,400.19T (MIDR 06.23.56 A/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.19T,400.19T (MIDR 06.23.56 B/41)	Diesel		11123	280	381	04.96-	■	■
Route 385.24T,400.24T (MIDR 06.23.56 A/41)	Diesel		11123	280	381	09.96-	■	■
Route 385.24T,400.24T (MIDR 06.23.56 B/41)	Diesel		11123	280	381	09.96-	■	■
Distribution 400.18D/T (MIDR 06.23.56 B/41)	Diesel		11123	288	392	01.00-	■	
Distribution 420.18 (DCI 11C)	Diesel		11123	303	412	08.00-	■	
Route 420.18T (DCI 11 B/43)	Diesel		11123	303	412	08.00-	■	■
Route 420.18T (DCI 11C)	Diesel		11123	303	412	08.00-	■	■
Route 420.24 (DCI 11C)	Diesel		11123	303	412	08.00-	■	■
Route 420.25 (DCI 11C)	Diesel		11123	303	412	08.00-	■	■