

# LISTA DE APLICACIONES - BUYERS GUIDE

## 78CV0035-1



Qty: 998

Weight: 14.000

O.E.M.	MAKE
1962312	DAF
2E0 253 681A	VW
638421011205	MERCEDES-BENZ
9704210012	MERCEDES-BENZ
9704210112	MERCEDES-BENZ
9704210212	MERCEDES-BENZ
9704210612	MERCEDES-BENZ

## 78CV0035-1



Ø335x34x102.5

MAKE
MERCEDES-BENZ



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### MERCEDES-BENZ

#### ANTOS 07.12-

#### Truck Tractor

Model	Engine	CC	Kw	CV	Year	Application
2427 LS (OM 936.912)	Diesel	7698	200	272	07.12-12.18	■
2430 LS (OM 936.912)	Diesel	7698	220	299	07.12-12.18	■
2432 LS (OM 936.916)	Diesel	7698	235	320	07.12-12.18	■
2435 LS (OM 936.916)	Diesel	7698	260	354	07.12-12.18	■
2433 LS (OM 470.906)	Diesel	10677	240	326	07.12-12.18	■
2436 LS (OM 470.906)	Diesel	10677	265	360	07.12-12.18	■
2440 LS (OM 470.906)	Diesel	10677	290	394	07.12-12.18	■
2443 LS (OM 470.906)	Diesel	10677	315	428	07.12-12.18	■
2442 LS (OM 471.900)	Diesel	12809	310	422	07.12-12.18	■
2445 LS (OM 471.900)	Diesel	12809	330	449	07.12-12.18	■
2448LS (OM 471.900)	Diesel	12809	350	476	07.12-12.18	■
2451 LS (OM 471.900)	Diesel	12809	375	510	07.12-12.18	■

#### ATEGO 01.98-10.04

#### Dump Truck

Model	Engine	CC	Kw	CV	Year	Application
1014 K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
714 K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■
714 K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
814K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■
814K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
814K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■
814K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
914K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
715 K	Diesel	4249	112	152	04.98-09.04	■
815 K (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■

# LISTA DE APLICACIONES - BUYERS GUIDE

815 K (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■
1017K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1017K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
717 K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
717 K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
817K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
817K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
817K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
917K (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
917K (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1018 K		Diesel		4249	130	177	04.98-09.04	■
818 K		Diesel		4249	130	177	04.98-09.04	■
918 K		Diesel		4249	130	177	04.98-09.04	■
1023 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1023 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
823 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
823 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
923 K (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
923 K (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
<b>ATEGO 01.98-10.04</b>								<b>Municipal Vehicle</b>
815 F (OM 900.912)		Diesel		4249	112	152	01.98-10.04	■
815 F (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■
1017 KO, 1018 KO (OM 900.913)		Diesel		4249	125	170	01.98-10.04	■
1017 KO, 1018 KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1017 KO, 1018 KO (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
917KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
<b>ATEGO 01.98-10.04</b>								<b>Platform/Chassis</b>
712 (OM 904.909)		Diesel		4249	90	122	01.98-10.04	■
812 (OM 904.909)		Diesel		4249	90	122	01.98-10.04	■
1014, 1014 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■
1214, 1214 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■
1214, 1214 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■
714, 714 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■
714, 714 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■
814, 814 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■
814, 814 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■
814, 814 L (OM 904.930)		Diesel		4249	100	136	01.98-10.04	■
914, 914 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■
1015		Diesel		4249	112	152	04.98-09.04	■
715,715 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■
815,815 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■
815,815 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■
1017, 1017 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1017, 1017 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1217, 1217 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1217, 1217 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
717, 717 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
717, 717 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
817, 817 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
817, 817 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
817, 817 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■

# LISTA DE APLICACIONES - BUYERS GUIDE

817, 817 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
917, 917 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
917, 917 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1018		Diesel		4249	130	177	04.98-09.04	■
1018 L		Diesel		4249	130	177	04.98-09.04	■
1218		Diesel		4249	130	177	04.98-09.04	■
1218 L		Diesel		4249	130	177	04.98-09.04	■
818		Diesel		4249	130	177	04.98-09.04	■
818 L		Diesel		4249	130	177	04.98-09.04	■
918		Diesel		4249	130	177	04.98-09.04	■
918 L		Diesel		4249	130	177	04.98-09.04	■
1023		Diesel		6374	170	231	04.98-09.04	■
1023, 1023 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1223, 1223 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1223, 1223 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
823, 823 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
823, 823 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
923, 923 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1223		Diesel		6374	172	234	04.98-09.04	■
<b>ATEGO 2 01.04-</b>								<b>Dump Truck</b>
812 K (OM 904.909)		Diesel		4249	90	122	10.04-	■
1015 K (OM 904.916)		Diesel		4249	100	136	10.04-	■
815 K		Diesel		4249	100	136	10.04-	■
915 K		Diesel		4249	100	136	10.04-	■
1015 K, 1016 K (OM 900.912)		Diesel		4249	112	152	10.04-	■
1015 K, 1016 K (OM 900.918)		Diesel		4249	112	152	10.04-	■
1015 K, 1016 K (OM 904.922)		Diesel		4249	112	152	10.04-	■
715 K		Diesel		4249	112	152	10.04-	■
815 K, 816 K (OM 900.912)		Diesel		4249	112	152	10.04-	■
815 K, 816 K (OM 900.918)		Diesel		4249	112	152	10.04-	■
815 K, 816 K (OM 904.922)		Diesel		4249	112	152	10.04-	■
815 K, 816 K (OM 900.912)		Diesel		4249	112	152	10.04-	■
815 K, 816 K (OM 900.918)		Diesel		4249	112	152	10.04-	■
815 K, 816 K (OM 904.922)		Diesel		4249	112	152	10.04-	■
915 K (OM 904.922)		Diesel		4249	112	152	10.04-	■
716 K		Diesel		4249	115	156	10.04-	■
916 K (OM 900.912)		Diesel		4249	115	156	10.04-	■
916 K (OM 900.918)		Diesel		4249	115	156	10.04-	■
1017 K, 1018 K (OM 900.913)		Diesel		4249	125	170	10.04-	■
1017 K, 1018 K (OM 900.919)		Diesel		4249	125	170	10.04-	■
1017 K, 1018 K (OM 904.911)		Diesel		4249	125	170	10.04-	■
817K		Diesel		4249	125	170	10.04-	■
917K		Diesel		4249	125	170	10.04-	■
818 K (OM 900.913)		Diesel		4249	130	177	10.04-	■
818 K (OM 900.919)		Diesel		4249	130	177	10.04-	■
818 K (OM 900.913)		Diesel		4249	130	177	10.04-	■
818 K (OM 900.919)		Diesel		4249	130	177	10.04-	■
918 K (OM 900.913)		Diesel		4249	130	177	10.04-	■
918 K (OM 900.919)		Diesel		4249	130	177	10.04-	■
1016 K		Diesel		4801	115	156	10.04-	■
716 K		Diesel		4801	115	156	10.04-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

816 K		Diesel		4801	115	156	10.04-	■
916 K		Diesel		4801	115	156	10.04-	■
1022 K (OM 924.920)		Diesel		4801	160	218	10.04-	■
1022 K (OM 924.922)		Diesel		4801	160	218	10.04-	■
822 K (OM 924.920)		Diesel		4801	160	218	10.04-	■
822 K (OM 924.920)		Diesel		4801	160	218	10.04-	■
822 K (OM 924.922)		Diesel		4801	160	218	10.04-	■
922 K (OM 924.920)		Diesel		4801	160	218	10.04-	■
922 K (OM 924.922)		Diesel		4801	160	218	10.04-	■
1023 K		Diesel		6374	170	231	10.04-	■
823 K		Diesel		6374	170	231	10.04-	■
923 K		Diesel		6374	170	231	10.04-	■
1024 K (OM 902.916)		Diesel		6374	175	238	10.04-	■
824 K (OM 902.916)		Diesel		6374	175	238	10.04-	■
924 K (OM 902.916)		Diesel		6374	175	238	10.04-	■
1024 K		Diesel		7201	175	238	10.04-	■
824 K		Diesel		7201	175	238	10.04-	■
924 K		Diesel		7201	175	238	10.04-	■
1026 K		Diesel		7201	188	256	10.04-	■
826 K		Diesel		7201	188	256	10.04-	■
926 K		Diesel		7201	188	256	10.04-	■
1029 K		Diesel		7201	210	286	10.04-	■
829 K		Diesel		7201	210	286	10.04-	■
929 K		Diesel		7201	210	286	10.04-	■
<b>ATEGO 2 01.04-</b>				<b>Municipal Vehicle</b>				
815 F (OM 904.916)		Diesel		4249	100	136	10.04-	■
815 F		Diesel		4249	112	152	10.04-	■
816 F		Diesel		4249	115	156	10.04-	■
1017 KO		Diesel		4249	125	170	10.04-	■
1018 KO		Diesel		4249	130	177	10.04-	■
816 F		Diesel		4801	115	156	10.04-	■
1022 KO (OM 924.922)		Diesel		4801	160	218	10.04-	■
822 F (OM 924.922)		Diesel		4801	160	218	10.04-	■
<b>ATEGO 2 01.04-</b>				<b>Platform/Chassis</b>				
1222 L		Bicombu stible		4801	160	218	10.04-	■
<b>ATEGO 2 01.04-</b>				<b>Platform/Chassis</b>				
712, 713 (OM 900.911)		Diesel		4249	90	122	10.04-	■
712, 713 (OM 900.917)		Diesel		4249	90	122	10.04-	■
712, 713 (OM 904.909)		Diesel		4249	90	122	10.04-	■
712, 713 (OM 904.915)		Diesel		4249	90	122	10.04-	■
812, 813 (OM 900.911)		Diesel		4249	90	122	10.04-	■
812, 813 (OM 900.917)		Diesel		4249	90	122	10.04-	■
812, 813 (OM 904.909)		Diesel		4249	90	122	10.04-	■
1015		Diesel		4249	100	136	10.04-	■
1015 L		Diesel		4249	100	136	10.04-	■
1214 L		Diesel		4249	100	136	10.04-	■
1215		Diesel		4249	100	136	10.04-	■
1215 L		Diesel		4249	100	136	10.04-	■
715 L		Diesel		4249	100	136	10.04-	■
815 L		Diesel		4249	100	136	10.04-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

915		Diesel		4249	100	136	10.04-	■
915 L		Diesel		4249	100	136	10.04-	■
1015, 1015 L (OM 904.922)		Diesel		4249	112	152	10.04-	■
1215, 1215 L, 1216, 1216 L (OM 900.912)		Diesel		4249	112	152	10.04-	■
1215, 1215 L, 1216, 1216 L (OM 904.922)		Diesel		4249	112	152	10.04-	■
715, 715 L, 716, 716 L (OM 900.912)		Diesel		4249	112	152	10.04-	■
715, 715 L, 716, 716 L (OM 900.918)		Diesel		4249	112	152	10.04-	■
715, 715 L, 716, 716 L (OM 904.922)		Diesel		4249	112	152	10.04-	■
815, 815 L, 816, 816 L (OM 900.912)		Diesel		4249	112	152	10.04-	■
815, 815 L, 816, 816 L (OM 900.918)		Diesel		4249	112	152	10.04-	■
815, 815 L, 816, 816 L (OM 904.922)		Diesel		4249	112	152	10.04-	■
915, 915 L, 916, 916 L (OM 900.912)		Diesel		4249	112	152	10.04-	■
915, 915 L, 916, 916 L (OM 900.918)		Diesel		4249	112	152	10.04-	■
915, 915 L, 916, 916 L (OM 904.922)		Diesel		4249	112	152	10.04-	■
1016, 1016 L (OM 900.912)		Diesel		4249	115	156	10.04-	■
1016, 1016 L (OM 900.918)		Diesel		4249	115	156	10.04-	■
816, 816 L (OM 900.912)		Diesel		4249	115	156	10.04-	■
1017		Diesel		4249	125	170	10.04-	■
1017 L		Diesel		4249	125	170	10.04-	■
1217		Diesel		4249	125	170	10.04-	■
1217 L		Diesel		4249	125	170	10.04-	■
817		Diesel		4249	125	170	10.04-	■
817 L		Diesel		4249	125	170	10.04-	■
917		Diesel		4249	125	170	10.04-	■
917 L		Diesel		4249	125	170	10.04-	■
1018, 1018 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
1018, 1018 L (OM 900.919)		Diesel		4249	130	177	10.04-	■
1218, 1218 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
818, 818 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
818, 818 L (OM 900.919)		Diesel		4249	130	177	10.04-	■
818, 818 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
818, 818 L (OM 900.919)		Diesel		4249	130	177	10.04-	■
918, 918 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
918, 918 L (OM 900.919)		Diesel		4249	130	177	10.04-	■
1016, 1016 L (OM 924.935)		Diesel		4801	115	156	10.04-	■
1016 L		Diesel		4801	115	156	10.04-	■
1216, 1216 L (OM 924.935)		Diesel		4801	115	156	10.04-	■
1216 L		Diesel		4801	115	156	10.04-	■
716		Diesel		4801	115	156	10.04-	■
716 L		Diesel		4801	115	156	10.04-	■
816, 816 L (OM 924.935)		Diesel		4801	115	156	10.04-	■
816 L		Diesel		4801	115	156	10.04-	■
916, 916 L (OM 924.935)		Diesel		4801	115	156	10.04-	■
916 L		Diesel		4801	115	156	10.04-	■
1022, 1022 L (OM 924.920)		Diesel		4801	160	218	10.04-	■
1022, 1022 L (OM 924.922)		Diesel		4801	160	218	10.04-	■
1022, 1022 L (OM 924.930)		Diesel		4801	160	218	10.04-	■
1222, 1222 L (OM 924.920)		Diesel		4801	160	218	10.04-	■
1222, 1222 L (OM 924.922)		Diesel		4801	160	218	10.04-	■
1222, 1222 L (OM 924.930)		Diesel		4801	160	218	10.04-	■
722		Diesel		4801	160	218	10.04-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

722 L		Diesel		4801	160	218	10.04-	■
822, 822 L (OM 924.920)		Diesel		4801	160	218	10.04-	■
822, 822 L (OM 924.922)		Diesel		4801	160	218	10.04-	■
822, 822 L (OM 924.930)		Diesel		4801	160	218	10.04-	■
822, 822 L (OM 924.920)		Diesel		4801	160	218	10.04-	■
822, 822 L (OM 924.922)		Diesel		4801	160	218	10.04-	■
822, 822 L (OM 924.930)		Diesel		4801	160	218	10.04-	■
922, 922 L (OM 924.920)		Diesel		4801	160	218	10.04-	■
922, 922 L (OM 924.922)		Diesel		4801	160	218	10.04-	■
922, 922 L (OM 924.930)		Diesel		4801	160	218	10.04-	■
1023, 1023 L, 1024, 1024 L (OM 902.916)		Diesel		6374	170	231	10.04-	■
1023, 1023 L, 1024, 1024 L (OM 906.910)		Diesel		6374	170	231	10.04-	■
1023, 1023 L, 1024, 1024 L (OM 906.915)		Diesel		6374	170	231	10.04-	■
1223, 1223 L, 1224, 1224 L (OM 902.916)		Diesel		6374	170	231	10.04-	■
1223, 1223 L, 1224, 1224 L (OM 906.910)		Diesel		6374	170	231	10.04-	■
1223, 1223 L, 1224, 1224 L (OM 906.915)		Diesel		6374	170	231	10.04-	■
823, 823 L, 824, 824 L (OM 902.916)		Diesel		6374	170	231	10.04-	■
823, 823 L, 824, 824 L (OM 906.910)		Diesel		6374	170	231	10.04-	■
823, 823 L, 824, 824 L (OM 906.915)		Diesel		6374	170	231	10.04-	■
923, 923 L, 924, 924 L (OM 902.916)		Diesel		6374	170	231	10.04-	■
923, 923 L, 924, 924 L (OM 906.910)		Diesel		6374	170	231	10.04-	■
923, 923 L, 924, 924 L (OM 906.915)		Diesel		6374	170	231	10.04-	■
1024, 1024 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
1024 L		Diesel		7201	175	238	10.04-	■
1224, 1224 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
1224 L		Diesel		7201	175	238	10.04-	■
824, 824 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
924, 924 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
1026, 1026 L (OM 925.920)		Diesel		7201	188	256	10.04-	■
1226, 1226 L (OM 925.920)		Diesel		7201	188	256	10.04-12.14	■
1226 L		Diesel		7201	188	256	10.04-	■
826, 826 L (OM 925.920)		Diesel		7201	188	256	10.04-	■
926, 926 L (OM 925.920)		Diesel		7201	188	256	10.04-	■
1029, 1029 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
1229, 1229 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
1229 L		Diesel		7201	210	286	10.04-	■
829, 829 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
929, 929 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
<b>ATEGO 3 04.13-</b>								<b>Dump Truck</b>
1016 K (OM 934.911)		Diesel		5132	115	156	04.13-	■
716 K (OM 934.911)		Diesel		5132	115	156	04.13-	■
816 K (OM 934.911)		Diesel		5132	115	156	04.13-	■
816 K (OM 934.911)		Diesel		5132	115	156	04.13-	■
916 K (OM 934.911)		Diesel		5132	115	156	04.13-	■
1018 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
718 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
818 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
818 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
918 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
1021 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
721 K (OM 934.913)		Diesel		5132	155	211	04.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

821 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
821 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
921 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
1023 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
723 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
823 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
823 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
923 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
1024 K		Diesel		7698	175	238	04.13-	■
824 K		Diesel		7698	175	238	04.13-	■
924 K		Diesel		7698	175	238	04.13-	■
1027 K		Diesel		7698	200	272	05.13-	■
827 K		Diesel		7698	200	272	05.13-	■
927 K		Diesel		7698	200	272	05.13-	■
1030 K		Diesel		7698	220	299	05.13-	■
830 K		Diesel		7698	220	299	05.13-	■
930 K		Diesel		7698	220	299	05.13-	■
<b>ATEGO 3 04.13-</b>				<b>Municipal Vehicle</b>				
1016 KO		Diesel		5132	115	156	05.13-	■
916 F		Diesel		5132	115	156	05.13-	■
1018 KO (OM 934.911)		Diesel		5132	130	177	04.13-	■
918 F (OM 934.911)		Diesel		5132	130	177	04.13-	■
1021 KO (OM 934.913)		Diesel		5132	155	211	04.13-	■
921 F		Diesel		5132	155	211	05.13-	■
1023 KO (OM 934.913)		Diesel		5132	170	231	04.13-	■
923 F (OM 934.913)		Diesel		5132	170	231	04.13-	■
924 F		Diesel		7698	175	238	05.13-	■
927 F		Diesel		7698	200	272	04.13-	■
930 F		Diesel		7698	220	299	05.13-	■
<b>ATEGO 3 04.13-</b>				<b>Platform/Chassis</b>				
1016, 1016 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
1216, 1216 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
716, 716 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
816, 816 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
916, 916 L (OM 934.911)		Diesel		5132	115	156	04.13-	■
1018, 1018 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
718, 718 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
818, 818 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
918, 918 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
1021, 1021 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
721, 721 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
821, 821 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
821, 821 L (OM 934.913)		Diesel		5132	155	211	04.13-	■

## LISTA DE APLICACIONES - BUYERS GUIDE

921, 921 L (OM 934.913)	Diesel	5132	155	211	04.13-	■
1023, 1023 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
1223, 1223 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
1223, 1223 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
723, 723 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
823, 823 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
823, 823 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
923, 923 L (OM 934.913)	Diesel	5132	170	231	04.13-	■
1024, 1024 L	Diesel	7698	175	238	04.13-	■
1224, 1224 L	Diesel	7698	175	238	04.13-	■
1224, 1224 L	Diesel	7698	175	238	04.13-	■
824, 824 L	Diesel	7698	175	238	04.13-	■
924, 924 L	Diesel	7698	175	238	04.13-	■
1027	Diesel	7698	200	272	05.13-	■
1027 L	Diesel	7698	200	272	05.13-	■
1227, 1227 L	Diesel	7698	200	272	04.13-	■
1227, 1227 L	Diesel	7698	200	238	04.13-	■
827	Diesel	7698	200	272	05.13-	■
827 L	Diesel	7698	200	272	05.13-	■
927	Diesel	7698	200	272	05.13-	■
927 L	Diesel	7698	200	272	05.13-	■
1030	Diesel	7698	220	299	05.13-	■
1030 L	Diesel	7698	220	299	05.13-	■
1230, 1230 L	Diesel	7698	220	299	04.13-	■
1230, 1230 L	Diesel	7698	220	299	04.13-	■
830	Diesel	7698	220	299	05.13-	■
830 L	Diesel	7698	220	299	05.13-	■
930	Diesel	7698	220	299	05.13-	■
930 L	Diesel	7698	220	299	05.13-	■