

# LISTA DE APLICACIONES - BUYERS GUIDE

## 78CV0039-1



Qty: 998

Weight: 25.000

O.E.M.	MAKE
675230312	MERCEDES-BENZ
6754230312	MERCEDES-BENZ
9754230012	MERCEDES-BENZ
9754230312	MERCEDES-BENZ
9754230612	MERCEDES-BENZ
JAE0210400612	JOST

## 78CV0039-1



Ø377x45x138.5

MAKE
MERCEDES-BENZ



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### MERCEDES-BENZ

ATEGO 01.98-10.04							Municipal Vehicle	
1217KO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 900.913)		Diesel		4249	125	170	01.98-10.04	■
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1323 KO, 1323 LKO (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1323 KO, 1323 LKO (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
1523 KO (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1225 F (OM 906.919)		Diesel		6374	180	245	01.98-10.04	■
1225 F (OM 906.939)		Diesel		6374	180	245	01.98-10.04	■
1325 F (OM 906.919)		Diesel		6374	180	245	01.98-10.04	■
1325 F (OM 906.939)		Diesel		6374	180	245	01.98-10.04	■
1328 F (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■
1328 F (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■
1528 F (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■
1528 F (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■

ATEGO 01.98-10.04							Platform/Chassis	
1214, 1214 L (OM 904.910)		Diesel		4249	100	136	01.98-10.04	■
1214, 1214 L (OM 904.916)		Diesel		4249	100	136	01.98-10.04	■
1215, 1215 L (OM 904.922)		Diesel		4249	112	152	01.98-10.04	■
1216		Diesel		4249	115	156	04.98-09.04	■
1217, 1217 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1217, 1217 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1317, 1317 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1317, 1317 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1317 A (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1317 A (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1517, 1517 L (OM 904.911)		Diesel		4249	125	170	01.98-10.04	■
1517, 1517 L (OM 904.917)		Diesel		4249	125	170	01.98-10.04	■
1317 A		Diesel		4249	128	174	04.98-09.04	■
1218		Diesel		4249	130	177	04.98-09.04	■
1218 L		Diesel		4249	130	177	04.98-09.04	■
1318 A		Diesel		4249	130	177	04.98-09.04	■
1318 L		Diesel		4249	130	177	04.98-09.04	■
1518		Diesel		4249	130	177	04.98-09.04	■
1518 L		Diesel		4249	130	177	04.98-09.04	■
1223, 1223 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1223, 1223 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
1323, 1323 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1323, 1323 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
1323 A		Diesel		6374	170	231	04.98-09.04	■
1523, 1523 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1523, 1523 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■
1923 L (OM 906.910)		Diesel		6374	170	231	04.98-10.04	■
1923 L (OM 906.915)		Diesel		6374	170	231	04.98-10.04	■
2223 L (OM 906.910)		Diesel		6374	170	231	04.98-10.04	■
2223 L (OM 906.915)		Diesel		6374	170	231	04.98-10.04	■
1223		Diesel		6374	172	234	04.98-09.04	■
1523		Diesel		6374	172	234	04.98-09.04	■
1228, 1228 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■
1228, 1228 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■
1328, 1328 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■
1328, 1328 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■
1528, 1528 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■
1528, 1528 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■
1928 L (OM 906.911)		Diesel		6374	205	279	04.98-10.04	■
1928 L (OM 906.916)		Diesel		6374	205	279	04.98-10.04	■
2228 L (OM 906.911)		Diesel		6374	205	279	04.98-10.04	■
2228 L (OM 906.916)		Diesel		6374	205	279	04.98-10.04	■
<b>ATEGO 01.98-10.04</b>					<b>Truck Tractor</b>			
1323 LS (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■
1328 LS (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■
<b>ATEGO 2 01.04-</b>					<b>Municipal Vehicle</b>			
1317 LKO		Diesel		4249	125	170	10.04-	■
1318 LKO		Diesel		4249	130	177	10.04-	■
1222 F (OM 924.922)		Diesel		4801	160	218	10.04-	■
1322 F (OM 924.922)		Diesel		4801	160	218	10.04-	■
1322 LKO (OM 924.922)		Diesel		4801	160	218	10.04-	■
1522 F (OM 924.922)		Diesel		4801	160	218	10.04-	■
1323 LKO		Diesel		6374	170	231	10.04-	■
1324 LKO (OM 902.916)		Diesel		6374	175	238	10.04-	■
1225 F		Diesel		6374	180	245	10.04-	■
1325 F		Diesel		6374	180	245	10.04-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1225 F		Diesel		6374	182	247	10.04-	■
1325 F		Diesel		6374	182	247	10.04-	■
1226 F (OM 902.917)		Diesel		6374	188	256	10.04-	■
1326 F (OM 902.917)		Diesel		6374	188	256	10.04-	■
1328 F		Diesel		6374	205	279	10.04-	■
1528 F		Diesel		6374	205	279	10.04-	■
1329 F (OM 902.918)		Diesel		6374	210	286	10.04-	■
1529 F (OM 902.918)		Diesel		6374	210	286	10.04-	■
1224 F		Diesel		7201	175	238	10.04-	■
1324 F		Diesel		7201	175	238	10.04-	■
1324 LKO		Diesel		7201	175	238	10.04-	■
1524 F		Diesel		7201	175	238	10.04-	■
1226 F		Diesel		7201	188	256	10.04-	■
1326 F		Diesel		7201	188	256	10.04-	■
1326 LKO		Diesel		7201	188	256	10.04-	■
1526 F		Diesel		7201	188	256	10.04-	■
1229 F		Diesel		7201	210	286	10.04-	■
1329 F		Diesel		7201	210	286	10.04-	■
1329 LKO		Diesel		7201	210	286	10.04-	■
1529 F		Diesel		7201	210	286	10.04-	■
<b>ATEGO 2 01.04-</b>								<b>Platform/Chassis</b>
1222 L		Bicombu stible		4801	160	218	10.04-	■
<b>ATEGO 2 01.04-</b>								<b>Platform/Chassis</b>
1214 L		Diesel		4249	100	136	10.04-	■
1215		Diesel		4249	100	136	10.04-	■
1215 L		Diesel		4249	100	136	10.04-	■
1215, 1215 L, 1216, 1216 L (OM 900.912)		Diesel		4249	112	152	10.04-	■
1215, 1215 L, 1216, 1216 L (OM 904.922)		Diesel		4249	112	152	10.04-	■
1217		Diesel		4249	125	170	10.04-	■
1217 L		Diesel		4249	125	170	10.04-	■
1317 A		Diesel		4249	125	170	10.04-	■
1317 L		Diesel		4249	125	170	10.04-	■
1517		Diesel		4249	125	170	10.04-	■
1517 L		Diesel		4249	125	170	10.04-	■
1317 A		Diesel		4249	128	174	10.04-	■
1318 AE		Diesel		4249	128	174	10.04-	■
1218, 1218 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
1318, 1318 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
1318 A (OM 900.913)		Diesel		4249	130	177	10.04-	■
1318 A (OM 904.949)		Diesel		4249	130	177	10.04-	■
1318 AE		Diesel		4249	130	177	10.04-	■
1518, 1518 L (OM 900.913)		Diesel		4249	130	177	10.04-	■
1518, 1518 L (OM 904.962)		Diesel		4249	130	177	10.04-	■
1518, 1518 L (OM 904.967)		Diesel		4249	130	177	10.04-	■
1518, 1518 L (OM 904.968)		Diesel		4249	130	177	10.04-	■
1518, 1518 L (OM 904.972)		Diesel		4249	130	177	10.04-	■
1518, 1518 L (OM 904.976)		Diesel		4249	130	177	10.04-	■
1618 (OM 900.913)		Diesel		4249	130	177	10.04-	■
1216, 1216 L (OM 924.935)		Diesel		4801	115	156	10.04-	■
1216 L		Diesel		4801	115	156	10.04-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1222, 1222 L (OM 924.920)	Diesel	4801	160	218	10.04-	■
1222, 1222 L (OM 924.922)	Diesel	4801	160	218	10.04-	■
1222, 1222 L (OM 924.930)	Diesel	4801	160	218	10.04-	■
1322, 1322 L (OM 924.920)	Diesel	4801	160	218	10.04-	■
1322, 1322 L (OM 924.922)	Diesel	4801	160	218	10.04-	■
1322, 1322 L (OM 924.930)	Diesel	4801	160	218	10.04-	■
1322 A (OM 924.922)	Diesel	4801	160	218	10.04-	■
1322 AE	Diesel	4801	160	218	10.04-	■
1522, 1522 L (OM 924.920)	Diesel	4801	160	218	10.04-	■
1522, 1522 L (OM 924.922)	Diesel	4801	160	218	10.04-	■
1522, 1522 L (OM 924.930)	Diesel	4801	160	218	10.04-	■
1622	Diesel	4801	160	218	10.04-	■
1223, 1223 L, 1224, 1224 L (OM 902.916)	Diesel	6374	170	231	10.04-	■
1223, 1223 L, 1224, 1224 L (OM 906.910)	Diesel	6374	170	231	10.04-	■
1223, 1223 L, 1224, 1224 L (OM 906.915)	Diesel	6374	170	231	10.04-	■
1323, 1323 L, 1324, 1324 L (OM 902.916)	Diesel	6374	170	231	10.04-	■
1323, 1323 L, 1324, 1324 L (OM 906.910)	Diesel	6374	170	231	10.04-	■
1323, 1323 L, 1324, 1324 L (OM 906.915)	Diesel	6374	170	231	10.04-	■
1323 A, 1324 A (OM 902.916)	Diesel	6374	170	231	10.04-	■
1323 A, 1324 A (OM 906.910)	Diesel	6374	170	231	10.04-	■
1323 A, 1324 A (OM 906.915)	Diesel	6374	170	231	10.04-	■
1323 AE	Diesel	6374	170	231	10.04-	■
1523, 1523 L, 1524, 1524 L (OM 902.916)	Diesel	6374	170	231	10.04-	■
1523, 1523 L, 1524, 1524 L (OM 906.910)	Diesel	6374	170	231	10.04-	■
1523, 1523 L, 1524, 1524 L (OM 906.915)	Diesel	6374	170	231	10.04-	■
1624	Diesel	6374	175	238	10.04-	■
1924 L (OM 902.916)	Diesel	6374	175	238	10.04-	■
1924 L (OM 902.916)	Diesel	6374	175	238	10.04-	■
2224 L (OM 902.916)	Diesel	6374	175	238	10.04-	■
2224 L (OM 902.916)	Diesel	6374	175	238	10.04-	■
1226, 1226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
1326, 1326 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
1526, 1526 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
1926 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
1926 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
2226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
2226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■
1228, 1228 L, 1229, 1229 L (OM 902.918)	Diesel	6374	205	279	10.04-	■
1228, 1228 L, 1229, 1229 L (OM 906.911)	Diesel	6374	205	279	10.04-	■
1228, 1228 L, 1229, 1229 L (OM 906.916)	Diesel	6374	205	279	10.04-	■
1328, 1328 L, 1329, 1329 L (OM 902.918)	Diesel	6374	205	279	10.04-	■
1328, 1328 L, 1329, 1329 L (OM 906.911)	Diesel	6374	205	279	10.04-	■
1328, 1328 L, 1329, 1329 L (OM 906.916)	Diesel	6374	205	279	10.04-	■
1528, 1528 L, 1529, 1529 L (OM 902.918)	Diesel	6374	205	279	10.04-	■
1528, 1528 L, 1529, 1529 L (OM 906.911)	Diesel	6374	205	279	10.04-	■
1528, 1528 L, 1529, 1529 L (OM 906.916)	Diesel	6374	205	279	10.04-	■
1629	Diesel	6374	210	286	10.04-	■
1929 L (OM 902.918)	Diesel	6374	210	286	10.04-	■
1929 L (OM 902.918)	Diesel	6374	210	286	10.04-	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1224, 1224 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
1224 L		Diesel		7201	175	238	10.04-	■
1324, 1324 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
1324L		Diesel		7201	175	238	10.04-	■
1524, 1524 L (OM 925.920)		Diesel		7201	175	238	10.04-	■
1226, 1226 L (OM 925.920)		Diesel		7201	188	256	10.04-12.14	■
1226 L		Diesel		7201	188	256	10.04-	■
1326, 1326 L (OM 925.920)		Diesel		7201	188	256	10.04-	■
1326 L		Diesel		7201	188	256	10.04-	■
1526, 1526 L (OM 925.920)		Diesel		7201	188	256	10.04-	■
1229, 1229 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
1229 L		Diesel		7201	210	286	10.04-	■
1329, 1329 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
1329 L		Diesel		7201	210	286	10.04-	■
1529, 1529 L (OM 925.920)		Diesel		7201	210	286	10.04-	■
<b>ATEGO 2 01.04-</b>				<b>Truck Tractor</b>				
1322 LS (OM 924.920)		Diesel		4801	160	218	10.04-	■
1322 LS (OM 924.922)		Diesel		4801	160	218	10.04-	■
1323 LS, 1324 LS (OM 902.916)		Diesel		6374	170	231	10.04-	■
1323 LS, 1324 LS (OM 906.910)		Diesel		6374	170	231	10.04-	■
1323 LS, 1324 LS (OM 906.915)		Diesel		6374	170	231	10.04-	■
1326 LS (OM 902.917)		Diesel		6374	188	256	10.04-	■
1328 LS, 1329 LS (OM 902.918)		Diesel		6374	205	279	10.04-	■
1328 LS, 1329 LS (OM 906.911)		Diesel		6374	205	279	10.04-	■
1328 LS, 1329 LS (OM 906.916)		Diesel		6374	205	279	10.04-	■
<b>ATEGO 3 04.13-</b>				<b>Dump Truck</b>				
1216 K (OM 934.911)		Diesel		5132	115	156	04.13-	■
1316 K		Diesel		5132	115	156	05.13-	■
1516 K		Diesel		5132	115	156	05.13-	■
1218 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
1318 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
1518 K (OM 934.911)		Diesel		5132	130	177	04.13-	■
1221 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
1321 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
1521 K (OM 934.913)		Diesel		5132	155	211	04.13-	■
1223 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
1323 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
1523 K (OM 934.913)		Diesel		5132	170	231	04.13-	■
1224 K		Diesel		7698	175	238	04.13-	■
1324 K		Diesel		7698	175	238	04.13-	■
1524 K		Diesel		7698	175	238	04.13-	■
1227 K		Diesel		7698	200	272	04.13-	■
1327 K		Diesel		7698	200	272	04.13-	■
1527 K		Diesel		7698	200	272	04.13-	■
1230 K		Diesel		7698	220	299	04.13-	■
1330 K		Diesel		7698	220	299	04.13-	■
1530 K		Diesel		7698	220	299	04.13-	■
<b>ATEGO 3 04.13-</b>				<b>Municipal Vehicle</b>				
1316 LKO		Diesel		5132	115	156	05.13-	■
1318 LKO (OM 934.911)		Diesel		5132	130	177	04.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1221 F		Diesel		5132	155	211	05.13-	■
1321 F		Diesel		5132	155	211	05.13-	■
1321 LKO (OM 934.913)		Diesel		5132	155	211	04.13-	■
1521 F		Diesel		5132	155	211	05.13-	■
1223 F (OM 934.913)		Diesel		5132	170	231	04.13-	■
1323 F (OM 934.913)		Diesel		5132	170	231	04.13-	■
1323 LKO (OM 934.913)		Diesel		5132	170	231	04.13-	■
1523 F		Diesel		5132	170	231	05.13-	■
1224 F		Diesel		7698	175	238	05.13-	■
1324 F		Diesel		7698	175	238	05.13-	■
1324 LKO		Diesel		7698	175	238	04.13-	■
1524 F		Diesel		7698	175	238	05.13-	■
1227 F		Diesel		7698	200	272	04.13-	■
1327 F		Diesel		7698	200	272	04.13-	■
1327 LKO		Diesel		7698	200	272	05.13-	■
1527 F		Diesel		7698	200	272	04.13-	■
1230 F		Diesel		7698	220	299	04.13-	■
1330 F		Diesel		7698	220	299	04.13-	■
1330 LKO		Diesel		7698	220	299	05.13-	■
1530 F		Diesel		7698	220	299	04.13-	■
<b>ATEGO 3 04.13-</b>				<b>Platform/Chassis</b>				
1216, 1216 L (OM 934.911)	742517	Diesel		5132	115	156	04.13-	■
1216, 1216 L (OM 934.911)	742517	Diesel		5132	115	156	04.13-	■
1316		Diesel		5132	115	156	05.13-	■
1316 L		Diesel		5132	115	156	05.13-	■
1515 L		Diesel		5132	115	156	05.13-	■
1516		Diesel		5132	115	156	05.13-	■
1218, 1218 L (OM 934.911)	742517	Diesel		5132	130	177	04.13-	■
1218, 1218 L (OM 934.911)	742517	Diesel		5132	130	177	04.13-	■
1318, 1318 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
1518, 1518 L (OM 934.911)		Diesel		5132	130	177	04.13-	■
1221, 1221 L (OM 934.913)	742517	Diesel		5132	155	211	04.13-	■
1221, 1221 L (OM 934.913)	742517	Diesel		5132	155	211	04.13-	■
1321, 1321 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
1521, 1521 L (OM 934.913)		Diesel		5132	155	211	04.13-	■
1621		Diesel		5132	155	211	01.22-	■
1223, 1223 L (OM 934.913)	742517	Diesel		5132	170	231	04.13-	■
1223, 1223 L (OM 934.913)	742517	Diesel		5132	170	231	04.13-	■
1323, 1323 L (OM 934.913)		Diesel		5132	170	231	04.13-	■
1523, 1523 L (OM 934.913)		Diesel		5132	170	231	04.13-	■
1224, 1224 L	742517	Diesel		7698	175	238	04.13-	■
1224, 1224 L	742517	Diesel		7698	175	238	04.13-	■
1324, 1324 L		Diesel		7698	175	238	04.13-	■
1524, 1524 L		Diesel		7698	175	238	04.13-	■
1227, 1227 L	742517	Diesel		7698	200	272	04.13-	■
1327, 1327 L		Diesel		7698	200	272	04.13-	■
1527, 1527 L		Diesel		7698	200	272	04.13-	■
1230, 1230 L	742517	Diesel		7698	220	299	04.13-	■
1230, 1230 L	742517	Diesel		7698	220	299	04.13-	■
1330, 1330 L		Diesel		7698	220	299	04.13-	■
1530, 1530 L		Diesel		7698	220	299	04.13-	■

# LISTA DE APLICACIONES - BUYERS GUIDE

							<b>Truck Tractor</b>			
<b>ATEGO 3 04.13-</b>										
1321 LS (OM 934.913)		Diesel		5132	155	211	04.13-		■	
1323 LS (OM 934.913)		Diesel		5132	170	231	04.13-		■	
1324 LS		Diesel		7698	175	238	04.13-		■	
1327 LS		Diesel		7698	200	272	04.13-		■	
1330 LS		Diesel		7698	220	299	04.13-		■	
<b>DLS</b>							<b>Air Suspension Unit</b>			
DLS 8 Loch							01.53-		■	
<b>H</b>							<b>Tractor Axle</b>			
H04/01DCL-9,5							01.53-		■	
<b>HL</b>							<b>Tractor Axle</b>			
HL4/011DCLS-11							01.53-		■	
HL4/40DC-10,8							01.53-		■	
<b>HO</b>							<b>Tractor Axle</b>			
HO2/45DCL-8,5							01.53-		■	
<b>NR</b>							<b>Tractor Axle</b>			
NR3/30DC-8,5							01.53-		■	
<b>O 510 TOURINO (O 510) 10.03-</b>							<b>Bus</b>			
TOURINO (OM 906.962)		Diesel		6374	180	245	10.03-		■	
TOURINO (OM 906.961)		Diesel		6374	205	279	10.03-		■	
TOURINO (OM 926.939)		Diesel		7201	210	286	10.03-		■	
<b>R 07.11-</b>							<b>Tractor Axle</b>			
R390-10.0/C19.5							07.11-		■	
R390-11/C19.5							07.11-		■	
R410-10.8/C22.5							07.11-		■	
RO325F-6.2A/C17.5							07.11-		■	
<b>TE</b>							<b>Tractor Axle</b>			
TE3/1C6-9							01.53-		■	
TE4/8C6-9							01.53-		■	
<b>TE</b>							<b>Trailer Axle</b>			
TE3/1C6-9							01.53-		■	
TE4/2C6-9							01.53-		■	
TE4/3C6-9							01.53-		■	
TE4/5C6-9							01.53-		■	
TE4/6C6-9							01.53-		■	
TE4/8C6-9							01.53-		■	
<b>TL</b>							<b>Trailer Axle</b>			
TL4/1C6-9							01.53-		■	
<b>TZ</b>							<b>Tractor Axle</b>			
TZ3/2C6-10,5							01.53-		■	
TZ4/2C6-9							01.53-		■	
<b>TZ</b>							<b>Trailer Axle</b>			
TZ3/1C 6-10,0							01.53-		■	
TZ3/2C6-10,5							01.53-		■	
TZ4/8C6-9							01.53-		■	

# LISTA DE APLICACIONES - BUYERS GUIDE

<b>VL</b>						<b>Tractor Axle</b>	
VL3/31DC-6,5						01.53-	■
VL3/32DC-5						01.53-	■