

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0061-1



Qty: 998

Weight: 34.000

O.E.M.	MAKE
9604210312	MERCEDES-BENZ
9604210412	MERCEDES-BENZ
9604210512	MERCEDES-BENZ

78CV0061-1



Ø430x45x131

MAKE
MERCEDES-BENZ



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

MERCEDES-BENZ

ACTROS MP4 / MP5 07.11-

Platform/Chassis

1824 L (OM 936.912)	Diesel	7698	175	238	07.11-	■
1824 L	Diesel	7698	175	238	05.13-	■
2024 L (OM 936.912)	Diesel	7698	175	238	07.11-	■
2024 L	Diesel	7698	175	238	05.13-	■
2624 L	Diesel	7698	175	238	07.11-	■
1827 L (OM 936.912)	Diesel	7698	200	272	07.11-	■
1827 L	Diesel	7698	200	272	05.13-	■
2027 L (OM 936.912)	Diesel	7698	200	272	07.11-	■
2027 L	Diesel	7698	200	272	05.13-	■
2527 L (OM 936.912)	Diesel	7698	200	272	07.11-	■
2627 L (OM 936.912)	Diesel	7698	200	272	07.11-	■
2627 L	Diesel	7698	200	272	07.11-	■
1830 L (OM 936.912)	Diesel	7698	220	299	07.11-	■
1830 L	Diesel	7698	220	299	05.13-	■
2030 L (OM 936.912)	Diesel	7698	220	299	07.11-	■
2030 L	Diesel	7698	220	299	05.13-	■
2530 L (OM 936.912)	Diesel	7698	220	299	07.11-	■
2630 L (OM 936.912)	Diesel	7698	220	299	07.11-	■
2630 L	Diesel	7698	220	299	07.11-	■
1832 L (OM 936.916)	Diesel	7698	235	320	07.11-	■
1832 L	Diesel	7698	235	320	05.13-	■
2032 L (OM 936.916)	Diesel	7698	235	320	07.11-	■
2032 L	Diesel	7698	235	320	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2532 L (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 L (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 L		Diesel		7698	235	320	07.11-	■
3232 L		Diesel		7698	235	320	07.11-	■
1835 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
1835 L		Diesel		7698	260	354	05.13-	■
2035 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2035 L		Diesel		7698	260	354	05.13-	■
2535 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 L (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 L		Diesel		7698	260	354	07.11-	■
3235 L		Diesel		7698	260	354	07.11-	■
1833 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
1833 L		Diesel		10677	240	326	05.13-	■
2033 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2033 L		Diesel		10677	240	326	05.13-	■
2533 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 L		Diesel		10677	240	326	07.11-	■
3232 L		Diesel		10677	240	326	07.11-	■
3333 L (OM 470.906)		Diesel		10677	240	326	07.11-	■
3333 L		Diesel		10677	240	326	05.13-	■
1836 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
1836 L		Diesel		10677	265	360	05.13-	■
2036 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2036 L		Diesel		10677	265	360	05.13-	■
2536 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 L		Diesel		10677	265	360	07.11-	■
3236 L		Diesel		10677	265	360	07.11-	■
3336 L (OM 470.906)		Diesel		10677	265	360	07.11-	■
3336 L		Diesel		10677	265	360	05.13-	■
1840 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
1840 L		Diesel		10677	290	394	05.13-	■
2040 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2040 L		Diesel		10677	290	394	05.13-	■
2540 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 L		Diesel		10677	290	394	07.11-	■
3240 L		Diesel		10677	290	394	07.11-	■
3340 L (OM 470.906)		Diesel		10677	290	394	07.11-	■
3340 L		Diesel		10677	290	394	05.13-	■
1843 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
1843 L		Diesel		10677	315	428	05.13-	■
2043 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2043 L		Diesel		10677	315	428	05.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 L (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 L		Diesel		10677	315	428	07.11-	■
3243 L		Diesel		10677	315	428	07.11-	■
3343 L (OM 470.906)		Diesel		10677	315	428	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3343 L		Diesel		10677	315	428	05.13-	■
1846 L		Diesel		10677	335	455	07.15-	■
1846 L		Diesel		10677	335	455	07.15-	■
2046 L		Diesel		10677	335	455	07.15-	■
2046 L		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
3246 L		Diesel		10677	335	455	07.15-	■
3346 L		Diesel		10677	335	455	07.15-	■
3346 L		Diesel		10677	335	455	07.15-	■
1842 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
1842 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
1842 L		Diesel		12809	310	421	05.13-	■
2042 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2042 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2042 L		Diesel		12809	310	421	05.13-	■
2542 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
2642 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 L		Diesel		12809	310	422	07.11-	■
3242 L		Diesel		12809	310	421	07.11-	■
3342 L (OM 471.900)		Diesel		12809	310	422	07.11-	■
3342 L (OM 471.909)		Diesel		12809	310	422	07.11-	■
3342 L		Diesel		12809	310	421	05.13-	■
1845 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
1845 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
1845 L		Diesel		12809	330	449	05.13-	■
2045 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2045 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2045 L		Diesel		12809	330	449	05.13-	■
2545 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2545 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
2645 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 L		Diesel		12809	330	449	07.11-	■
3245 L		Diesel		12809	330	449	07.11-	■
3345 L (OM 471.900)		Diesel		12809	330	449	07.11-	■
3345 L (OM 471.909)		Diesel		12809	330	449	07.11-	■
3345 L		Diesel		12809	330	449	05.13-	■
1848 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
1848 L		Diesel		12809	350	476	05.13-	■
2048 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2048 L		Diesel		12809	350	476	05.13-	■
2548 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 L		Diesel		12809	350	476	07.11-	■
3248 L		Diesel		12809	350	476	07.11-	■
3348 L (OM 471.900)		Diesel		12809	350	476	07.11-	■
3348 L		Diesel		12809	350	476	05.13-	■
2651 L (OM 471.900)		Diesel		12809	360	490	07.11-	■
1851 L (OM 471.900)		Diesel		12809	375	510	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1851 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
1851 L		Diesel		12809	375	510	05.13-	■
2051 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2051 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
2051 L		Diesel		12809	375	510	05.13-	■
2551 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2551 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
3251 L		Diesel		12809	375	510	07.11-	■
3351 L (OM 471.900)		Diesel		12809	375	510	07.11-	■
3351 L (OM 471.909)		Diesel		12809	375	510	07.11-	■
3351 L		Diesel		12809	375	510	05.13-	■
1853 L		Diesel		12809	390	530	07.15-	■
1853 L		Diesel		12809	390	530	07.15-	■
2053 L		Diesel		12809	390	530	07.15-	■
2053 L		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
3253 L		Diesel		12809	390	530	07.15-	■
3353 L		Diesel		12809	390	530	07.15-	■
3353 L		Diesel		12809	390	530	07.15-	■
1852 L (OM 473.900)		Diesel		15569	380	517	01.14-	■
1852 L		Diesel		15569	380	517	05.13-	■
2052 L		Diesel		15569	380	517	07.11-	■
2052 L		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	07.11-	■
3352 L		Diesel		15569	380	517	07.11-	■
3352 L		Diesel		15569	380	517	05.13-	■
1858 L (OM 473.905)		Diesel		15569	425	578	01.14-	■
1858 L		Diesel		15569	425	578	05.13-	■
2058 L		Diesel		15569	425	578	07.11-	■
2058 L		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	07.11-	■
3358 L		Diesel		15569	425	578	07.11-	■
3358 L		Diesel		15569	425	578	05.13-	■
1863 L (OM 473.903)		Diesel		15569	460	626	01.14-	■
1863 L		Diesel		15569	460	625	05.13-	■
2063 L		Diesel		15569	460	625	07.11-	■
2063 L		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	07.11-	■
3363 L		Diesel		15569	460	625	07.11-	■
3363 L		Diesel		15569	460	625	05.13-	■
ACTROS MP4 / MP5 07.11-				Platform/Chassis				
1830 L CNG		Gasolina		7698	222	302	01.19-	■
1830 L CNG		Gasolina		7698	222	302	01.19-	■
ACTROS MP4 / MP5 07.11-				Platform/Chassis				
eActros 300		Mixto		0	400	544	10.21-	■
eActros 300		Mixto		0	400	544	10.21-	■
eActros 300		Mixto		0	400	544	10.21-	■
eActros 400		Mixto		0	400	544	10.21-	■
eActros 400		Mixto		0	400	544	10.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

eActros 400		Mixto		0	400	544	06.23-	■
eActros 600		Mixto		0	600	816	11.24-	■
ACTROS MP4 / MP5 07.11-							Truck Tractor	
1824 LS (OM 936.912)		Diesel		7698	175	238	07.11-	■
1824 LS		Diesel		7698	175	238	05.13-	■
2024 LS (OM 936.912)		Diesel		7698	175	238	07.11-	■
2024 LS		Diesel		7698	175	238	05.13-	■
2424 LS		Diesel		7698	175	238	07.11-	■
2524 LS		Diesel		7698	175	238	07.11-	■
2524 LS		Diesel		7698	175	238	07.11-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	07.11-	■
1827 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
1827 LS		Diesel		7698	200	272	05.13-	■
2027 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2027 LS		Diesel		7698	200	272	05.13-	■
2427 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2427 LS		Diesel		7698	200	272	07.11-	■
2527 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2527 LS		Diesel		7698	200	272	07.11-	■
2527 LS		Diesel		7698	200	272	05.13-	■
2527 LS		Diesel		7698	200	272	05.13-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	07.11-	■
2627 LS		Diesel		7698	200	272	07.11-	■
1830 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
1830 LS		Diesel		7698	220	299	05.13-	■
2030 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2030 LS		Diesel		7698	220	299	05.13-	■
2430 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2430 LS		Diesel		7698	220	299	07.11-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2530 LS		Diesel		7698	220	299	07.11-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	07.11-	■
2630 LS		Diesel		7698	220	299	07.11-	■
1832 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
1832 LS		Diesel		7698	235	320	05.13-	■
2032 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2032 LS		Diesel		7698	235	320	05.13-	■
2432 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2432 LS		Diesel		7698	235	320	07.11-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2532 LS		Diesel		7698	235	320	07.11-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	07.11-	■
2632 LS		Diesel		7698	235	320	07.11-	■
1835 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
1835 LS		Diesel		7698	260	354	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2035 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2035 LS		Diesel		7698	260	354	05.13-	■
2435 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2435 LS		Diesel		7698	260	354	07.11-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2535 LS		Diesel		7698	260	354	07.11-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	07.11-	■
2635 LS		Diesel		7698	260	354	07.11-	■
1833 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
1833 LS		Diesel		10677	240	326	05.13-	■
2033LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2033LS		Diesel		10677	240	326	05.13-	■
2433 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2433 LS		Diesel		10677	240	326	07.11-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2533 LS		Diesel		10677	240	326	07.11-	■
2533 LS		Diesel		10677	240	326	05.13-	■
2533 LS		Diesel		10677	240	326	05.13-	■
2633 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
2633 LS		Diesel		10677	240	326	07.11-	■
3333 LS (OM 470.906)		Diesel		10677	240	326	07.11-	■
3333 LS		Diesel		10677	240	326	05.13-	■
1836 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
1836 LS		Diesel		10677	265	360	05.13-	■
2036LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2036LS		Diesel		10677	265	360	05.13-	■
2436 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2436 LS		Diesel		10677	265	360	07.11-	■
2536 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2536 LS		Diesel		10677	265	360	07.11-	■
2536 LS		Diesel		10677	265	360	05.13-	■
2536 LS		Diesel		10677	265	360	05.13-	■
2636 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
2636 LS		Diesel		10677	265	360	07.11-	■
3336 LS (OM 470.906)		Diesel		10677	265	360	07.11-	■
3336 LS		Diesel		10677	265	360	05.13-	■
1840LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
1840LS		Diesel		10677	290	394	05.13-	■
2040 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2040 LS		Diesel		10677	290	394	05.13-	■
2440 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2440 LS		Diesel		10677	290	394	07.11-	■
2540 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2540 LS		Diesel		10677	290	394	07.11-	■
2540 LS		Diesel		10677	290	394	05.13-	■
2540 LS		Diesel		10677	290	394	05.13-	■
2640 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■
2640 LS		Diesel		10677	290	394	07.11-	■
3340 LS (OM 470.906)		Diesel		10677	290	394	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3340 LS		Diesel		10677	290	394	05.13-	■
1843 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
1843 LS		Diesel		10677	315	428	05.13-	■
2043 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2043 LS		Diesel		10677	315	428	05.13-	■
2443 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2443 LS		Diesel		10677	315	428	07.11-	■
2543 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2543 LS		Diesel		10677	315	428	07.11-	■
2543 LS		Diesel		10677	315	428	05.13-	■
2543 LS		Diesel		10677	315	428	05.13-	■
2643 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
2643 LS		Diesel		10677	315	428	07.11-	■
3343 LS (OM 470.906)		Diesel		10677	315	428	07.11-	■
3343 LS		Diesel		10677	315	428	05.13-	■
1846 LS		Diesel		10677	335	455	07.15-	■
1846 LS		Diesel		10677	335	455	07.15-	■
2046 LS		Diesel		10677	335	455	07.15-	■
2046 LS		Diesel		10677	335	455	07.15-	■
2446 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2546 LS		Diesel		10677	335	455	07.15-	■
2646 LS		Diesel		10677	335	455	07.15-	■
3346 LS		Diesel		10677	335	455	07.15-	■
3346 LS		Diesel		10677	335	455	07.15-	■
1842 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
1842 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
1842 LS		Diesel		12809	310	421	05.13-	■
2042 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2042 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2042 LS		Diesel		12809	310	421	05.13-	■
2442 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2442 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2442 LS		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2542 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2542 LS		Diesel		12809	310	421	07.11-	■
2542 LS		Diesel		12809	310	421	05.13-	■
2542 LS		Diesel		12809	310	421	05.13-	■
2642 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
2642 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
2642 LS		Diesel		12809	310	422	07.11-	■
3342 LS (OM 471.900)		Diesel		12809	310	422	07.11-	■
3342 LS (OM 471.909)		Diesel		12809	310	422	07.11-	■
3342 LS		Diesel		12809	310	421	05.13-	■
1845 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
1845 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
1845 LS		Diesel		12809	330	449	05.13-	■
2045 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2045 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2045 LS		Diesel		12809	330	449	05.13-	■
2445 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2445 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2445 LS		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2545 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2545 LS		Diesel		12809	330	449	07.11-	■
2545 LS		Diesel		12809	330	449	05.13-	■
2545 LS		Diesel		12809	330	449	05.13-	■
2645 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
2645 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
2645 LS		Diesel		12809	330	449	07.11-	■
3345 LS (OM 471.900)		Diesel		12809	330	449	07.11-	■
3345 LS (OM 471.909)		Diesel		12809	330	449	07.11-	■
3345 LS		Diesel		12809	330	449	05.13-	■
1848 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
1848 LS		Diesel		12809	350	476	05.13-	■
2048 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2048 LS		Diesel		12809	350	476	05.13-	■
2448LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2448LS		Diesel		12809	350	476	07.11-	■
2548 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2548 LS		Diesel		12809	350	476	07.11-	■
2548 LS		Diesel		12809	350	476	05.13-	■
2548 LS		Diesel		12809	350	476	05.13-	■
2648 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
2648 LS		Diesel		12809	350	476	07.11-	■
3348 LS (OM 471.900)		Diesel		12809	350	476	07.11-	■
3348 LS		Diesel		12809	350	476	05.13-	■
1851 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
1851 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
1851 LS		Diesel		12809	375	510	05.13-	■
2051 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2051 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2051 LS		Diesel		12809	375	510	05.13-	■
2451 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2451 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2451 LS		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2551 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2551 LS		Diesel		12809	375	510	07.11-	■
2551 LS		Diesel		12809	375	510	05.13-	■
2551 LS		Diesel		12809	375	510	05.13-	■
2651 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
2651 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
2651 LS		Diesel		12809	375	510	07.11-	■
3351 LS (OM 471.900)		Diesel		12809	375	510	07.11-	■
3351 LS (OM 471.909)		Diesel		12809	375	510	07.11-	■
3351 LS		Diesel		12809	375	510	05.13-	■
1853 LS		Diesel		12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1853 LS		Diesel		12809	390	530	07.15-	■
2053 LS		Diesel		12809	390	530	07.15-	■
2053 LS		Diesel		12809	390	530	07.15-	■
2453 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2553 LS		Diesel		12809	390	530	07.15-	■
2653 LS		Diesel		12809	390	530	07.15-	■
3353 LS		Diesel		12809	390	530	07.15-	■
3353 LS		Diesel		12809	390	530	07.15-	■
1852 LS		Diesel		15569	380	517	05.13-	■
2052 LS		Diesel		15569	380	517	07.11-	■
2052 LS		Diesel		15569	380	517	05.13-	■
2452 LS		Diesel		15569	380	517	07.11-	■
2552 LS		Diesel		15569	380	517	07.11-	■
2552 LS		Diesel		15569	380	517	07.11-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	07.11-	■
3352 LS		Diesel		15569	380	517	07.11-	■
3352 LS		Diesel		15569	380	517	05.13-	■
3352 SLT		Diesel		15569	380	517	12.13-	■
4152 LS (OM 473.900)		Diesel		15569	380	517	01.14-	■
1858 LS (OM 473.905)		Diesel		15569	425	578	01.14-	■
1858 LS		Diesel		15569	425	578	05.13-	■
2058 LS		Diesel		15569	425	578	07.11-	■
2058 LS		Diesel		15569	425	578	05.13-	■
2458 LS		Diesel		15569	425	578	07.11-	■
2558 LS		Diesel		15569	425	578	07.11-	■
2558 LS		Diesel		15569	425	578	07.11-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	07.11-	■
3358 LS		Diesel		15569	425	578	07.11-	■
3358 LS		Diesel		15569	425	578	05.13-	■
3358 SLT		Diesel		15569	425	578	12.13-	■
4158 SLT		Diesel		15569	425	578	12.13-	■
1863 LS (OM 473.903)		Diesel		15569	460	626	01.14-	■
1863 LS		Diesel		15569	460	625	05.13-	■
2063 LS		Diesel		15569	460	625	07.11-	■
2063 LS		Diesel		15569	460	625	05.13-	■
2463 LS		Diesel		15569	460	625	07.11-	■
2563 LS		Diesel		15569	460	625	07.11-	■
2563 LS		Diesel		15569	460	625	07.11-	■
2563 LS		Diesel		15569	460	625	05.13-	■
2563 LS		Diesel		15569	460	625	05.13-	■
2663 LS		Diesel		15569	460	625	07.11-	■
3363 LS		Diesel		15569	460	625	07.11-	■
3363 LS		Diesel		15569	460	625	05.13-	■
3363 SLT		Diesel		15569	460	625	12.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

4163 SLT		Diesel		15569	460	625	12.13-	■	
ACTROS MP4 / MP5 07.11-					Truck Tractor				
eActros 300		Mixto		0	400	544	06.23-	■	
eActros 600		Mixto		0	600	816	11.24-	■	
ANTOS 07.12-					Platform/Chassis				
1824 L		Diesel		7698	175	238	05.13-12.18	■	
2024 L		Diesel		7698	175	238	05.13-12.18	■	
2624 L		Diesel		7698	175	238	09.12-12.18	■	
1827 L		Diesel		7698	200	272	05.13-12.18	■	
2027 L		Diesel		7698	200	272	05.13-12.18	■	
1830 L		Diesel		7698	220	299	05.13-12.18	■	
2030 L		Diesel		7698	220	299	05.13-12.18	■	
1832 L		Diesel		7698	235	320	05.13-12.18	■	
2032 L		Diesel		7698	235	320	05.13-12.18	■	
1835 L		Diesel		7698	260	354	05.13-12.18	■	
2035 L		Diesel		7698	260	354	05.13-12.18	■	
1833 L		Diesel		10677	240	326	05.13-12.18	■	
2033 L		Diesel		10677	240	326	05.13-12.18	■	
3333 L		Diesel		10677	240	326	05.13-12.18	■	
1836 L		Diesel		10677	265	360	05.13-12.18	■	
2036 L		Diesel		10677	265	360	05.13-12.18	■	
3336 L		Diesel		10677	265	360	05.13-12.18	■	
1840 L		Diesel		10677	290	394	05.13-12.18	■	
2040 L		Diesel		10677	290	394	05.13-12.18	■	
3340 L		Diesel		10677	290	394	05.13-12.18	■	
1843 L		Diesel		10677	315	428	05.13-12.18	■	
2043 L		Diesel		10677	315	428	05.13-12.18	■	
3343 L		Diesel		10677	315	428	05.13-12.18	■	
1846 L		Diesel		10677	335	455	07.15-12.18	■	
1846 L		Diesel		10677	335	455	07.15-12.18	■	
2046 L		Diesel		10677	335	455	07.15-12.18	■	
2046 L		Diesel		10677	335	455	07.15-12.18	■	
2646 L		Diesel		10677	335	455	07.15-12.18	■	
3346 L		Diesel		10677	335	455	07.15-12.18	■	
3346 L		Diesel		10677	335	455	07.15-12.18	■	
1842 L		Diesel		12809	310	421	05.13-12.18	■	
2042 L		Diesel		12809	310	421	05.13-12.18	■	
3342 L		Diesel		12809	310	421	05.13-12.18	■	
1845 L		Diesel		12809	330	449	05.13-12.18	■	
2045 L		Diesel		12809	330	449	05.13-12.18	■	
3345 L		Diesel		12809	330	449	05.13-12.18	■	
1848 L		Diesel		12809	350	476	05.13-12.18	■	
2048 L		Diesel		12809	350	476	05.13-12.18	■	
3348 L		Diesel		12809	350	476	05.13-12.18	■	
1851 L		Diesel		12809	375	510	05.13-12.18	■	
2051 L		Diesel		12809	375	510	05.13-12.18	■	
3351 L		Diesel		12809	375	510	05.13-12.18	■	
1853 L		Diesel		12809	390	530	07.15-12.18	■	
1853 L		Diesel		12809	390	530	07.15-12.18	■	
2053 L		Diesel		12809	390	530	07.15-12.18	■	
2053 L		Diesel		12809	390	530	07.15-12.18	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2653 L		Diesel		12809	390	530	07.15-12.18	■	
3353 L		Diesel		12809	390	530	07.15-12.18	■	
3353 L		Diesel		12809	390	530	07.15-12.18	■	
1852 L		Diesel		15569	380	517	09.12-12.18	■	
1852 L		Diesel		15569	380	517	05.13-12.18	■	
2052 L		Diesel		15569	380	517	09.12-12.18	■	
2052 L		Diesel		15569	380	517	05.13-12.18	■	
2652 L		Diesel		15569	380	517	09.12-12.18	■	
3352 L		Diesel		15569	380	517	09.12-12.18	■	
3352 L		Diesel		15569	380	517	05.13-12.18	■	
1858 L		Diesel		15569	425	578	09.12-12.18	■	
1858 L		Diesel		15569	425	578	05.13-12.18	■	
2058 L		Diesel		15569	425	578	09.12-12.18	■	
2058 L		Diesel		15569	425	578	05.13-12.18	■	
2658 L		Diesel		15569	425	578	09.12-12.18	■	
3358 L		Diesel		15569	425	578	09.12-12.18	■	
3358 L		Diesel		15569	425	578	05.13-12.18	■	
1863 L		Diesel		15569	460	625	09.12-12.18	■	
1863 L		Diesel		15569	460	625	05.13-12.18	■	
2063 L		Diesel		15569	460	625	09.12-12.18	■	
2063 L		Diesel		15569	460	625	05.13-12.18	■	
2663 L		Diesel		15569	460	625	09.12-12.18	■	
3363 L		Diesel		15569	460	625	09.12-12.18	■	
3363 L		Diesel		15569	460	625	05.13-12.18	■	
ANTOS 07.12-									Truck Tractor
1824 LS		Diesel		7698	175	238	05.13-12.18	■	
2024 LS		Diesel		7698	175	238	05.13-12.18	■	
2424 LS		Diesel		7698	175	238	09.12-12.18	■	
2524 LS		Diesel		7698	175	238	09.12-12.18	■	
2524 LS		Diesel		7698	175	238	09.12-12.18	■	
2524 LS		Diesel		7698	175	238	05.13-12.18	■	
2524 LS		Diesel		7698	175	238	05.13-12.18	■	
2624 LS		Diesel		7698	175	238	09.12-12.18	■	
1827 LS		Diesel		7698	200	272	05.13-12.18	■	
2027 LS		Diesel		7698	200	272	05.13-12.18	■	
2527 LS		Diesel		7698	200	272	09.12-12.18	■	
2527 LS		Diesel		7698	200	272	05.13-12.18	■	
2527 LS		Diesel		7698	200	272	05.13-12.18	■	
1830 LS		Diesel		7698	220	299	05.13-12.18	■	
2030 LS		Diesel		7698	220	299	05.13-12.18	■	
2530 LS		Diesel		7698	220	299	09.12-12.18	■	
2530 LS		Diesel		7698	220	299	05.13-12.18	■	
2530 LS		Diesel		7698	220	299	05.13-12.18	■	
1832 LS		Diesel		7698	235	320	05.13-12.18	■	
2032 LS		Diesel		7698	235	320	05.13-12.18	■	
2532 LS		Diesel		7698	235	320	09.12-12.18	■	
2532 LS		Diesel		7698	235	320	05.13-12.18	■	
2532 LS		Diesel		7698	235	320	05.13-12.18	■	
1835 LS		Diesel		7698	260	354	05.13-12.18	■	
2035 LS		Diesel		7698	260	354	05.13-12.18	■	
2535 LS		Diesel		7698	260	354	09.12-12.18	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2535 LS		Diesel		7698	260	354	05.13-12.18	■
2535 LS		Diesel		7698	260	354	05.13-12.18	■
1833 LS		Diesel		10677	240	326	05.13-12.18	■
2033LS		Diesel		10677	240	326	05.13-12.18	■
2533 LS		Diesel		10677	240	326	09.12-12.18	■
2533 LS		Diesel		10677	240	326	05.13-12.18	■
2533 LS		Diesel		10677	240	326	05.13-12.18	■
3333 LS		Diesel		10677	240	326	05.13-12.18	■
1836 LS		Diesel		10677	265	360	05.13-12.18	■
2036LS		Diesel		10677	265	360	05.13-12.18	■
2536 LS		Diesel		10677	265	360	09.12-12.18	■
2536 LS		Diesel		10677	265	360	05.13-12.18	■
2536 LS		Diesel		10677	265	360	05.13-12.18	■
3336 LS		Diesel		10677	265	360	05.13-12.18	■
1840LS		Diesel		10677	290	394	05.13-12.18	■
2040 LS		Diesel		10677	290	394	05.13-12.18	■
2540 LS		Diesel		10677	290	394	09.12-12.18	■
2540 LS		Diesel		10677	290	394	05.13-12.18	■
2540 LS		Diesel		10677	290	394	05.13-12.18	■
3340 LS		Diesel		10677	290	394	05.13-12.18	■
1843 LS		Diesel		10677	315	428	05.13-12.18	■
2043 LS		Diesel		10677	315	428	05.13-12.18	■
2543 LS		Diesel		10677	315	428	09.12-12.18	■
2543 LS		Diesel		10677	315	428	05.13-12.18	■
2543 LS		Diesel		10677	315	428	05.13-12.18	■
3343 LS		Diesel		10677	315	428	05.13-12.18	■
1846 LS		Diesel		10677	335	455	07.15-12.18	■
1846 LS		Diesel		10677	335	455	07.15-12.18	■
2046 LS		Diesel		10677	335	455	07.15-12.18	■
2046 LS		Diesel		10677	335	455	07.15-12.18	■
2446 LS		Diesel		10677	335	455	07.15-12.18	■
2546 LS		Diesel		10677	335	455	07.15-12.18	■
2546 LS		Diesel		10677	335	455	07.15-12.18	■
2546 LS		Diesel		10677	335	455	07.15-12.18	■
2546 LS		Diesel		10677	335	455	07.15-12.18	■
2646 LS		Diesel		10677	335	455	07.15-12.18	■
3346 LS		Diesel		10677	335	455	07.15-12.18	■
3346 LS		Diesel		10677	335	455	07.15-12.18	■
1842 LS		Diesel		12809	310	421	05.13-12.18	■
2042 LS		Diesel		12809	310	421	05.13-12.18	■
2542 LS		Diesel		12809	310	421	09.12-12.18	■
2542 LS		Diesel		12809	310	421	05.13-12.18	■
2542 LS		Diesel		12809	310	421	05.13-12.18	■
3342 LS		Diesel		12809	310	421	05.13-12.18	■
1845 LS		Diesel		12809	330	449	05.13-12.18	■
2045 LS		Diesel		12809	330	449	05.13-12.18	■
2545 LS		Diesel		12809	330	449	09.12-12.18	■
2545 LS		Diesel		12809	330	449	05.13-12.18	■
2545 LS		Diesel		12809	330	449	05.13-12.18	■
3345 LS		Diesel		12809	330	449	05.13-12.18	■
1848 LS		Diesel		12809	350	476	05.13-12.18	■

LISTA DE APLICACIONES - BUYERS GUIDE

2048 LS		Diesel		12809	350	476	05.13-12.18	■
2548 LS		Diesel		12809	350	476	09.12-12.18	■
2548 LS		Diesel		12809	350	476	05.13-12.18	■
2548 LS		Diesel		12809	350	476	05.13-12.18	■
3348 LS		Diesel		12809	350	476	05.13-12.18	■
1851 LS		Diesel		12809	375	510	05.13-12.18	■
2051 LS		Diesel		12809	375	510	05.13-12.18	■
2551 LS		Diesel		12809	375	510	09.12-12.18	■
2551 LS		Diesel		12809	375	510	05.13-12.18	■
2551 LS		Diesel		12809	375	510	05.13-12.18	■
3351 LS		Diesel		12809	375	510	05.13-12.18	■
1853 LS		Diesel		12809	390	530	07.15-12.18	■
1853 LS		Diesel		12809	390	530	07.15-12.18	■
2053 LS		Diesel		12809	390	530	07.15-12.18	■
2053 LS		Diesel		12809	390	530	07.15-12.18	■
2453 LS		Diesel		12809	390	530	07.15-12.18	■
2553 LS		Diesel		12809	390	530	07.15-12.18	■
2553 LS		Diesel		12809	390	530	07.15-12.18	■
2553 LS		Diesel		12809	390	530	07.15-12.18	■
2553 LS		Diesel		12809	390	530	07.15-12.18	■
2653 LS		Diesel		12809	390	530	07.15-12.18	■
3353 LS		Diesel		12809	390	530	07.15-12.18	■
3353 LS		Diesel		12809	390	530	07.15-12.18	■
1852 LS		Diesel		15569	380	517	09.12-12.18	■
1852 LS		Diesel		15569	380	517	05.13-12.18	■
2052 LS		Diesel		15569	380	517	09.12-12.18	■
2052 LS		Diesel		15569	380	517	05.13-12.18	■
2452 LS		Diesel		15569	380	517	09.12-12.18	■
2552 LS		Diesel		15569	380	517	09.12-12.18	■
2552 LS		Diesel		15569	380	517	09.12-12.18	■
2552 LS		Diesel		15569	380	517	05.13-12.18	■
2552 LS		Diesel		15569	380	517	05.13-12.18	■
2652 LS		Diesel		15569	380	517	09.12-12.18	■
3352 LS		Diesel		15569	380	517	09.12-12.18	■
3352 LS		Diesel		15569	380	517	05.13-12.18	■
1858 LS		Diesel		15569	425	578	09.12-12.18	■
1858 LS		Diesel		15569	425	578	05.13-12.18	■
2058 LS		Diesel		15569	425	578	09.12-12.18	■
2058 LS		Diesel		15569	425	578	05.13-12.18	■
2458 LS		Diesel		15569	425	578	09.12-12.18	■
2558 LS		Diesel		15569	425	578	09.12-12.18	■
2558 LS		Diesel		15569	425	578	09.12-12.18	■
2558 LS		Diesel		15569	425	578	05.13-12.18	■
2558 LS		Diesel		15569	425	578	05.13-12.18	■
2658 LS		Diesel		15569	425	578	09.12-12.18	■
3358 LS		Diesel		15569	425	578	09.12-12.18	■
3358 LS		Diesel		15569	425	578	05.13-12.18	■
1863 LS		Diesel		15569	460	625	09.12-12.18	■
1863 LS		Diesel		15569	460	625	05.13-12.18	■
2063 LS		Diesel		15569	460	625	09.12-12.18	■
2063 LS		Diesel		15569	460	625	05.13-12.18	■

LISTA DE APLICACIONES - BUYERS GUIDE

2463 LS		Diesel		15569	460	625	09.12-12.18	■	
2563 LS		Diesel		15569	460	625	09.12-12.18	■	
2563 LS		Diesel		15569	460	625	09.12-12.18	■	
2563 LS		Diesel		15569	460	625	05.13-12.18	■	
2563 LS		Diesel		15569	460	625	05.13-12.18	■	
2663 LS		Diesel		15569	460	625	09.12-12.18	■	
3363 LS		Diesel		15569	460	625	09.12-12.18	■	
3363 LS		Diesel		15569	460	625	05.13-12.18	■	
AROCS 01.13-					Concrete Mixer				
2624 B		Diesel		7698	175	238	05.13-	■	
2624 LB		Diesel		7698	175	238	05.13-	■	
2624 LB		Diesel		7698	175	238	05.13-	■	
3224 B		Diesel		7698	175	238	05.13-	■	
3224 LB		Diesel		7698	175	238	05.13-	■	
3324 B		Diesel		7698	175	238	05.13-	■	
2627 B, 2627 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■	
2627 LB		Diesel		7698	200	272	05.13-	■	
3227 B, 3227 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■	
3227 LB (OM 936.912)		Diesel		7698	200	272	01.13-	■	
3327 B		Diesel		7698	200	272	05.13-	■	
2630 B, 2630 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■	
2630 LB		Diesel		7698	220	299	05.13-	■	
3230 B, 3230 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■	
3230 LB (OM 936.912)		Diesel		7698	220	299	01.13-	■	
3330 B		Diesel		7698	220	299	05.13-	■	
2632 B, 2632 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■	
2632 LB		Diesel		7698	235	320	05.13-	■	
3232 B, 3232 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■	
3232 LB (OM 936.916)		Diesel		7698	235	320	01.13-	■	
3332 B		Diesel		7698	235	320	05.13-	■	
2635 B, 2635 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■	
2635 LB		Diesel		7698	260	354	05.13-	■	
3235 B, 3235 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■	
3235 LB (OM 936.916)		Diesel		7698	260	354	01.13-	■	
3335 B		Diesel		7698	260	354	05.13-	■	
2633 B, 2633 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■	
2633 LB		Diesel		10677	240	326	05.13-	■	
3233 B, 3233 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■	
3233 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■	
3333 B, 3333 LB (OM 470.906)		Diesel		10677	240	326	01.13-	■	
3333 LB		Diesel		10677	240	326	05.13-	■	
4133 B (OM 470.906)		Diesel		10677	240	326	01.13-	■	
2636 B, 2636 LB		Diesel		10677	265	360	01.13-	■	
2636 LB		Diesel		10677	265	360	05.13-	■	
3236 B, 3236 LB		Diesel		10677	265	360	01.13-	■	
3236 LB		Diesel		10677	265	360	01.13-	■	
3336 B, 3336 LB		Diesel		10677	265	360	01.13-	■	
3336 LB		Diesel		10677	265	360	05.13-	■	
4136 B		Diesel		10677	265	360	01.13-	■	
2640 B, 2640 LB (OM 470.906)		Diesel		10677	290	394	01.13-	■	
2640 LB		Diesel		10677	290	394	05.13-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

3240 B, 3240 LB (OM 470.906)	Diesel	10677	290	394	01.13-	■
3240 LB (OM 470.906)	Diesel	10677	290	394	01.13-	■
3340 B, 3340 LB (OM 470.906)	Diesel	10677	290	394	01.13-	■
3340 LB	Diesel	10677	290	394	05.13-	■
4140 B (OM 470.906)	Diesel	10677	290	394	01.13-	■
2643 B, 2643 LB (OM 470.906)	Diesel	10677	315	428	01.13-	■
2643 LB	Diesel	10677	315	428	05.13-	■
3243 B, 3243 LB (OM 470.906)	Diesel	10677	315	428	01.13-	■
3243 LB (OM 470.906)	Diesel	10677	315	428	01.13-	■
3343 B, 3343 LB (OM 470.906)	Diesel	10677	315	428	01.13-	■
3343 LB	Diesel	10677	315	428	05.13-	■
4143 B (OM 470.906)	Diesel	10677	315	428	01.13-	■
2646 B	Diesel	10677	335	455	07.15-	■
2646 LB	Diesel	10677	335	455	07.15-	■
2646 LB	Diesel	10677	335	455	07.15-	■
3246 B	Diesel	10677	335	455	07.15-	■
3246 LB	Diesel	10677	335	455	07.15-	■
3346 B	Diesel	10677	335	455	07.15-	■
3346 LB	Diesel	10677	335	455	07.15-	■
3346 LB	Diesel	10677	335	455	07.15-	■
4146 B	Diesel	10677	335	455	07.15-	■
2642 B, 2642 LB (OM 471.900)	Diesel	12809	310	422	01.13-	■
2642 LB	Diesel	12809	310	421	05.13-	■
3242 B, 3242 LB (OM 471.900)	Diesel	12809	310	422	01.13-	■
3242 LB (OM 471.900)	Diesel	12809	310	422	01.13-	■
3342 B, 3342 LB (OM 471.900)	Diesel	12809	310	422	01.13-	■
3342 LB	Diesel	12809	310	421	05.13-	■
4142 B (OM 471.900)	Diesel	12809	310	422	01.13-	■
2645 B, 2645 LB (OM 471.900)	Diesel	12809	330	449	01.13-	■
2645 LB	Diesel	12809	330	449	05.13-	■
3245 B, 3245 LB	Diesel	12809	330	449	01.13-	■
3245 LB (OM 471.900)	Diesel	12809	330	449	01.13-	■
3345B, 3345 LB (OM 471.900)	Diesel	12809	330	449	01.13-	■
3345 LB	Diesel	12809	330	449	05.13-	■
4145 B (OM 471.900)	Diesel	12809	330	449	01.13-	■
2648 B, 2648 LB	Diesel	12809	350	476	01.13-	■
2648 LB	Diesel	12809	350	476	05.13-	■
3248 B, 3248 LB	Diesel	12809	350	476	01.13-	■
3248 LB	Diesel	12809	350	476	01.13-	■
3348 B, 3348 LB (OM 471.900)	Diesel	12809	350	476	01.13-	■
3348 LB	Diesel	12809	350	476	05.13-	■
4148 B (OM 471.900)	Diesel	12809	350	476	01.13-	■
2651 B, 2651 LB (OM 471.909)	Diesel	12809	375	510	01.13-	■
2651 LB	Diesel	12809	375	510	05.13-	■
3251 B, 3251 LB (OM 471.909)	Diesel	12809	375	510	01.13-	■
3251 LB (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 B, 3351 LB (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 LB	Diesel	12809	375	510	05.13-	■
4151 B (OM 471.909)	Diesel	12809	375	510	01.13-	■
2653 B	Diesel	12809	390	530	07.15-	■
2653 LB	Diesel	12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2653 LB		Diesel		12809	390	530	07.15-	■	
3253 B		Diesel		12809	390	530	07.15-	■	
3253 LB		Diesel		12809	390	530	07.15-	■	
3353 B		Diesel		12809	390	530	07.15-	■	
3353 LB		Diesel		12809	390	530	07.15-	■	
3353 LB		Diesel		12809	390	530	07.15-	■	
4153 B		Diesel		12809	390	530	07.15-	■	
AROCS 01.13-							Dump Truck		
1824AK (OM 936.912)		Diesel		7698	175	238	01.13-	■	
1824K (OM 936.912)		Diesel		7698	175	238	01.13-	■	
1824 LK		Diesel		7698	175	238	05.13-	■	
1824 LK		Diesel		7698	175	238	05.13-	■	
2024K (OM 936.912)		Diesel		7698	175	238	01.13-	■	
2024 LK		Diesel		7698	175	238	05.13-	■	
2024 LK		Diesel		7698	175	238	05.13-	■	
2624 K		Diesel		7698	175	238	05.13-	■	
2624 LK		Diesel		7698	175	238	05.13-	■	
2624 LK		Diesel		7698	175	238	05.13-	■	
3224 K		Diesel		7698	175	238	05.13-	■	
3224 LK		Diesel		7698	175	238	05.13-	■	
1827 AK (OM 936.912)		Diesel		7698	200	272	01.13-	■	
1827 K (OM 936.912)		Diesel		7698	200	272	01.13-	■	
1827 LK		Diesel		7698	200	272	05.13-	■	
1827 LK		Diesel		7698	200	272	05.13-	■	
2027 K (OM 936.912)		Diesel		7698	200	272	01.13-	■	
2027 LK		Diesel		7698	200	272	05.13-	■	
2027 LK		Diesel		7698	200	272	05.13-	■	
2627 K, 2627 LK (OM 936.912)		Diesel		7698	200	272	01.13-	■	
2627 LK		Diesel		7698	200	272	05.13-	■	
3227 K		Diesel		7698	200	272	05.13-	■	
3227 K, 3227 LK (OM 936.912)		Diesel		7698	200	272	01.13-	■	
3227 LK (OM 936.912)		Diesel		7698	200	272	01.13-	■	
1830 AK (OM 936.912)		Diesel		7698	220	299	01.13-	■	
1830 K (OM 936.912)		Diesel		7698	220	299	01.13-	■	
1830 LK		Diesel		7698	220	299	05.13-	■	
1830 LK		Diesel		7698	220	299	05.13-	■	
2030 K (OM 936.912)		Diesel		7698	220	299	01.13-	■	
2030 LK		Diesel		7698	220	299	05.13-	■	
2030 LK		Diesel		7698	220	299	05.13-	■	
2630 K, 2630 LK (OM 936.912)		Diesel		7698	220	299	01.13-	■	
2630 LK		Diesel		7698	220	299	05.13-	■	
3230 K, 3230 LK (OM 936.912)		Diesel		7698	220	299	01.13-	■	
3230 LK (OM 936.912)		Diesel		7698	220	299	01.13-	■	
1832 AK (OM 936.916)		Diesel		7698	235	320	01.13-	■	
1832 K (OM 936.916)		Diesel		7698	235	320	01.13-	■	
1832 LK		Diesel		7698	235	320	05.13-	■	
1832 LK		Diesel		7698	235	320	05.13-	■	
2032 K (OM 936.916)		Diesel		7698	235	320	01.13-	■	
2032 LK		Diesel		7698	235	320	05.13-	■	
2032 LK		Diesel		7698	235	320	05.13-	■	
2532 K		Diesel		7698	235	320	09.19-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2632 K, 2632 LK (OM 936.916)	Diesel	7698	235	320	01.13-
2632 LK	Diesel	7698	235	320	05.13-
3232 K, 3232 LK (OM 936.916)	Diesel	7698	235	320	01.13-
3232 LK (OM 936.916)	Diesel	7698	235	320	01.13-
3332 K	Diesel	7698	235	320	05.13-
1835 AK (OM 936.916)	Diesel	7698	260	354	01.13-
1835 K (OM 936.916)	Diesel	7698	260	354	01.13-
1835 LK	Diesel	7698	260	354	05.13-
1835 LK	Diesel	7698	260	354	05.13-
2035 K (OM 936.916)	Diesel	7698	260	354	01.13-
2035 LK	Diesel	7698	260	354	05.13-
2035 LK	Diesel	7698	260	354	05.13-
2535 K	Diesel	7698	260	354	09.19-
2635 K, 2635 LK (OM 936.916)	Diesel	7698	260	354	01.13-
2635 LK	Diesel	7698	260	354	05.13-
3235 K, 3235 LK (OM 936.916)	Diesel	7698	260	354	01.13-
3235 LK (OM 936.916)	Diesel	7698	260	354	01.13-
3335 K	Diesel	7698	260	354	05.13-
1833 AK (OM 470.906)	Diesel	10677	240	326	01.13-
1833 K (OM 470.906)	Diesel	10677	240	326	01.13-
1833 LK	Diesel	10677	240	326	05.13-
1833 LK	Diesel	10677	240	326	05.13-
2033 AK (OM 470.906)	Diesel	10677	240	326	01.13-
2033 K (OM 470.906)	Diesel	10677	240	326	01.13-
2033 LK	Diesel	10677	240	326	05.13-
2033 LK	Diesel	10677	240	326	05.13-
2633 K, 2633 LK (OM 470.906)	Diesel	10677	240	326	01.13-
2633 LK	Diesel	10677	240	326	05.13-
3233 K, 3233 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3233 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 AK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 K, 3333 LK (OM 470.906)	Diesel	10677	240	326	01.13-
3333 LK	Diesel	10677	240	326	05.13-
4133 AK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 AK (OM 470.906)	Diesel	10677	240	326	01.13-
4133 K (OM 470.906)	Diesel	10677	240	326	01.13-
4136 AK (OM 470.903)	Diesel	10677	240	326	01.13-
4136 AK (OM 470.903)	Diesel	10677	240	326	01.13-
1836 AK (OM 470.908)	Diesel	10677	265	360	01.13-
1836 AK (OM 470.910)	Diesel	10677	265	360	01.13-
1836 AK (OM 470.913)	Diesel	10677	265	360	01.13-
1836 K (OM 470.903)	Diesel	10677	265	360	01.13-
1836 K (OM 470.910)	Diesel	10677	265	360	01.13-
1836 K (OM 470.913)	Diesel	10677	265	360	01.13-
1836 LK	Diesel	10677	265	360	05.13-
1836 LK	Diesel	10677	265	360	05.13-
2036 AK (OM 470.903)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.910)	Diesel	10677	265	360	01.13-
2036 AK (OM 470.913)	Diesel	10677	265	360	01.13-
2036 K (OM 470.903)	Diesel	10677	265	360	01.13-
2036 K (OM 470.910)	Diesel	10677	265	360	01.13-

LISTA DE APLICACIONES - BUYERS GUIDE

2036 K (OM 470.913)	Diesel	10677	265	360	01.13-
2036 LK	Diesel	10677	265	360	05.13-
2036 LK	Diesel	10677	265	360	05.13-
2636 K, 2636 LK	Diesel	10677	265	360	01.13-
2636 LK	Diesel	10677	265	360	05.13-
3236 K, 3236 LK	Diesel	10677	265	360	01.13-
3236 LK	Diesel	10677	265	360	01.13-
3336AK	Diesel	10677	265	360	01.13-
3336 K, 3336 LK	Diesel	10677	265	360	01.13-
3336 LK	Diesel	10677	265	360	05.13-
4136 K	Diesel	10677	265	360	01.13-
1840 AK (OM 470.906)	Diesel	10677	290	394	01.13-
1840 K (OM 470.906)	Diesel	10677	290	394	01.13-
1840 LK	Diesel	10677	290	394	05.13-
1840 LK	Diesel	10677	290	394	05.13-
2040 AK (OM 470.906)	Diesel	10677	290	394	01.13-
2040 K (OM 470.906)	Diesel	10677	290	394	01.13-
2040 LK	Diesel	10677	290	394	05.13-
2040 LK	Diesel	10677	290	394	05.13-
2640 K, 2640 LK (OM 470.906)	Diesel	10677	290	394	01.13-
2640 LK	Diesel	10677	290	394	05.13-
3240 K, 3240 LK (OM 470.906)	Diesel	10677	290	394	01.13-
3240 LK (OM 470.906)	Diesel	10677	290	394	01.13-
3340 AK (OM 470.906)	Diesel	10677	290	394	01.13-
3340 K, 3340 LK (OM 470.906)	Diesel	10677	290	394	01.13-
3340 LK	Diesel	10677	290	394	05.13-
4140 AK (OM 470.903)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.906)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.903)	Diesel	10677	290	394	01.13-
4140 AK (OM 470.906)	Diesel	10677	290	394	01.13-
4140 K (OM 470.906)	Diesel	10677	290	394	01.13-
1843 AK (OM 470.906)	Diesel	10677	315	428	01.13-
1843 K (OM 470.906)	Diesel	10677	315	428	01.13-
1843 LK	Diesel	10677	315	428	05.13-
1843 LK	Diesel	10677	315	428	05.13-
2043 AK (OM 470.906)	Diesel	10677	315	428	01.13-
2043 K (OM 470.906)	Diesel	10677	315	428	01.13-
2043 LK	Diesel	10677	315	428	05.13-
2043 LK	Diesel	10677	315	428	05.13-
2643 K, 2643 LK (OM 470.906)	Diesel	10677	315	428	01.13-
2643 LK	Diesel	10677	315	428	05.13-
3243 K, 3243 LK (OM 470.906)	Diesel	10677	315	428	01.13-
3243 LK (OM 470.906)	Diesel	10677	315	428	01.13-
3343 AK (OM 470.906)	Diesel	10677	315	428	01.13-
3343 K, 3343 LK (OM 470.906)	Diesel	10677	315	428	01.13-
3343 LK	Diesel	10677	315	428	05.13-
4143 AK (OM 470.903)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.906)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.903)	Diesel	10677	315	428	01.13-
4143 AK (OM 470.906)	Diesel	10677	315	428	01.13-
4143 K (OM 470.906)	Diesel	10677	315	428	01.13-

LISTA DE APLICACIONES - BUYERS GUIDE

1846 AK		Diesel		10677	335	455	07.15-	■
1846 K		Diesel		10677	335	455	07.15-	■
1846 LK		Diesel		10677	335	455	07.15-	■
1846 LK		Diesel		10677	335	455	07.15-	■
2046 AK		Diesel		10677	335	455	07.15-	■
2046 K		Diesel		10677	335	455	07.15-	■
2046 LK		Diesel		10677	335	455	07.15-	■
2046 LK		Diesel		10677	335	455	07.15-	■
2646 K		Diesel		10677	335	455	07.15-	■
2646 LK		Diesel		10677	335	455	07.15-	■
2646 LK		Diesel		10677	335	455	07.15-	■
3246 K		Diesel		10677	335	455	07.15-	■
3246 LK		Diesel		10677	335	455	07.15-	■
3346 AK		Diesel		10677	335	455	07.15-	■
3346 K		Diesel		10677	335	455	07.15-	■
3346 LK		Diesel		10677	335	455	07.15-	■
3346 LK		Diesel		10677	335	455	07.15-	■
4146 AK		Diesel		10677	335	455	07.15-	■
4146 AK		Diesel		10677	335	455	07.15-	■
4146 K		Diesel		10677	335	455	07.15-	■
1842 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 K (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 LK		Diesel		12809	310	421	05.13-	■
1842 LK		Diesel		12809	310	421	05.13-	■
2042 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 K (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 LK		Diesel		12809	310	421	05.13-	■
2042 LK		Diesel		12809	310	421	05.13-	■
2642 K, 2642 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 LK		Diesel		12809	310	421	05.13-	■
3242 K, 3242 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3242 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 K, 3342 LK (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 LK		Diesel		12809	310	421	05.13-	■
4142 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
4142 AK (OM 471.900)		Diesel		12809	310	422	01.13-	■
4142 K (OM 471.900)		Diesel		12809	310	422	01.13-	■
1845 AK		Diesel		12809	330	449	01.13-	■
1845 K (OM 471.900)		Diesel		12809	330	449	01.13-	■
1845 K (OM 471.906)		Diesel		12809	330	449	01.13-	■
1845 LK		Diesel		12809	330	449	05.13-	■
1845 LK		Diesel		12809	330	449	05.13-	■
2045 AK		Diesel		12809	330	449	01.13-	■
2045 K (OM 471.900)		Diesel		12809	330	449	01.13-	■
2045 K (OM 471.906)		Diesel		12809	330	449	01.13-	■
2045 LK		Diesel		12809	330	449	05.13-	■
2045 LK		Diesel		12809	330	449	05.13-	■
2645 K, 2645 LK (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 LK		Diesel		12809	330	449	05.13-	■
3245 K, 3245 LK (OM 471.900)		Diesel		12809	330	449	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3245 LK (OM 471.900)	Diesel	12809	330	449	01.13-	■
3345 AK	Diesel	12809	330	449	01.13-	■
3345K, 3345 LK (OM 471.900)	Diesel	12809	330	449	01.13-	■
3345 LK	Diesel	12809	330	449	05.13-	■
4145 AK (OM 471.906)	Diesel	12809	330	449	01.13-	■
4145 AK (OM 471.906)	Diesel	12809	330	449	01.13-	■
4145 K (OM 471.900)	Diesel	12809	330	449	01.13-	■
1848 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
1848 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
1848 K (OM 471.906)	Diesel	12809	350	476	01.13-	■
1848 LK	Diesel	12809	350	476	05.13-	■
1848 LK	Diesel	12809	350	476	05.13-	■
2048 AK	Diesel	12809	350	476	01.13-	■
2048 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
2048 K (OM 471.906)	Diesel	12809	350	476	01.13-	■
2048 LK	Diesel	12809	350	476	05.13-	■
2048 LK	Diesel	12809	350	476	05.13-	■
2648 K, 2648 LK	Diesel	12809	350	476	01.13-	■
2648 LK	Diesel	12809	350	476	05.13-	■
3248 K, 3248 LK	Diesel	12809	350	476	01.13-	■
3248 LK	Diesel	12809	350	476	01.13-	■
3348 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
3348 K, 3348 LK (OM 471.900)	Diesel	12809	350	476	01.13-	■
3348 LK	Diesel	12809	350	476	05.13-	■
4148 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
4148 AK (OM 471.906)	Diesel	12809	350	476	01.13-	■
4148 K (OM 471.900)	Diesel	12809	350	476	01.13-	■
1851 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
1851 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
1851 LK	Diesel	12809	375	510	05.13-	■
1851 LK	Diesel	12809	375	510	05.13-	■
2051 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
2051 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
2051 LK	Diesel	12809	375	510	05.13-	■
2051 LK	Diesel	12809	375	510	05.13-	■
2651 K, 2651 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
2651 LK	Diesel	12809	375	510	05.13-	■
3251 K, 3251 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3251 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 K, 3351 LK (OM 471.909)	Diesel	12809	375	510	01.13-	■
3351 LK	Diesel	12809	375	510	05.13-	■
4151 AK (OM 471.906)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.906)	Diesel	12809	375	510	01.13-	■
4151 AK (OM 471.909)	Diesel	12809	375	510	01.13-	■
4151 K (OM 471.909)	Diesel	12809	375	510	01.13-	■
4851 K	Diesel	12809	375	510	01.22-	■
1853AK	Diesel	12809	390	530	07.15-	■
1853 K	Diesel	12809	390	530	07.15-	■
1853 LK	Diesel	12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1853 LK		Diesel		12809	390	530	07.15-	■
2053 AK		Diesel		12809	390	530	07.15-	■
2053 K		Diesel		12809	390	530	07.15-	■
2053 LK		Diesel		12809	390	530	07.15-	■
2053 LK		Diesel		12809	390	530	07.15-	■
2653 K		Diesel		12809	390	530	07.15-	■
2653 LK		Diesel		12809	390	530	07.15-	■
2653 LK		Diesel		12809	390	530	07.15-	■
3253 K		Diesel		12809	390	530	07.15-	■
3253 LK		Diesel		12809	390	530	07.15-	■
3353 AK		Diesel		12809	390	530	07.15-	■
3353 K		Diesel		12809	390	530	07.15-	■
3353 LK		Diesel		12809	390	530	07.15-	■
3353 LK		Diesel		12809	390	530	07.15-	■
4153 AK		Diesel		12809	390	530	07.15-	■
4153 AK		Diesel		12809	390	530	07.15-	■
4153 K		Diesel		12809	390	530	07.15-	■
2652 K		Diesel		15569	380	517	05.13-	■
2652 LK		Diesel		15569	380	517	05.13-	■
2652 LK		Diesel		15569	380	517	05.13-	■
3252 K		Diesel		15569	380	517	05.13-	■
3252 LK		Diesel		15569	380	517	05.13-	■
3352 AK		Diesel		15569	380	517	05.13-	■
3352 K		Diesel		15569	380	517	05.13-	■
3352 LK		Diesel		15569	380	517	05.13-	■
3352 LK		Diesel		15569	380	517	05.13-	■
4152 AK		Diesel		15569	380	517	05.13-	■
4152 AK		Diesel		15569	380	517	07.15-	■
4152 K		Diesel		15569	380	517	05.13-	■
2658 K		Diesel		15569	425	578	05.13-	■
2658 LK		Diesel		15569	425	578	05.13-	■
2658 LK		Diesel		15569	425	578	05.13-	■
3258 K		Diesel		15569	425	578	05.13-	■
3258 LK		Diesel		15569	425	578	05.13-	■
3358 AK		Diesel		15569	425	578	05.13-	■
3358 K		Diesel		15569	425	578	05.13-	■
3358 LK		Diesel		15569	425	578	05.13-	■
3358 LK		Diesel		15569	425	578	05.13-	■
4158 AK		Diesel		15569	425	578	05.13-	■
4158 AK		Diesel		15569	425	578	07.15-	■
4158 K		Diesel		15569	425	578	05.13-	■
2663 K		Diesel		15569	460	625	05.13-	■
2663 LK		Diesel		15569	460	625	05.13-	■
2663 LK		Diesel		15569	460	625	05.13-	■
3263 K		Diesel		15569	460	625	05.13-	■
3263 LK		Diesel		15569	460	625	05.13-	■
3363 AK		Diesel		15569	460	625	05.13-	■
3363 K		Diesel		15569	460	625	05.13-	■
3363 LK		Diesel		15569	460	625	05.13-	■
3363 LK		Diesel		15569	460	625	05.13-	■
4163 AK		Diesel		15569	460	625	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

4163 AK		Diesel		15569	460	625	07.15-	■
4163 K		Diesel		15569	460	625	05.13-	■
AROCS 01.13-				Platform/Chassis				
1824 (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 A (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 L		Diesel		7698	175	238	05.13-	■
1824 L		Diesel		7698	175	238	05.13-	■
2024 (OM 936.912)		Diesel		7698	175	238	01.13-	■
2024 L		Diesel		7698	175	238	05.13-	■
2024 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2524 L		Diesel		7698	175	238	05.13-	■
2624		Diesel		7698	175	238	05.13-	■
2624 L		Diesel		7698	175	238	05.13-	■
2624 L		Diesel		7698	175	238	05.13-	■
2624 L		Diesel		7698	175	238	05.13-	■
3224		Diesel		7698	175	238	05.13-	■
3224 L		Diesel		7698	175	238	05.13-	■
3224 L		Diesel		7698	175	238	03.16-	■
1827 (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 A (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 L		Diesel		7698	200	272	05.13-	■
1827 L		Diesel		7698	200	272	05.13-	■
2027 (OM 936.912)		Diesel		7698	200	272	01.13-	■
2027 L		Diesel		7698	200	272	05.13-	■
2027 L		Diesel		7698	200	272	05.13-	■
2527 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 L		Diesel		7698	200	272	05.13-	■
2527 L		Diesel		7698	200	272	05.13-	■
2627, 2627 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 L		Diesel		7698	200	272	05.13-	■
3227, 3227 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 L (OM 936.912)		Diesel		7698	200	272	01.13-	■
3227 L		Diesel		7698	200	272	03.16-	■
1830 (OM 936.912)		Diesel		7698	220	299	01.13-	■
1830 A (OM 936.912)		Diesel		7698	220	299	01.13-	■
1830 L		Diesel		7698	220	299	05.13-	■
1830 L		Diesel		7698	220	299	05.13-	■
2030 (OM 936.912)		Diesel		7698	220	299	01.13-	■
2030 L		Diesel		7698	220	299	05.13-	■
2030 L		Diesel		7698	220	299	05.13-	■
2530 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 L		Diesel		7698	220	299	05.13-	■
2530 L		Diesel		7698	220	299	05.13-	■
2630, 2630 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 L (OM 936.912)		Diesel		7698	220	299	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2630 L		Diesel		7698	220	299	05.13-	■
3230, 3230 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 L (OM 936.912)		Diesel		7698	220	299	01.13-	■
3230 L		Diesel		7698	220	299	03.16-	■
1832 (OM 936.916)		Diesel		7698	235	320	01.13-	■
1832 A (OM 936.916)		Diesel		7698	235	320	01.13-	■
1832 L		Diesel		7698	235	320	05.13-	■
1832 L		Diesel		7698	235	320	05.13-	■
2032 (OM 936.916)		Diesel		7698	235	320	01.13-	■
2032 L		Diesel		7698	235	320	05.13-	■
2032 L		Diesel		7698	235	320	05.13-	■
2532 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 L		Diesel		7698	235	320	05.13-	■
2532 L		Diesel		7698	235	320	05.13-	■
2632, 2632 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 L		Diesel		7698	235	320	05.13-	■
3232, 3232 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 L (OM 936.916)		Diesel		7698	235	320	01.13-	■
3232 L		Diesel		7698	235	320	03.16-	■
1835 (OM 936.916)		Diesel		7698	260	354	01.13-	■
1835 A (OM 936.916)		Diesel		7698	260	354	01.13-	■
1835 L		Diesel		7698	260	354	05.13-	■
1835 L		Diesel		7698	260	354	05.13-	■
2035 (OM 936.916)		Diesel		7698	260	354	01.13-	■
2035 L		Diesel		7698	260	354	05.13-	■
2035 L		Diesel		7698	260	354	05.13-	■
2535 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 L		Diesel		7698	260	354	05.13-	■
2535 L		Diesel		7698	260	354	05.13-	■
2635, 2635 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 L		Diesel		7698	260	354	05.13-	■
3235, 3235 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 L (OM 936.916)		Diesel		7698	260	354	01.13-	■
3235 L		Diesel		7698	260	354	03.16-	■
1833 (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 A (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 L		Diesel		10677	240	326	05.13-	■
1833 L		Diesel		10677	240	326	05.13-	■
2033 (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033 A (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033 L		Diesel		10677	240	326	05.13-	■
2033 L		Diesel		10677	240	326	05.13-	■
2533 L (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 L		Diesel		10677	240	326	01.13-	■
2533 L		Diesel		10677	240	326	05.13-	■
2533 L		Diesel		10677	240	326	05.13-	■
2633, 2633 L (OM 470.906)		Diesel		10677	240	326	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2633 L		Diesel	10677	240	326	01.13-	■
2633 L		Diesel	10677	240	326	05.13-	■
3233, 3233 L (OM 470.906)		Diesel	10677	240	326	01.13-	■
3233 L (OM 470.906)		Diesel	10677	240	326	01.13-	■
3233 L		Diesel	10677	240	326	03.16-	■
3333, 3333 L (OM 470.906)		Diesel	10677	240	326	01.13-	■
3333 A (OM 470.906)		Diesel	10677	240	326	01.13-	■
3333 L		Diesel	10677	240	326	05.13-	■
4133 (OM 470.906)		Diesel	10677	240	326	01.13-	■
1836		Diesel	10677	265	360	01.13-	■
1836 A (OM 470.908)		Diesel	10677	265	360	01.13-	■
1836 A (OM 470.910)		Diesel	10677	265	360	01.13-	■
1836 A (OM 470.913)		Diesel	10677	265	360	01.13-	■
1836 L		Diesel	10677	265	360	05.13-	■
1836 L		Diesel	10677	265	360	05.13-	■
2036 (OM 470.903)		Diesel	10677	265	360	01.13-	■
2036 (OM 470.910)		Diesel	10677	265	360	01.13-	■
2036 (OM 470.913)		Diesel	10677	265	360	01.13-	■
2036 A (OM 470.903)		Diesel	10677	265	360	01.13-	■
2036 A (OM 470.910)		Diesel	10677	265	360	01.13-	■
2036 A (OM 470.913)		Diesel	10677	265	360	01.13-	■
2036 L		Diesel	10677	265	360	05.13-	■
2036 L		Diesel	10677	265	360	05.13-	■
2536 L		Diesel	10677	265	360	01.13-	■
2536 L		Diesel	10677	265	360	01.13-	■
2536 L		Diesel	10677	265	360	05.13-	■
2536 L		Diesel	10677	265	360	05.13-	■
2636, 2636 L		Diesel	10677	265	360	01.13-	■
2636 L		Diesel	10677	265	360	01.13-	■
2636 L		Diesel	10677	265	360	05.13-	■
3236, 3236 L		Diesel	10677	265	360	01.13-	■
3236 L		Diesel	10677	265	360	01.13-	■
3236 L		Diesel	10677	265	360	03.16-	■
3336, 3336 L		Diesel	10677	265	360	01.13-	■
3336 A		Diesel	10677	265	360	01.13-	■
3336 L		Diesel	10677	265	360	05.13-	■
4136		Diesel	10677	265	360	01.13-	■
1840 (OM 470.906)		Diesel	10677	290	394	01.13-	■
1840 A (OM 470.906)		Diesel	10677	290	394	01.13-	■
1840 L		Diesel	10677	290	394	05.13-	■
1840 L		Diesel	10677	290	394	05.13-	■
2040 (OM 470.906)		Diesel	10677	290	394	01.13-	■
2040 A (OM 470.906)		Diesel	10677	290	394	01.13-	■
2040 L		Diesel	10677	290	394	05.13-	■
2040 L		Diesel	10677	290	394	05.13-	■
2540 L (OM 470.906)		Diesel	10677	290	394	01.13-	■
2540 L (OM 470.906)		Diesel	10677	290	394	01.13-	■
2540 L		Diesel	10677	290	394	05.13-	■
2540 L		Diesel	10677	290	394	05.13-	■
2640, 2640 L (OM 470.906)		Diesel	10677	290	394	01.13-	■
2640 L (OM 470.906)		Diesel	10677	290	394	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2640 L		Diesel		10677	290	394	05.13-	■
3240, 3240 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3240 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3240 L		Diesel		10677	290	394	03.16-	■
3340, 3340 L (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 A (OM 470.906)		Diesel		10677	290	394	01.13-	■
3340 L		Diesel		10677	290	394	05.13-	■
3740		Diesel		10677	290	394	01.22-	■
4140 (OM 470.906)		Diesel		10677	290	394	01.13-	■
1843 (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
1843 L		Diesel		10677	315	428	05.13-	■
1843 L		Diesel		10677	315	428	05.13-	■
2043 (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
2043 L		Diesel		10677	315	428	05.13-	■
2043 L		Diesel		10677	315	428	05.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2543 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2543 L		Diesel		10677	315	428	05.13-	■
2543 L		Diesel		10677	315	428	05.13-	■
2643, 2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
2643 L		Diesel		10677	315	428	05.13-	■
3243, 3243 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3243 L		Diesel		10677	315	428	03.16-	■
3343, 3343 L (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 A (OM 470.906)		Diesel		10677	315	428	01.13-	■
3343 L		Diesel		10677	315	428	05.13-	■
4143 (OM 470.906)		Diesel		10677	315	428	01.13-	■
4443		Diesel		10677	315	428	01.22-	■
1846		Diesel		10677	335	455	07.15-	■
1846 A		Diesel		10677	335	455	07.15-	■
1846 L		Diesel		10677	335	455	07.15-	■
1846 L		Diesel		10677	335	455	07.15-	■
2046		Diesel		10677	335	455	07.15-	■
2046 A		Diesel		10677	335	455	07.15-	■
2046 L		Diesel		10677	335	455	07.15-	■
2046 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2546 L		Diesel		10677	335	455	07.15-	■
2646		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
2646 L		Diesel		10677	335	455	07.15-	■
3246		Diesel		10677	335	455	07.15-	■
3246 L		Diesel		10677	335	455	03.16-	■
3246 L		Diesel		10677	335	455	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3346		Diesel		10677	335	455	07.15-	■
3346 A		Diesel		10677	335	455	07.15-	■
3346 L		Diesel		10677	335	455	07.15-	■
3346 L		Diesel		10677	335	455	07.15-	■
4146		Diesel		10677	335	455	07.15-	■
1842 (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 A (OM 471.900)		Diesel		12809	310	422	01.13-	■
1842 L		Diesel		12809	310	421	05.13-	■
1842 L		Diesel		12809	310	421	05.13-	■
2042 (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 A (OM 471.900)		Diesel		12809	310	422	01.13-	■
2042 L		Diesel		12809	310	421	05.13-	■
2042 L		Diesel		12809	310	421	05.13-	■
2542 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
2542 L		Diesel		12809	310	421	05.13-	■
2542 L		Diesel		12809	310	421	05.13-	■
2542 L		Diesel		12809	310	421	05.13-	■
2642, 2642 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
2642 L		Diesel		12809	310	422	01.13-	■
2642 L		Diesel		12809	310	421	05.13-	■
3242, 3242 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
3242 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
3242 L		Diesel		12809	310	421	03.16-	■
3342, 3342 L (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 A (OM 471.900)		Diesel		12809	310	422	01.13-	■
3342 L		Diesel		12809	310	421	05.13-	■
4142 (OM 471.900)		Diesel		12809	310	422	01.13-	■
1845 (OM 471.900)		Diesel		12809	330	449	01.13-	■
1845 (OM 471.906)		Diesel		12809	330	449	01.13-	■
1845 A		Diesel		12809	330	449	01.13-	■
1845 L		Diesel		12809	330	449	05.13-	■
1845 L		Diesel		12809	330	449	05.13-	■
2045 (OM 471.900)		Diesel		12809	330	449	01.13-	■
2045 (OM 471.906)		Diesel		12809	330	449	01.13-	■
2045 A		Diesel		12809	330	449	01.13-	■
2045 L		Diesel		12809	330	449	05.13-	■
2045 L		Diesel		12809	330	449	05.13-	■
2545 L (OM 471.900)		Diesel		12809	330	449	01.13-	■
2545 L (OM 471.906)		Diesel		12809	330	449	01.13-	■
2545 L		Diesel		12809	330	449	05.13-	■
2545 L		Diesel		12809	330	449	05.13-	■
2545 L		Diesel		12809	330	449	05.13-	■
2645, 2645 L (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645, 2645 L (OM 471.906)		Diesel		12809	330	449	01.13-	■
2645 L (OM 471.900)		Diesel		12809	330	449	01.13-	■
2645 L		Diesel		12809	330	449	05.13-	■
3245, 3245 L (OM 471.900)		Diesel		12809	330	449	01.13-	■
3245 L (OM 471.900)		Diesel		12809	330	449	01.13-	■
3245 L		Diesel		12809	330	449	03.16-	■
3345, 3345 L (OM 471.900)		Diesel		12809	330	449	01.13-	■
3345 A		Diesel		12809	330	449	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3345 L		Diesel		12809	330	449	05.13-	■
4145 (OM 471.900)		Diesel		12809	330	449	01.13-	■
1848 (OM 471.900)		Diesel		12809	350	476	01.13-	■
1848 (OM 471.906)		Diesel		12809	350	476	01.13-	■
1848 A (OM 471.906)		Diesel		12809	350	476	01.13-	■
1848 L		Diesel		12809	350	476	05.13-	■
1848 L		Diesel		12809	350	476	05.13-	■
2048		Diesel		12809	350	476	01.13-	■
2048 A		Diesel		12809	350	476	01.13-	■
2048 L		Diesel		12809	350	476	05.13-	■
2048 L		Diesel		12809	350	476	05.13-	■
2548 L (OM 471.900)		Diesel		12809	350	476	01.13-	■
2548 L (OM 471.906)		Diesel		12809	350	476	01.13-	■
2548 L		Diesel		12809	350	476	05.13-	■
2548 L		Diesel		12809	350	476	05.13-	■
2548 L		Diesel		12809	350	476	05.13-	■
2648, 2648 L		Diesel		12809	350	476	01.13-	■
2648 L		Diesel		12809	350	476	01.13-	■
2648 L		Diesel		12809	350	476	05.13-	■
3248, 3248 L		Diesel		12809	350	476	01.13-	■
3248 L		Diesel		12809	350	476	01.13-	■
3248 L		Diesel		12809	350	476	03.16-	■
3348, 3348 L (OM 471.900)		Diesel		12809	350	476	01.13-	■
3348 A		Diesel		12809	350	476	01.13-	■
3348 L		Diesel		12809	350	476	05.13-	■
4148 (OM 471.900)		Diesel		12809	350	476	01.13-	■
1851 (OM 471.909)		Diesel		12809	375	510	01.13-	■
1851 A (OM 471.909)		Diesel		12809	375	510	01.13-	■
1851 L		Diesel		12809	375	510	05.13-	■
1851 L		Diesel		12809	375	510	05.13-	■
2051 (OM 471.909)		Diesel		12809	375	510	01.13-	■
2051 A (OM 471.909)		Diesel		12809	375	510	01.13-	■
2051 L		Diesel		12809	375	510	05.13-	■
2051 L		Diesel		12809	375	510	05.13-	■
2551 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2551 L		Diesel		12809	375	510	05.13-	■
2551 L		Diesel		12809	375	510	05.13-	■
2651, 2651 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
2651 L		Diesel		12809	375	510	05.13-	■
3251, 3251 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
3251 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
3251 L		Diesel		12809	375	510	03.16-	■
3351, 3351 L (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 A (OM 471.909)		Diesel		12809	375	510	01.13-	■
3351 L		Diesel		12809	375	510	05.13-	■
4151 (OM 471.909)		Diesel		12809	375	510	01.13-	■
1853		Diesel		12809	390	530	07.15-	■
1853 A		Diesel		12809	390	530	07.15-	■
1853 L		Diesel		12809	390	530	07.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1853 L		Diesel		12809	390	530	07.15-	■
2053		Diesel		12809	390	530	07.15-	■
2053 A		Diesel		12809	390	530	07.15-	■
2053 L		Diesel		12809	390	530	07.15-	■
2053 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■
2553 L		Diesel		12809	390	530	07.15-	■
2653		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
2653 L		Diesel		12809	390	530	07.15-	■
3253		Diesel		12809	390	530	07.15-	■
3253 L		Diesel		12809	390	530	03.16-	■
3253 L		Diesel		12809	390	530	07.15-	■
3353		Diesel		12809	390	530	07.15-	■
3353 A		Diesel		12809	390	530	07.15-	■
3353 L		Diesel		12809	390	530	07.15-	■
3353 L		Diesel		12809	390	530	07.15-	■
4153		Diesel		12809	390	530	07.15-	■
1852		Diesel		15569	380	517	05.13-	■
1852 L		Diesel		15569	380	517	05.13-	■
1852 L		Diesel		15569	380	517	05.13-	■
2052		Diesel		15569	380	517	05.13-	■
2052 L		Diesel		15569	380	517	05.13-	■
2052 L		Diesel		15569	380	517	05.13-	■
2552 L		Diesel		15569	380	517	01.14-	■
2552 L		Diesel		15569	380	517	05.13-	■
2552 L		Diesel		15569	380	517	05.13-	■
2552 L		Diesel		15569	380	517	05.13-	■
2652		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	05.13-	■
2652 L		Diesel		15569	380	517	05.13-	■
3252		Diesel		15569	380	517	05.13-	■
3252 L		Diesel		15569	380	517	05.13-	■
3352		Diesel		15569	380	517	05.13-	■
3352 A		Diesel		15569	380	517	05.13-	■
3352 L		Diesel		15569	380	517	05.13-	■
3352 L		Diesel		15569	380	517	05.13-	■
4152		Diesel		15569	380	517	05.13-	■
1858		Diesel		15569	425	578	05.13-	■
1858 L		Diesel		15569	425	578	05.13-	■
1858 L		Diesel		15569	425	578	05.13-	■
2058		Diesel		15569	425	578	05.13-	■
2058 L		Diesel		15569	425	578	05.13-	■
2058 L		Diesel		15569	425	578	05.13-	■
2558 L		Diesel		15569	425	578	01.14-	■
2558 L		Diesel		15569	425	578	05.13-	■
2558 L		Diesel		15569	425	578	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2558 L		Diesel		15569	425	578	05.13-	■
2658		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	05.13-	■
2658 L		Diesel		15569	425	578	05.13-	■
3258		Diesel		15569	425	578	05.13-	■
3258 L		Diesel		15569	425	578	05.13-	■
3358		Diesel		15569	425	578	05.13-	■
3358 A		Diesel		15569	425	578	05.13-	■
3358 L		Diesel		15569	425	578	05.13-	■
3358 L		Diesel		15569	425	578	05.13-	■
4158		Diesel		15569	425	578	05.13-	■
1863		Diesel		15569	460	625	05.13-	■
1863 L		Diesel		15569	460	625	05.13-	■
1863 L		Diesel		15569	460	625	05.13-	■
2063		Diesel		15569	460	625	05.13-	■
2063 L		Diesel		15569	460	625	05.13-	■
2063 L		Diesel		15569	460	625	05.13-	■
2563 L		Diesel		15569	460	625	01.14-	■
2563 L		Diesel		15569	460	625	05.13-	■
2563 L		Diesel		15569	460	625	05.13-	■
2563 L		Diesel		15569	460	625	05.13-	■
2663		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	05.13-	■
2663 L		Diesel		15569	460	625	05.13-	■
3263		Diesel		15569	460	625	05.13-	■
3263 L		Diesel		15569	460	625	05.13-	■
3363		Diesel		15569	460	625	05.13-	■
3363 A		Diesel		15569	460	625	05.13-	■
3363 L		Diesel		15569	460	625	05.13-	■
3363 L		Diesel		15569	460	625	05.13-	■
4163		Diesel		15569	460	625	05.13-	■
AROCS 01.13-					Truck Tractor			
1824 LS (OM 936.912)		Diesel		7698	175	238	01.13-	■
1824 LS		Diesel		7698	175	238	05.13-	■
2024 LS		Diesel		7698	175	238	05.13-	■
2024 S, 2424 LS (OM 936.912)		Diesel		7698	175	238	01.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2524 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	05.13-	■
2624 LS		Diesel		7698	175	238	05.13-	■
2624 S		Diesel		7698	175	238	05.13-	■
1827 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
1827 LS		Diesel		7698	200	272	05.13-	■
2027 LS		Diesel		7698	200	272	05.13-	■
2027 S, 2027 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2527 LS		Diesel		7698	200	272	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2527 LS		Diesel		7698	200	272	05.13-	■
2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
2627 LS		Diesel		7698	200	272	05.13-	■
2627 S, 2627 LS (OM 936.912)		Diesel		7698	200	272	01.13-	■
1830 LS		Diesel		7698	220	299	05.13-	■
1830 S, 1830 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2030 LS		Diesel		7698	220	299	05.13-	■
2030 S, 2030 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2530 LS		Diesel		7698	220	299	05.13-	■
2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
2630 LS		Diesel		7698	220	299	05.13-	■
2630 S, 2630 LS (OM 936.912)		Diesel		7698	220	299	01.13-	■
1832 LS		Diesel		7698	235	320	05.13-	■
1832 S, 1832 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2032 LS		Diesel		7698	235	320	05.13-	■
2032 S, 2032 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2532 LS		Diesel		7698	235	320	05.13-	■
2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
2632 LS		Diesel		7698	235	320	05.13-	■
2632 S, 2632 LS (OM 936.916)		Diesel		7698	235	320	01.13-	■
1835 LS		Diesel		7698	260	354	05.13-	■
1835 S, 1835 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2035 LS		Diesel		7698	260	354	05.13-	■
2035 S, 2035 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2535 LS		Diesel		7698	260	354	05.13-	■
2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
2635 LS		Diesel		7698	260	354	05.13-	■
2635 S, 2635 LS (OM 936.916)		Diesel		7698	260	354	01.13-	■
1833 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1833 LS		Diesel		10677	240	326	05.13-	■
2033 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2033LS		Diesel		10677	240	326	05.13-	■
2033 S, 2033 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
2533 LS		Diesel		10677	240	326	01.13-	■
2533 LS		Diesel		10677	240	326	05.13-	■
2633 LS		Diesel		10677	240	326	01.13-	■
2633 LS		Diesel		10677	240	326	05.13-	■
2633 S, 2633 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 AS (OM 470.906)		Diesel		10677	240	326	01.13-	■
3333 LS		Diesel		10677	240	326	05.13-	■
3333 S, 3333 LS (OM 470.906)		Diesel		10677	240	326	01.13-	■
1836 AS (OM 470.903)		Diesel		10677	265	360	01.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

1836 AS (OM 470.910)	Diesel	10677	265	360	01.13-	■
1836 AS (OM 470.913)	Diesel	10677	265	360	01.13-	■
1836 LS	Diesel	10677	265	360	05.13-	■
1836 S, 1836 LS (OM 470.903)	Diesel	10677	265	360	01.13-	■
1836 S, 1836 LS (OM 470.910)	Diesel	10677	265	360	01.13-	■
1836 S, 1836 LS (OM 470.913)	Diesel	10677	265	360	01.13-	■
2036 AS (OM 470.903)	Diesel	10677	265	360	01.13-	■
2036 AS (OM 470.910)	Diesel	10677	265	360	01.13-	■
2036 AS (OM 470.913)	Diesel	10677	265	360	01.13-	■
2036LS	Diesel	10677	265	360	05.13-	■
2036 S, 2036 LS (OM 470.903)	Diesel	10677	265	360	01.13-	■
2036 S, 2036 LS (OM 470.910)	Diesel	10677	265	360	01.13-	■
2036 S, 2036 LS (OM 470.913)	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	01.13-	■
2536 LS	Diesel	10677	265	360	05.13-	■
2636 LS	Diesel	10677	265	360	01.13-	■
2636 LS	Diesel	10677	265	360	05.13-	■
2636 S, 2636 LS	Diesel	10677	265	360	01.13-	■
3336 AS	Diesel	10677	265	360	01.13-	■
3336 LS	Diesel	10677	265	360	05.13-	■
3336 S, 3336 LS	Diesel	10677	265	360	01.13-	■
1840 AS (OM 470.906)	Diesel	10677	290	394	01.13-	■
1840LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
1840LS	Diesel	10677	290	394	05.13-	■
2040 AS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2040 LS	Diesel	10677	290	394	05.13-	■
2040 S, 2040 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2540 LS	Diesel	10677	290	394	05.13-	■
2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
2640 LS	Diesel	10677	290	394	05.13-	■
2640 S, 2640 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
3340 AS (OM 470.906)	Diesel	10677	290	394	01.13-	■
3340 LS	Diesel	10677	290	394	05.13-	■
3340 S, 3340 LS (OM 470.906)	Diesel	10677	290	394	01.13-	■
1843 AS (OM 470.906)	Diesel	10677	315	428	01.13-	■
1843 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
1843 LS	Diesel	10677	315	428	05.13-	■
2043 AS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2043 LS	Diesel	10677	315	428	05.13-	■
2043 S, 2043 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2543 LS	Diesel	10677	315	428	05.13-	■
2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-	■
2643 LS	Diesel	10677	315	428	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2643 S, 2643 LS (OM 470.906)	Diesel	10677	315	428	01.13-
3343 AS (OM 470.906)	Diesel	10677	315	428	01.13-
3343 LS	Diesel	10677	315	428	05.13-
3343 S, 3343 LS (OM 470.906)	Diesel	10677	315	428	01.13-
1846 AS	Diesel	10677	335	455	07.15-
1846 LS	Diesel	10677	335	455	07.15-
1846 LS	Diesel	10677	335	455	07.15-
2046 AS	Diesel	10677	335	455	07.15-
2046 LS	Diesel	10677	335	455	07.15-
2046 LS	Diesel	10677	335	455	07.15-
2046 S	Diesel	10677	335	455	07.15-
2546 LS	Diesel	10677	335	455	07.15-
2546 LS	Diesel	10677	335	455	07.15-
2546 LS	Diesel	10677	335	455	07.15-
2646 LS	Diesel	10677	335	455	07.15-
2646 LS	Diesel	10677	335	455	07.15-
2646 LS	Diesel	10677	335	455	07.15-
2646 S	Diesel	10677	335	455	07.15-
3346 AS	Diesel	10677	335	455	07.15-
3346 LS	Diesel	10677	335	455	07.15-
3346 LS	Diesel	10677	335	455	07.15-
3346 S	Diesel	10677	335	455	07.15-
1842 AS (OM 471.900)	Diesel	12809	310	422	01.13-
1842 LS (OM 471.900)	Diesel	12809	310	422	01.13-
1842 LS	Diesel	12809	310	421	05.13-
2042 AS (OM 471.900)	Diesel	12809	310	422	01.13-
2042 LS	Diesel	12809	310	421	05.13-
2042 S, 2042 LS (OM 471.900)	Diesel	12809	310	422	01.13-
2542 LS (OM 471.900)	Diesel	12809	310	422	01.13-
2542 LS	Diesel	12809	310	422	01.13-
2542 LS	Diesel	12809	310	421	05.13-
2542 LS	Diesel	12809	310	421	05.13-
2642 LS	Diesel	12809	310	422	01.13-
2642 LS	Diesel	12809	310	421	05.13-
2642 S, 2642 LS (OM 471.900)	Diesel	12809	310	422	01.13-
3342 AS (OM 471.900)	Diesel	12809	310	422	01.13-
3342 LS	Diesel	12809	310	421	05.13-
3342 S, 3342 LS (OM 471.900)	Diesel	12809	310	422	01.13-
1845 AS	Diesel	12809	330	449	01.13-
1845 LS (OM 471.900)	Diesel	12809	330	449	01.13-
1845 LS (OM 471.906)	Diesel	12809	330	449	01.13-
1845 LS	Diesel	12809	330	449	05.13-
2045 AS	Diesel	12809	330	449	01.13-
2045 LS	Diesel	12809	330	449	05.13-
2045 S, 2045 LS (OM 471.900)	Diesel	12809	330	449	01.13-
2045 S, 2045 LS (OM 471.906)	Diesel	12809	330	449	01.13-
2545 LS (OM 471.900)	Diesel	12809	330	449	01.13-
2545 LS (OM 471.906)	Diesel	12809	330	449	01.13-
2545 LS (OM 471.900)	Diesel	12809	330	449	01.13-
2545 LS	Diesel	12809	330	449	05.13-
2545 LS	Diesel	12809	330	449	05.13-

LISTA DE APLICACIONES - BUYERS GUIDE

2645 LS (OM 471.900)	Diesel	12809	330	449	01.13-
2645 LS	Diesel	12809	330	449	05.13-
2645 S, 2645 LS (OM 471.900)	Diesel	12809	330	449	01.13-
2645 S, 2645 LS (OM 471.906)	Diesel	12809	330	449	01.13-
3345 AS	Diesel	12809	330	449	01.13-
3345 LS	Diesel	12809	330	449	05.13-
3345S, 3345 LS (OM 471.900)	Diesel	12809	330	449	01.13-
1848 AS (OM 471.906)	Diesel	12809	350	476	01.13-
1848 LS (OM 471.900)	Diesel	12809	350	476	01.13-
1848 LS (OM 471.906)	Diesel	12809	350	476	01.13-
1848 LS	Diesel	12809	350	476	05.13-
2048 AS	Diesel	12809	350	476	01.13-
2048 LS	Diesel	12809	350	476	05.13-
2048 S, 2048 LS	Diesel	12809	350	476	01.13-
2548 LS	Diesel	12809	350	476	01.13-
2548 LS	Diesel	12809	350	476	01.13-
2548 LS	Diesel	12809	350	476	05.13-
2548 LS	Diesel	12809	350	476	05.13-
2648 LS (OM 471.900)	Diesel	12809	350	476	01.13-
2648 LS	Diesel	12809	350	476	01.13-
2648 LS	Diesel	12809	350	476	05.13-
2648 S, 2648 LS	Diesel	12809	350	476	01.13-
3348 AS (OM 471.906)	Diesel	12809	350	476	01.13-
3348 LS	Diesel	12809	350	476	05.13-
3348 S, 3348 LS (OM 471.900)	Diesel	12809	350	476	01.13-
1851 AS (OM 471.909)	Diesel	12809	375	510	01.13-
1851 LS (OM 471.909)	Diesel	12809	375	510	01.13-
1851 LS	Diesel	12809	375	510	05.13-
2051 AS (OM 471.909)	Diesel	12809	375	510	01.13-
2051 LS	Diesel	12809	375	510	05.13-
2051 S, 2051 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2551 LS	Diesel	12809	375	510	05.13-
2651 LS (OM 471.909)	Diesel	12809	375	510	01.13-
2651 LS	Diesel	12809	375	510	05.13-
2651 S, 2651 LS (OM 471.909)	Diesel	12809	375	510	01.13-
3351 AS (OM 471.909)	Diesel	12809	375	510	01.13-
3351 LS	Diesel	12809	375	510	05.13-
3351 S, 3351 LS (OM 471.909)	Diesel	12809	375	510	01.13-
1853 AS	Diesel	12809	390	530	07.15-
1853 LS	Diesel	12809	390	530	07.15-
1853 LS	Diesel	12809	390	530	07.15-
2053 AS	Diesel	12809	390	530	07.15-
2053 LS	Diesel	12809	390	530	07.15-
2053 LS	Diesel	12809	390	530	07.15-
2053 S	Diesel	12809	390	530	07.15-
2553 LS	Diesel	12809	390	530	07.15-
2553 LS	Diesel	12809	390	530	07.15-
2553 LS	Diesel	12809	390	530	07.15-

LISTA DE APLICACIONES - BUYERS GUIDE

2653 LS		Diesel		12809	390	530	07.15-	■
2653 LS		Diesel		12809	390	530	07.15-	■
2653 LS		Diesel		12809	390	530	07.15-	■
2653 S		Diesel		12809	390	530	07.15-	■
3353 AS		Diesel		12809	390	530	07.15-	■
3353 LS		Diesel		12809	390	530	07.15-	■
3353 LS		Diesel		12809	390	530	07.15-	■
3353 S		Diesel		12809	390	530	07.15-	■
1852 LS		Diesel		15569	380	517	05.13-	■
1852 LS		Diesel		15569	380	517	05.13-	■
2052 LS		Diesel		15569	380	517	05.13-	■
2052 LS		Diesel		15569	380	517	05.13-	■
2052 S		Diesel		15569	380	517	05.13-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2552 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	05.13-	■
2652 LS		Diesel		15569	380	517	05.13-	■
2652 S		Diesel		15569	380	517	05.13-	■
3352 AS		Diesel		15569	380	517	05.13-	■
3352 LS		Diesel		15569	380	517	05.13-	■
3352 LS		Diesel		15569	380	517	05.13-	■
3352 S		Diesel		15569	380	517	05.13-	■
3352 SLT		Diesel		15569	380	517	04.14-	■
3352 SLT		Diesel		15569	380	517	12.13-	■
4052 SLT		Diesel		15569	380	517	04.14-	■
4052 SLT		Diesel		15569	380	517	12.13-	■
4152 SLT		Diesel		15569	380	517	04.14-	■
4152 SLT		Diesel		15569	380	517	04.14-	■
4152 SLT		Diesel		15569	380	517	12.13-	■
4452 SLT		Diesel		15569	380	517	04.14-	■
4852 SLT		Diesel		15569	380	517	04.14-	■
1858 LS		Diesel		15569	425	578	05.13-	■
1858 LS		Diesel		15569	425	578	05.13-	■
2058 LS		Diesel		15569	425	578	05.13-	■
2058 LS		Diesel		15569	425	578	05.13-	■
2058 S		Diesel		15569	425	578	05.13-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2558 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	05.13-	■
2658 LS		Diesel		15569	425	578	05.13-	■
2658 S		Diesel		15569	425	578	05.13-	■
3358 AS		Diesel		15569	425	578	05.13-	■
3358 LS		Diesel		15569	425	578	05.13-	■
3358 LS		Diesel		15569	425	578	05.13-	■
3358 S		Diesel		15569	425	578	05.13-	■
3358 SLT		Diesel		15569	425	578	12.13-	■
3358 SLT		Diesel		15569	425	578	04.14-	■
4058 SLT		Diesel		15569	425	578	04.14-	■
4058 SLT		Diesel		15569	425	578	12.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

4158 SLT		Diesel		15569	425	578	12.13-	■
4158 SLT		Diesel		15569	425	578	04.14-	■
4158 SLT		Diesel		15569	425	578	04.14-	■
4458 SLT		Diesel		15569	425	578	04.14-	■
4858 SLT		Diesel		15569	425	578	04.14-	■
1863 LS		Diesel		15569	460	625	05.13-	■
1863 LS		Diesel		15569	460	625	05.13-	■
2063 LS		Diesel		15569	460	625	05.13-	■
2063 LS		Diesel		15569	460	625	05.13-	■
2063 S		Diesel		15569	460	625	05.13-	■
2563 LS		Diesel		15569	460	625	05.13-	■
2563 LS		Diesel		15569	460	625	05.13-	■
2663 LS		Diesel		15569	460	625	05.13-	■
2663 LS		Diesel		15569	460	625	05.13-	■
2663 LS		Diesel		15569	460	625	05.13-	■
2663 S		Diesel		15569	460	625	05.13-	■
3363 AS		Diesel		15569	460	625	05.13-	■
3363 LS		Diesel		15569	460	625	05.13-	■
3363 LS		Diesel		15569	460	625	05.13-	■
3363 S		Diesel		15569	460	625	05.13-	■
3363 SLT		Diesel		15569	460	625	12.13-	■
3363 SLT		Diesel		15569	460	625	04.14-	■
4063 SLT		Diesel		15569	460	625	12.13-	■
4063 SLT		Diesel		15569	460	625	04.14-	■
4163 SLT		Diesel		15569	460	625	04.14-	■
4163 SLT		Diesel		15569	460	625	04.14-	■
4163 SLT		Diesel		15569	460	625	12.13-	■
4463 SLT		Diesel		15569	460	625	04.14-	■
4863 SLT		Diesel		15569	460	625	04.14-	■
ECONIC 2 04.13-					Platform/Chassis			
1827 LL		Diesel		7698	200	272	09.17-	■
2627 LL		Diesel		7698	200	272	09.17-	■
2627 LL		Diesel		7698	200	299	09.17-	■
1830 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■
2630 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■
2630 LL (OM 936.912)		Diesel		7698	220	299	04.13-	■
1835 LL		Diesel		7698	260	354	04.13-	■
2635 LL		Diesel		7698	260	354	04.13-	■
2635 LL		Diesel		7698	260	354	04.13-	■
3235 LL		Diesel		7698	260	354	08.18-	■
ECONIC 2 04.13-					Platform/Chassis			
1830 LL CNG		Gasolina		7698	222	302	09.14-	■
2630 LL CNG		Gasolina		7698	222	302	09.14-	■
ECONIC 2 04.13-					Platform/Chassis			
eECONIC 2730 LL		Mixto		0	400	544	11.21-	■