


LISTA DE APLICACIONES - BUYERS GUIDE

79KT0074 C



8 424073 107251

Weight: 3.064



79KT0074 C



Lucas - Girling

Ø229 x 42 - Ø22.2

MAKE

RENAULT

SUZUKI

VOLVO

O.E.M.	MAKE
77 01 120 292 1	RENAULT
77 01 201 229	RENAULT
77 01 201 399	RENAULT
77 01 202 384	RENAULT
77 01 203 545	RENAULT
77 01 203 563	RENAULT
77 01 203 716	RENAULT
77 01 205 309	RENAULT



Trac.	CC	Kw	CV		
					Front / Rear

RENAULT

CLIO (B/C57_, 5/357_) 05.90-08.99

Electric (2DB 701)	Eléctrico	FWD		21	30	05.96-02.98	■
--------------------	-----------	-----	--	----	----	-------------	---

EXPRESS 07.95-03.98

1.9 D	Diesel	FWD	1870	47	64	07.95-03.98	■
-------	--------	-----	------	----	----	-------------	---

EXPRESS 07.95-10.99

1.9 D (F8Q 640)	Diesel	FWD	1870	40	54	07.95-10.97	■
1.9 D (F8Q 724)	Diesel	FWD	1870	47	64	07.95-10.99	■
1.9 D (F8Q 776)	Diesel	FWD	1870	47	64	07.95-10.99	■

R 21 (S48_) 06.86-04.95

1.7 (F2N 710)	Gasolina	FWD	1721	65	88	06.86-04.95	■
1.9 D (F8Q 710)	Diesel	FWD	1870	47	64	06.86-08.94	■
2.1 D (J8S 704)	Diesel	FWD	2068	49	67	06.86-08.94	■

R 21 (K48_) 03.86-07.97

1.7 (K48M) (F2N 750)		Gasolina	FWD	1721	54	73	06.86-12.89		■
1.7 Cat (K48F) (F3N 726)	-06/89	Gasolina	FWD	1721	54	73	05.88-06.93		■
1.7 (K/S481) (F2N 712)		Gasolina	FWD	1721	55	75	06.86-03.93		■
1.7 (K48N) (F2N 752)		Gasolina	FWD	1721	64	87	06.87-04.89		■
1.7 (K/S482) (F2N 710)		Gasolina	FWD	1721	65	88	10.86-12.88		■
1.7 (K48E) (F3N 722)		Gasolina	FWD	1721	66	90	10.89-12.93		■
1.7 (K48E) (F3N 723)		Gasolina	FWD	1721	66	90	10.89-12.93		■
1.7 (K48E) (F3N 722)		Gasolina	FWD	1721	69	94	06.86-12.89		■
1.7 (K48E) (F3N 723)		Gasolina	FWD	1721	69	94	06.86-12.89		■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 (J6R 758)		Gasolina	FWD	1995	75	102	06.91-05.93	■
2.0 (J6R 759)		Gasolina	FWD	1995	75	102	06.91-05.93	■
2.0 (J6R 792)		Gasolina	FWD	1995	75	102	06.91-05.93	■
2.0 (K483) (J7R 750)		Gasolina	FWD	1995	85	116	06.86-12.88	■
2.0 (K483) (J7R 751)		Gasolina	FWD	1995	85	116	06.86-12.88	■
2.0 (J7R 750)		Gasolina	FWD	1995	86	117	07.89-06.92	■
2.0 (J7R 751)		Gasolina	FWD	1995	86	117	07.89-06.92	■
2.0 (K48C) (J7R 746)	-10/89	Gasolina	FWD	1995	88	120	03.86-12.93	■
2.0 (K48C) (J7R 747)	-10/89	Gasolina	FWD	1995	88	120	03.86-12.93	■
2.0 4x4 (J7R 746)		Gasolina	4WD	1995	88	120	03.89-12.93	■
2.0 4x4 (J7R 747)		Gasolina	4WD	1995	88	120	03.89-12.93	■
2.0 (K48R) (J7R 740)		Gasolina	FWD	1995	99	135	06.90-02.94	■
2.2 (K48K) (J7T 754)		Gasolina	FWD	2165	79	108	06.86-11.93	■
2.2 (K48K) (J7T 755)		Gasolina	FWD	2165	79	108	06.86-11.93	■
1.9 D (F8Q 710)	07/89-	Diesel	FWD	1870	47	64	03.86-08.94	■
2.1 D (K/S486) (J8S 704)		Diesel	FWD	2068	48	65	10.86-09.90	■
2.1 D 4x4 (K486) (J8S 704)	-06/89	Diesel	4WD	2068	48	65	10.88-05.92	■
2.1 D (K480) (J8S 784)	-10/94	Diesel	FWD	2068	51	69	02.92-09.95	■
2.1 D (K/S48V, K/S48O) (J8S 600)		Diesel	FWD	2068	53	72	08.89-12.92	■
2.1 D (K/S48V, K/S48O) (J8S 740)		Diesel	FWD	2068	53	72	08.89-12.92	■
2.1 Turbo-D (K48A, K48W, K487, K488) (J8S 714)		Diesel	FWD	2068	65	88	10.86-11.93	■
2.1 Turbo-D (K48A, K48W, K487, K488) (J8S 786)		Diesel	FWD	2068	65	88	10.86-11.93	■
2.1 Turbo-D (K48A, K48W, K487, K488) (J8S 788)		Diesel	FWD	2068	65	88	10.86-11.93	■
R 21 (B48_) 07.89-06.94					Hatchback (Large family car-D Segment)			
2.0		Gasolina	FWD	1995	75	102	06.91-05.93	■
2.0 (J7R 750)		Gasolina	FWD	1995	86	117	07.89-06.92	■
2.0 (J7R 751)		Gasolina	FWD	1995	86	117	07.89-06.92	■
2.0 (B48C) (J7R 746)		Gasolina	FWD	1995	88	120	09.89-12.93	■
2.0 (B48C) (J7R 747)		Gasolina	FWD	1995	88	120	09.89-12.93	■
2.0 (B48R/Y) (J7R 740)		Gasolina	FWD	1995	99	135	02.90-10.92	■
2.0 TXi (J7R 740)		Gasolina	FWD	1995	100	136	07.89-05.93	■
2.0 TXi (J7R 754)		Gasolina	FWD	1995	100	136	07.89-05.93	■
2.2 (B48K) (J7T 754)	-06/93	Gasolina	FWD	2165	79	107	09.89-06.94	■
2.2 (B48K) (J7T 755)	-06/93	Gasolina	FWD	2165	79	107	09.89-06.94	■
2.2 4x4 (B48K) (J7T 754)	-06/93	Gasolina	4WD	2165	79	107	07.90-06.94	■
2.2 4x4 (B48K) (J7T 755)	-06/93	Gasolina	4WD	2165	79	107	07.90-06.94	■
2.2 (J7T 755)		Gasolina	FWD	2165	81	110	07.89-05.93	■
2.1 D (J8S 704)		Diesel	FWD	2068	50	68	07.89-05.93	■
2.1 D (J8S 784)		Diesel	FWD	2068	50	68	07.89-05.93	■
2.1 D (B480) (J8S 784)		Diesel	FWD	2068	51	69	04.92-06.94	■
2.1 D (B48V/B48O) (J8S 600)		Diesel	FWD	2068	53	72	09.89-12.92	■
2.1 D (B48V/B48O) (J8S 740)		Diesel	FWD	2068	53	72	09.89-12.92	■
2.1 Turbo-D (B486, B488, B48V) (J8S 714)	-05/93	Diesel	FWD	2068	65	88	09.89-06.94	■
2.1 Turbo-D (B486, B488, B48V) (J8S 786)	-05/93	Diesel	FWD	2068	65	88	09.89-06.94	■
2.1 Turbo-D (B486, B488, B48V) (J8S 788)	-05/93	Diesel	FWD	2068	65	88	09.89-06.94	■
R 21 (L48_) 03.86-07.97					Saloon (Large family car-D Segment)			
1.4 (L48D) (C2J 770)		Gasolina	FWD	1397	51	69	06.88-10.93	■
1.7 (L48N) (F2N 752)		Gasolina	FWD	1721	64	87	06.87-04.89	■
1.7 (L48E) (F3N 722)		Gasolina	FWD	1721	66	90	09.89-02.94	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.7 (L48E) (F3N 723)		Gasolina	FWD	1721	66	90	09.89-02.94	■
1.7 (L48E) (F3N 722)		Gasolina	FWD	1721	69	94	03.86-02.94	■
1.7 (L48E) (F3N 723)		Gasolina	FWD	1721	69	94	03.86-02.94	■
1.7 (F3N 722)		Gasolina	FWD	1721	70	95	04.86-06.89	■
1.7 (F3N 723)		Gasolina	FWD	1721	70	95	04.86-06.89	■
2.0 (L489) (J6R 758)		Gasolina	FWD	1995	75	102	03.86-10.93	■
2.0 (L489) (J6R 759)		Gasolina	FWD	1995	75	102	03.86-10.93	■
2.0 (L489) (J6R 792)		Gasolina	FWD	1995	75	102	03.86-10.93	■
2.0 (L489) (J6R 793)		Gasolina	FWD	1995	75	102	03.86-10.93	■
2.0 (L489) (J6R 792)		Gasolina	FWD	1995	76	103	04.88-06.89	■
2.0 (L489) (J6R 793)		Gasolina	FWD	1995	76	103	04.88-06.89	■
2.0 (J6R 758)		Gasolina	FWD	1995	78	106	05.91-10.93	■
2.0 (L483) (J7R 750)		Gasolina	FWD	1995	85	116	03.86-12.88	■
2.0 (L483) (J7R 751)		Gasolina	FWD	1995	85	116	03.86-12.88	■
2.0 (J7R 750)		Gasolina	FWD	1995	86	117	04.86-06.89	■
2.0 (J7R 751)		Gasolina	FWD	1995	86	117	04.86-06.89	■
2.0 (L48C) (J7R 746)		Gasolina	FWD	1995	88	120	03.86-12.93	■
2.0 (L48C) (J7R 747)		Gasolina	FWD	1995	88	120	03.86-12.93	■
2.0 (L48R) (J7R 740)		Gasolina	FWD	1995	99	135	02.90-06.94	■
2.2 (L48K) (J7T 754)	-06/93	Gasolina	FWD	2165	79	107	07.86-02.94	■
2.2 (L48K) (J7T 755)	-06/93	Gasolina	FWD	2165	79	107	07.86-02.94	■
2.2 4x4 (L48K) (J7T 754)	-06/93	Gasolina	4WD	2165	79	107	07.90-02.94	■
2.2 4x4 (L48K) (J7T 755)	-06/93	Gasolina	4WD	2165	79	107	07.90-02.94	■
2.2 (J7T 755)		Gasolina	FWD	2165	81	110	04.86-06.89	■
2.1 D (L480) (J8S 784)		Diesel	FWD	2068	51	69	10.92-06.94	■
2.1 D (L48V, L48O) (J8S 600)		Diesel	FWD	2068	53	72	05.89-06.94	■
2.1 D (L48V, L48O) (J8S 740)		Diesel	FWD	2068	53	72	05.89-06.94	■
2.1 Turbo-D (L48A, L48W, L487, L488) (J8S 714)	-06/89	Diesel	FWD	2068	65	88	03.86-06.94	■
2.1 Turbo-D (L48A, L48W, L487, L488) (J8S 786)	-06/89	Diesel	FWD	2068	65	88	03.86-06.94	■
2.1 Turbo-D (L48A, L48W, L487, L488) (J8S 788)	-06/89	Diesel	FWD	2068	65	88	03.86-06.94	■
SAFRANE (B54_) 04.92-10.97					Hatchback (Executive car-E Segment)			
2.0 (B540) (J7R 732)		Gasolina	FWD	1995	77	105	11.92-07.96	■
2.0 (B540) (J7R 733)		Gasolina	FWD	1995	77	105	11.92-07.96	■
2.2 (B541) (J7T 762)		Gasolina	FWD	2165	79	107	04.92-07.96	■
2.1 dT (B546) (J8S 760)		Diesel	FWD	2068	65	88	11.93-07.96	■
SUZUKI								
SAMURAI / JIMNY / SIERRA (SJ_) 09.84-12.04					Closed Off-Road Vehicle (Mini SUV-J Segment)			
1.9 D		Diesel	RWD	1870	46	63	09.00-12.04	■
1.9 D A las 4 ruedas		Diesel	4WD	1870	47	64	11.98-12.04	■
1.9 TD A las 4 ruedas (SJ419TD) (XUD9)		Diesel	4WD	1905	46	63	11.98-12.04	■
SJ410 09.79-07.91					Closed Off-Road Vehicle (Mini SUV-J Segment)			
1.0 (SJ410) (F10A)		Gasolina	4WD	970	33	45	09.81-12.88	■
SJ410 / SIERRA (OS) 09.81-07.91					Open Off-Road Vehicle (Mini SUV-J Segment)			
1.0 (SJ410) (F10A)		Gasolina	4WD	970	33	45	09.81-07.91	■
VITARA / ESCUDO (ET, TA) 07.88-10.02					Open Off-Road Vehicle (Mini SUV-J Segment)			
1.6 (SE416) (G16A (8V))		Gasolina	4WD	1589	55	75	01.90-12.93	■

LISTA DE APLICACIONES - BUYERS GUIDE

VITARA / ESCUDO / SIDEKICK (ET, TA, TD) 07.88-12.02					Closed Off-Road Vehicle (Mini SUV-J Segment)			
1.6 A las 4 ruedas (SE416, TA01) (G16A (8V))	Gasolina	4WD	1590		55	75	10.88-12.98	■
VOLVO								
340-360 (343, 345) 08.75-07.91					Hatchback (Compact car-C Segment)			
1.3 (B 13)	Gasolina	RWD	1289		49	67	01.89-12.90	■
2.0 (B 19 A)	Gasolina	RWD	1986		65	88	08.80-07.84	■
2.0 (B 19 A)	Gasolina	RWD	1986		68	92	08.83-07.84	■
2.0 (B 19 A)	Gasolina	RWD	1986		70	95	08.80-07.83	■
2.0 (B 200 K)	Gasolina	RWD	1986		70	95	08.80-07.83	■
2.0 (B 200 K)	Gasolina	RWD	1986		77	105	08.84-07.87	■
2.0 (B 200 F)	Gasolina	RWD	1986		80	109	08.88-07.89	■
2.0 (B 200 F)	Gasolina	RWD	1986		81	110	08.87-07.88	■
2.0 (B 200 E)	Gasolina	RWD	1986		82	112	08.86-07.88	■
2.0 (B 200 F)	Gasolina	RWD	1986		82	112	08.86-07.88	■
2.0 (B 19 E)	Gasolina	RWD	1986		83	113	08.82-07.84	■
2.0 (B 19 E)	Gasolina	RWD	1986		85	115	08.82-07.84	■
2.0 (B 200 E)	Gasolina	RWD	1986		87	118	08.84-07.86	■
340-360 (344) 08.79-07.91					Saloon (Compact car-C Segment)			
1.3 (B 13)	Gasolina	RWD	1289		49	67	01.89-12.90	■
2.0 (B 19 A)	Gasolina	RWD	1986		66	90	08.82-07.84	■
2.0 (B 19 A)	Gasolina	RWD	1986		68	92	08.83-07.84	■
2.0 (B 200 K)	Gasolina	RWD	1986		75	102	08.84-07.90	■
2.0 (B 200 K)	Gasolina	RWD	1986		77	105	08.84-07.87	■
2.0 (B 200 F)	Gasolina	RWD	1986		80	109	08.88-07.89	■
2.0 (B 200 EA)	Gasolina	RWD	1986		81	110	08.87-07.88	■
2.0 (B 200 EA)	Gasolina	RWD	1986		82	112	08.86-07.88	■
2.0 (B 19 E)	Gasolina	RWD	1986		83	113	08.83-07.84	■
2.0 (B 200 E)	Gasolina	RWD	1986		85	115	08.84-07.86	■
2.0 (B 200 E)	Gasolina	RWD	1986		87	118	08.84-07.86	■