

# LISTA DE APLICACIONES - BUYERS GUIDE

## 79KT0081 C



8 424073 107329

Weight: 4.363

O.E.M.	MAKE
0 099 412 43	FIAT
4241.59	PEUGEOT
4241.H8	PEUGEOT
7 761 290 0	FIAT
9 939 718	FIAT
9 943 934	FIAT
9 946 560	FIAT
95 661 851	PEUGEOT



## 79KT0081 C



90R-01489/049



Lucas - Girling

Ø254 x 57 - Ø25.4

MAKE
ALFA ROMEO
CITROËN
FIAT
OPEL
PEUGEOT
RENAULT
TALBOT
VAUXHALL



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

### ALFA ROMEO

#### AR 6 (280\_) 04.85-12.89

1.9 D (280) (160 D100)	Diesel	FWD	1929	51	69	04.85-12.89	■
------------------------	--------	-----	------	----	----	-------------	---

#### AR 6 (280\_) 04.85-12.89

1.9 D (280) (160 D100)	Diesel	FWD	1929	51	69	04.85-12.89	■
2.4 D (280) (8144.61.200)	Diesel	FWD	2445	53	72	04.85-02.86	■
2.4 TD (280) (8144.21.220)	Diesel	FWD	2445	68	92	09.86-12.89	■
2.5 D (280) (8144.67.220)	Diesel	FWD	2499	55	75	03.86-12.89	■

#### AR 8 (280\_) 04.78-12.89

2.4 D (280) (8140.61.200)	Diesel	FWD	2445	53	72	04.78-08.86	■
2.4 TD (280) (8140.21.200 D.I.)	Diesel	FWD	2445	68	92	04.85-12.88	■
2.5 D (280) (8144.67.220)	Diesel	FWD	2499	55	75	09.86-12.89	■

#### AR 8 (280\_) 04.78-12.89

2.4 D (280) (8140.61.200)	Diesel	FWD	2445	53	72	04.78-08.86	■
2.4 TD (280) (8140.21.200 D.I.)	Diesel	FWD	2445	68	92	04.85-12.89	■
2.5 D (280) (8144.67.220)	Diesel	FWD	2499	55	75	09.86-12.89	■

### CITROËN

#### C25 (280\_, 290\_) 07.81-02.94

					Bus (Minibus-M2-Segment)			
1.8 (169 (XM7T))	01/83-	Gasolina	FWD	1796	50	68	11.81-01.94	■
1.8 E (169 (XM7T))		Gasolina	FWD	1796	51	69	07.87-02.94	■
2.0 E (170A (XN1T))	01/83-	Gasolina	FWD	1971	58	79	09.81-02.94	■
2.0 E (170B (XN1T))	01/83-	Gasolina	FWD	1971	58	79	09.81-02.94	■
2.0 (170C (XN1T))	-07/91	Gasolina	FWD	1971	62	84	02.91-02.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

1.9 D (D9B (XUD9A/U))		Diesel	FWD	1905	51	69	07.87-02.94	■
1.9 TD (M705)		Diesel	FWD	1930	60	82	04.92-02.94	■
2.5 D (CRD93L (U25/661))		Diesel	FWD	2498	54	73	10.85-02.94	■
2.5 D 4x4 (CRD93L (U25/661))		Diesel	4WD	2498	54	73	01.87-02.94	■
2.5 D (CRD93L (U25/661))		Diesel	FWD	2498	55	75	11.81-01.94	■
2.5 D Turbo (CRD93LS (U25/673))		Diesel	FWD	2500	70	95	08.87-02.94	■
2.5 D Turbo 4x4 (CRD93LS (U25/673))	11/92-	Diesel	4WD	2500	70	95	08.87-02.94	■
<b>C25 (280_, 290_) 07.81-03.94</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
1.8		Gasolina	FWD	1796	50	68	07.83-01.94	■
1.8 E (169 (XM7T))		Gasolina	FWD	1796	51	69	07.87-02.94	■
2.0 (170A (XN1T))	01/83-	Gasolina	FWD	1971	57	78	11.81-12.86	■
2.0 (170C (XN1T))	-07/91	Gasolina	FWD	1971	62	84	01.87-03.94	■
1.9		Diesel	RWD	1905	51	69	01.88-01.94	■
1.9 DT (M705)		Diesel	FWD	1929	60	82	10.91-01.94	■
2.5 D (CRD93L (U25/661))	-09/90	Diesel	FWD	2498	55	75	11.83-01.94	■
2.5 DT (CRD93LS (U25/673))	-03/87	Diesel	FWD	2498	70	95	01.87-01.94	■
<b>C25 (280_, 290_) 07.81-07.94</b>					<b>Van (LCVs-N1 Segment)</b>			
1.8 (169 (XM7T))	01/83-	Gasolina	FWD	1796	50	68	11.81-01.94	■
2.0 (170A (XN1T))		Gasolina	FWD	1971	57	78	11.81-12.86	■
2.0 (170B (XN1T))		Gasolina	FWD	1971	57	78	11.81-12.86	■
2.0 E (170A (XN1T))		Gasolina	FWD	1971	58	79	09.81-03.94	■
2.0 E (170B (XN1T))		Gasolina	FWD	1971	58	79	09.81-03.94	■
2.0 (170C (XN1T))	-07/91	Gasolina	FWD	1971	62	84	02.91-03.94	■
2.0 4x4 (170C (XN1T))	-07/91	Gasolina	4WD	1971	62	84	01.90-01.94	■
1.9 D		Diesel	RWD	1905	51	69	01.88-01.94	■
1.9 D 1400 (DJY (XUD9A))		Diesel	FWD	1905	51	69	01.88-01.94	■
2.5 D (CRD93L (U25/661))		Diesel	FWD	2498	54	73	02.85-07.94	■
2.5 D (CRD93L (U25/661))		Diesel	FWD	2498	55	75	11.81-01.94	■
2.5 D 4x4 (CRD93L (U25/661))		Diesel	4WD	2498	55	75	11.83-12.86	■
2.5 DT (CRD93LS (U25/673))		Diesel	FWD	2498	70	95	08.91-01.94	■
2.5 DT 4x4 (CRD93LS (U25/673))	11/92-, Short Wheelbase	Diesel	4WD	2498	70	95	08.91-01.94	■
<b>FIAT</b>								
<b>DUCATO (280_) 07.82-08.90</b>					<b>Bus (Minibus-M2-Segment)</b>			
1.8 (XM7T)		Gasolina	FWD	1796	51	69	07.82-12.88	■
2.0 (170 B)		Gasolina	FWD	1971	55	75	01.86-08.90	■
2.0 (XN 1T)		Gasolina	FWD	1971	58	79	07.82-05.85	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	09.88-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	07.90-03.94	■
2.0		Gasolina	FWD	1971	63	86	06.90-05.94	■
2.0 4x4 (170 D)		Gasolina	4WD	1971	63	86	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	02.87-08.90	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	07.90-03.94	■
1.9 TD (280 A1.000)	06/90-	Diesel	FWD	1929	60	82	03.89-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	07.90-03.94	■
2.4 D (8144.61)		Diesel	FWD	2445	53	72	07.82-12.85	■
2.5 TD (8144.21)	06/90-	Diesel	FWD	2445	68	92	01.87-08.90	■
2.5 TD (8144.21.220)	06/90-	Diesel	FWD	2445	68	92	01.87-08.90	■
2.5 TD 4x4 (8144.21)	09/86-	Diesel	4WD	2445	68	92	01.86-08.90	■
2.5 D (8140.27)		Diesel	FWD	2499	68	92	09.86-05.90	■
2.5 D 4x4 (8140.27)		Diesel	4WD	2499	68	92	09.86-05.90	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 TD (8140.27)		Diesel	FWD	2499	70	95	06.90-05.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2499	70	95	06.90-05.94	■
2.5 D (8144.67)	06/90-	Diesel	FWD	2500	55	75	01.86-08.90	■
2.5 D (CRD93L (U25-661))	06/90-	Diesel	FWD	2500	55	75	01.86-08.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	07.90-03.94	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	01.87-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	07.90-03.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2500	70	95	01.91-03.94	■
<b>DUCATO (280_) 07.82-08.90</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 (170 B)		Gasolina	FWD	1971	55	75	07.85-08.90	■
2.0 (XN 1T)		Gasolina	FWD	1971	55	75	07.85-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	08.88-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	07.90-03.94	■
2.0 4x4 (170 D)		Gasolina	4WD	1971	63	86	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	51	69	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	01.88-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-08.90	■
1.9 TD (280 A1.000)		Diesel	FWD	1929	60	82	03.89-03.94	■
2.5 TD (8144.21)	06/90-	Diesel	FWD	2445	68	92	01.86-08.90	■
2.5 TD 4x4 (8144.21)		Diesel	4WD	2445	68	92	01.86-08.90	■
2.5 TD (8140.27)		Diesel	FWD	2499	68	92	09.86-05.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	07.82-08.90	■
2.5 D (CRD93L (U25-661))		Diesel	FWD	2500	55	75	07.82-08.90	■
2.5 D (8144.67)		Diesel	FWD	2500	55	75	03.89-03.94	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	03.89-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	07.90-03.94	■
2.5 TD (8140.27)		Diesel	FWD	2500	70	95	07.90-03.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2500	70	95	07.90-03.94	■
<b>DUCATO (280_) 01.82-02.91</b>					<b>Van (LCVs-N1 Segment)</b>			
1.8 (169 B)	-05/86	Gasolina	FWD	1796	49	67	01.82-10.88	■
1.8 (XM7T)		Gasolina	FWD	1796	51	69	07.82-12.88	■
2.0 (170 B)	06/90-	Gasolina	FWD	1971	55	75	07.85-08.90	■
2.0 (XN 1T)	-05/86	Gasolina	FWD	1971	58	79	01.82-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	62	84	03.89-08.90	■
2.0 (170 D)		Gasolina	FWD	1971	63	86	06.90-05.94	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	01.88-08.90	■
1.9 D (149 B1.000)		Diesel	FWD	1929	52	71	07.90-03.94	■
1.9 TD (280 A1.000)	06/90-	Diesel	FWD	1929	60	82	03.89-08.90	■
1.9 TD (280 A1.000)	06/90-	Diesel	FWD	1929	60	82	03.89-03.94	■
2.4 D (8144.61)	-05/86	Diesel	FWD	2445	53	72	01.82-08.90	■
2.5 D 4x4 (8140.61)		Diesel	4WD	2445	53	72	09.86-10.87	■
2.5 D (8140.61)		Diesel	FWD	2445	55	75	09.86-05.90	■
2.5 D 4x4 (8140.61)		Diesel	4WD	2445	55	75	09.86-05.90	■
2.5 D 4x4 (8144.61)		Diesel	4WD	2445	55	75	09.86-05.90	■
2.5 TD		Diesel	FWD	2445	68	92	02.87-02.91	■
2.5 TD 4x4 (8144.21)		Diesel	4WD	2445	68	92	09.86-09.90	■
2.5 D (8144.67)		Diesel	FWD	2499	55	75	06.90-05.94	■
2.5 TD		Diesel	FWD	2499	68	92	09.86-05.90	■
2.5 TD		Diesel	RWD	2499	70	95	09.86-05.90	■
2.5 D (8144.67)	06/90-	Diesel	FWD	2500	55	75	01.82-08.90	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D (CRD93L (U25-661))	06/90-	Diesel	FWD	2500	55	75	01.82-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	03.89-08.90	■
2.5 D 4x4 (8144.67)		Diesel	4WD	2500	55	75	07.90-03.94	■
2.5 TD (8140.27)		Diesel	FWD	2500	70	95	07.90-03.94	■
2.5 TD 4x4 (8140.27)		Diesel	4WD	2500	70	95	07.90-03.94	■
<b>DUCATO II (230_) 03.94-05.05</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.5 TD		Diesel	FWD	2499	70	95	06.90-05.94	■
<b>TALENTO (290_) 03.89-03.94</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 (290UEH4) (170 B)		Gasolina	FWD	1971	55	75	03.89-03.94	■
1.9 D (290UEHK) (149 B1.000)		Diesel	FWD	1929	52	71	03.89-03.94	■
<b>TALENTO (290_) 03.89-03.94</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 (290UA4) (170 B)		Gasolina	FWD	1971	55	75	03.89-03.94	■
1.9 D (290UAK, 290UTK) (149 B1.000)		Diesel	FWD	1929	52	71	03.89-03.94	■
<b>TALENTO (290_) 03.89-03.94</b>					<b>Van (LCVs-N1 Segment)</b>			
2.0 (290U4) (170 B)		Gasolina	FWD	1971	55	75	03.89-03.94	■
1.9 D (290UK) (149 B1.000)		Diesel	FWD	1929	52	71	03.89-03.94	■
<b>OPEL</b>								
<b>ARENA (A97) 01.97-12.01</b>					<b>Bus (Minibus-M2-Segment)</b>			
1.9 D (F8Q 600)		Diesel	FWD	1870	44	60	03.98-08.01	■
1.9 D (F8Q 606)		Diesel	FWD	1870	44	60	03.98-08.01	■
1.9 D (TF1G/M, THBJ/L) (19 DJ)		Diesel	FWD	1870	44	60	01.97-12.01	■
1.9 D (TF1G/M, THBJ/L) (19 DL)		Diesel	FWD	1870	44	60	01.97-12.01	■
2.5 D (S8U 758)		Diesel	FWD	2499	55	75	03.98-08.01	■
2.5 D (S8U 780)		Diesel	FWD	2499	55	75	03.98-08.01	■
2.5 D (S8U 782)		Diesel	FWD	2499	55	75	03.98-08.01	■
2.5 D (TF1G/M, THBG/M) (25 DG)		Diesel	FWD	2499	55	75	01.97-12.01	■
2.5 D (TF1G/M, THBG/M) (25 DM)		Diesel	FWD	2499	55	75	01.97-12.01	■
<b>ARENA (A97) 01.97-12.01</b>					<b>Van (LCVs-N1 Segment)</b>			
1.9 D (F8Q 600)		Diesel	FWD	1870	44	60	03.98-08.01	■
1.9 D (F8Q 606)		Diesel	FWD	1870	44	60	03.98-08.01	■
1.9 D (TF1J/L, THBJ/L) (19 DJ)		Diesel	FWD	1870	44	60	01.97-12.01	■
1.9 D (TF1J/L, THBJ/L) (19 DL)		Diesel	FWD	1870	44	60	01.97-12.01	■
2.5 D (S8U 758)		Diesel	FWD	2499	55	75	03.98-08.01	■
2.5 D (S8U 780)		Diesel	FWD	2499	55	75	03.98-08.01	■
2.5 D (S8U 782)		Diesel	FWD	2499	55	75	03.98-08.01	■
2.5 D (TF1G/M, THBG/M) (25 DG)		Diesel	FWD	2499	55	75	01.97-12.01	■
2.5 D (TF1G/M, THBG/M) (25 DM)		Diesel	FWD	2499	55	75	01.97-12.01	■
<b>PEUGEOT</b>								
<b>J5 (280P) 09.81-09.90</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.0 (170B (XN1T))	01/86-	Gasolina	FWD	1971	55	75	09.81-09.90	■
2.0 (170 (XN1T))		Gasolina	FWD	1971	58	79	01.83-09.90	■
2.0 Super 4x4 (XN1P)		Gasolina	4WD	1971	58	79	09.81-08.90	■
2.0 (170D (XN1TACP))		Gasolina	FWD	1971	62	84	10.90-02.94	■
1.9 D (D9B (XUD9A))	-01/94	Diesel	FWD	1905	51	70	10.90-02.94	■
2.5 D (CRD93 (PSA))	01/83-	Diesel	FWD	2498	54	73	09.81-09.90	■
2.5 DT (CRD93L)		Diesel	FWD	2498	70	95	01.86-08.90	■
2.5 TD (CRD93LS (U25/673))	-01/94	Diesel	FWD	2498	70	95	10.90-02.94	■
2.5 D (CRD93 (PSA))		Diesel	FWD	2500	54	73	10.90-02.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D 4x4 (CRD93 (PSA))	-01/94	Diesel	4WD	2500	54	73	10.90-02.94	■
2.5 TD 4x4 (CRD93LS (U25/673))	-01/94	Diesel	4WD	2500	70	95	10.90-02.94	■
<b>J5 (280L) 09.81-09.90</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
1.8 (169B (XM7T))		Gasolina	FWD	1796	51	69	09.81-08.90	■
1.8		Gasolina	FWD	1796	51	69	09.90-01.94	■
2.0 (170B (XN1T))		Gasolina	FWD	1971	55	75	01.86-11.88	■
2.0 (170 (XN1T))		Gasolina	FWD	1971	58	79	01.83-11.88	■
2.0 (170D (XN1TACP))		Gasolina	FWD	1971	62	84	10.90-02.94	■
1.9 D		Diesel	RWD	1905	51	69	09.87-08.90	■
1.9 D (D9B (XUD9A))		Diesel	FWD	1905	51	70	10.90-02.94	■
2.5 D 4x4 (CRD93)	-Kg. 1300	Diesel	4WD	2498	54	73	09.81-08.90	■
2.5 DT (CRD93L)	-Kg. 1300	Diesel	FWD	2498	70	95	09.81-08.90	■
2.5 DT	-Kg. 1300	Diesel	RWD	2498	70	95	09.81-08.90	■
2.5 D (CRD93 (PSA))	01/83-, -Kg. 1300	Diesel	FWD	2500	54	73	09.81-09.90	■
2.5 D (CRD93 (PSA))	-Kg. 1300	Diesel	FWD	2500	54	73	10.90-02.94	■
2.5 D 4x4 (CRD93 (PSA))		Diesel	4WD	2500	54	73	10.90-02.94	■
2.5 TD (CRD93LS (U25/673))	-01/94	Diesel	FWD	2500	70	95	10.90-02.94	■
2.5 TD 4x4 (CRD93LS (U25/673))	Kg. 1300	Diesel	4WD	2500	70	95	10.90-02.94	■
<b>J5 (280L) 09.81-09.90</b>					<b>Van (LCVs-N1 Segment)</b>			
1.8 (169B (XM7T))		Gasolina	FWD	1796	51	69	01.83-11.88	■
1.8 (169B (XM7T))		Gasolina	FWD	1796	51	69	09.90-01.94	■
2.0 (XN1T)		Gasolina	FWD	1971	55	75	09.87-08.90	■
2.0 (XN1P)		Gasolina	FWD	1971	58	79	09.81-08.90	■
2.0 (170D (XN1TACP))		Gasolina	FWD	1971	62	84	09.90-01.94	■
2.0 (XN1TA)		Gasolina	FWD	1971	62	84	09.90-01.94	■
1.9 D (D9B (XUD9A))		Diesel	FWD	1905	51	69	09.87-08.90	■
1.9 D (XUD9)		Diesel	FWD	1905	51	69	09.87-08.90	■
1.9 D (D9B (XUD9A))		Diesel	FWD	1905	51	70	10.90-03.94	■
2.5 D (CRD93)		Diesel	FWD	2498	54	73	09.81-08.90	■
2.5 D		Diesel	RWD	2498	54	73	09.81-08.90	■
2.5 D (CRD93)		Diesel	FWD	2498	54	73	09.90-01.94	■
2.5 DT (CRD93L)		Diesel	FWD	2498	70	95	09.81-08.90	■
2.5 DT (CRD93LS (U25/673))		Diesel	FWD	2498	70	95	09.81-08.90	■
2.5 DT (CRD93L)		Diesel	FWD	2498	70	95	09.90-01.94	■
2.5 DT A las 4 ruedas (CRD93L)		Diesel	4WD	2498	70	95	09.81-08.90	■
2.5 D 4x4 (CRD93 (PSA))	-01/94	Diesel	4WD	2500	54	73	10.90-03.94	■
2.5 TD 4x4 (CRD93LS (U25/673))	Kg. 1000	Diesel	4WD	2500	70	95	10.90-03.94	■
<b>RENAULT</b>								
<b>MASTER (T_) 08.80-07.98</b>					<b>Bus (Minibus-M2-Segment)</b>			
28-35 2.0 (J5R 718)		Gasolina	FWD	1995	58	79	10.86-07.98	■
28-35 2.0 (829 731)		Gasolina	FWD	1995	59	80	08.80-09.86	■
2.0 (J5R 728)		Gasolina	RWD	1995	60	82	06.85-10.89	■
30 2.2 (J7T 782)		Gasolina	FWD	2165	67	91	08.80-07.98	■
30 2.2 (J7T 788)		Gasolina	FWD	2165	67	91	08.80-07.98	■
2.1 D (J8S 330)		Diesel	RWD	2068	44	60	11.89-04.95	■
28-35 2.1 D (J8S 330)		Diesel	FWD	2068	44	60	08.80-07.98	■
28-35 2.4 D (8140.61.2300)		Diesel	FWD	2445	52	71	08.80-08.89	■
28-35 2.4 D (S8U 731)		Diesel	FWD	2445	52	71	08.80-08.89	■
2.4 D (S8U 731)		Diesel	RWD	2445	53	72	09.86-10.89	■
28-35 2.5 D (8140.67.2510)		Diesel	FWD	2499	55	75	08.89-07.98	■

# LISTA DE APLICACIONES - BUYERS GUIDE

28-35 2.5 D (S8U 742)		Diesel	FWD	2499	55	75	08.89-07.98	■
35 2,5 TD (8140.27.2500)		Diesel	FWD	2499	69	94	08.89-07.98	■
35 2,5 TD (8140.27.2510)		Diesel	FWD	2499	69	94	08.89-07.98	■
35 2,5 TD (S9U 714)		Diesel	FWD	2499	69	94	08.89-07.98	■
28-35 2,5 TD		Diesel	FWD	2499	72	98	08.89-07.98	■
<b>MASTER (P_) 07.80-07.98</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
28-35 2.0 (J5R 728)		Gasolina	FWD	1995	58	79	10.86-07.98	■
2.0 (829 731)		Gasolina	FWD	1995	59	80	07.80-06.85	■
28-35 2.0 (829 730)		Gasolina	RWD	1995	59	80	10.82-09.86	■
2.0 (J5R 718)		Gasolina	FWD	1995	60	82	11.89-07.93	■
2.0		Gasolina	RWD	1995	60	82	11.89-12.95	■
2.2 (J7T 788)		Gasolina	RWD	2165	71	97	08.93-02.98	■
2.1 D (J8S 330)		Diesel	RWD	2068	46	63	11.89-07.93	■
2.4 D (S8U 730)		Diesel	FWD	2445	52	71	08.93-02.98	■
28-35 2.5 D (8140.61.2300)		Diesel	RWD	2445	52	71	09.80-07.98	■
28-35 2.5 D (S8U 731)		Diesel	RWD	2445	52	71	09.80-07.98	■
2.5 D (S8U 742)		Diesel	FWD	2499	55	75	07.80-10.89	■
2.5 DT (S9U 702)		Diesel	FWD	2499	69	94	11.89-10.93	■
2.5 DT (S9U 740)		Diesel	FWD	2499	70	95	08.93-02.98	■
<b>MASTER (T_) 07.80-07.98</b>					<b>Van (LCVs-N1 Segment)</b>			
28-35 2.0 (J5R 718)		Gasolina	FWD	1995	58	79	10.86-07.98	■
28-35 2.0 (829 731)		Gasolina	FWD	1995	59	80	08.80-10.86	■
30 2.2 (J7T 782)		Gasolina	FWD	2165	67	91	08.80-07.98	■
30 2.2 (J7T 788)		Gasolina	FWD	2165	67	91	08.80-07.98	■
28-35 2.1 D (J8S 330)		Diesel	FWD	2068	44	60	08.80-07.98	■
2.4 D (S8U 731)		Diesel	RWD	2445	50	68	07.80-06.83	■
2.4 D (S8U 730)		Diesel	RWD	2445	52	71	07.83-08.86	■
28-35 2.4 D (8140.61.2300)		Diesel	FWD	2445	52	71	08.80-08.89	■
28-35 2.4 D (S8U 731)		Diesel	FWD	2445	52	71	08.80-08.89	■
2.4 D (S8U 730)		Diesel	RWD	2445	53	72	09.86-12.92	■
28-35 2,5 D (8140.67.2510)		Diesel	FWD	2499	55	75	08.89-07.98	■
28-35 2,5 D (S8U 742)		Diesel	FWD	2499	55	75	08.89-07.98	■
35 2,5 TD (8140.27.2500)		Diesel	FWD	2499	69	94	08.89-07.98	■
35 2,5 TD (8140.27.2510)		Diesel	FWD	2499	69	94	08.89-07.98	■
35 2,5 TD (S9U 714)		Diesel	FWD	2499	69	94	08.89-07.98	■
35 2,5 TD (S9U 740)		Diesel	FWD	2499	69	94	08.89-07.98	■
28-35 2,5 TD (8140.27.2580)		Diesel	FWD	2499	72	98	08.89-07.98	■
28-35 2,5 TD (S9U 702)		Diesel	FWD	2499	72	98	08.89-07.98	■
<b>TRAFIC (T_, P_, V_) 03.89-03.01</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.2 (J7T 600)		Gasolina	FWD	2165	74	101	06.94-10.97	■
2.2 4x4 (J7T 600)		Gasolina	4WD	2165	74	101	06.94-10.97	■
1.9 D (F8Q 606)		Diesel	FWD	1870	44	60	06.97-03.01	■
2.1 D (J8S 620)		Diesel	FWD	2068	47	64	06.94-10.97	■
2.1 D (J8S 758)		Diesel	FWD	2068	47	64	06.94-10.97	■
2.5 D (8140.67.2500)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2550)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2580)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 750)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 752)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 758)		Diesel	FWD	2499	55	75	05.89-03.01	■

# LISTA DE APLICACIONES - BUYERS GUIDE

2.5 D 4x4 (8140.67.2500)		Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (8140.67.2550)		Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (8140.67.2580)		Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (S8U 750)		Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (S8U 752)		Diesel	4WD	2499	55	75	08.89-03.01	■
2.5 D 4x4 (S8U 758)		Diesel	4WD	2499	55	75	08.89-03.01	■
<b>TRAFIC (T_, P_, V_) 03.89-03.01</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 RWD (J5R 726)		Gasolina	RWD	1995	59	80	05.89-10.97	■
2.2 (J7T 600)		Gasolina	FWD	2165	74	101	09.94-04.98	■
2.2 4x4 (J7T 600)		Gasolina	4WD	2165	74	101	09.94-04.98	■
2.1 D (J8S 620)		Diesel	FWD	2068	47	64	09.94-04.98	■
2.1 D RWD (J8S 620)		Diesel	RWD	2068	47	64	06.94-10.97	■
2.1 D RWD (J8S 758)		Diesel	RWD	2068	47	64	06.94-10.97	■
2.5 D (8140.61.240)		Diesel	FWD	2445	51	69	05.89-03.01	■
2.5 D (S8U 720)		Diesel	FWD	2445	51	69	05.89-03.01	■
2.5 D (S8U 722)		Diesel	FWD	2445	51	69	05.89-03.01	■
2.5 D (S8U 758)		Diesel	FWD	2499	55	75	05.98-03.01	■
2.5 D (S8U 780)		Diesel	FWD	2499	55	75	05.98-03.01	■
2.5 D (S8U 758)		Diesel	FWD	2499	58	79	09.94-04.98	■
<b>TRAFIC (T_, P_, V_) 03.89-10.02</b>					<b>Van (LCVs-N1 Segment)</b>			
2.2 (J7T 600)		Gasolina	FWD	2165	74	101	06.94-10.97	■
2.2 4x4 (J7T 600)		Gasolina	4WD	2165	74	101	06.94-10.97	■
1.9 D (F8Q 606)		Diesel	FWD	1870	44	60	06.97-03.01	■
2.1 D (J8S 620)		Diesel	FWD	2068	47	64	06.94-10.97	■
2.1 D (J8S 758)		Diesel	FWD	2068	47	64	06.94-10.97	■
2.5 D (8140.67.2500)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2550)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (8140.67.2580)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 750)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 752)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D (S8U 758)		Diesel	FWD	2499	55	75	05.89-03.01	■
2.5 D 4x4 (8140.67.2500)		Diesel	4WD	2499	55	75	05.89-03.01	■
2.5 D 4x4 (8140.67.2580)		Diesel	4WD	2499	55	75	05.89-03.01	■
2.5 D 4x4 (S8U 750)		Diesel	4WD	2499	55	75	05.89-03.01	■
2.5 D 4x4 (S8U 752)		Diesel	4WD	2499	55	75	05.89-03.01	■
<b>TALBOT</b>								
<b>EXPRESS 1000 -1500 07.82-10.94</b>					<b>Bus (Minibus-M2-Segment)</b>			
1.8 (XM7T)		Gasolina	FWD	1796	51	69	07.83-10.90	■
2.0 (XN1TA)		Gasolina	FWD	1971	57	78	07.82-10.90	■
1.9 D (XUD9A)		Diesel	FWD	1905	51	69	07.87-10.90	■
2.5 D (CRD93)		Diesel	FWD	2498	54	73	07.82-10.94	■
2.5 TD (CRD93LS)		Diesel	FWD	2498	70	95	06.87-10.94	■
<b>EXPRESS 1000 -1500 07.82-10.94</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.0 (XN1TA)		Gasolina	FWD	1971	57	78	07.82-10.94	■
2.5 D (CRD93)		Diesel	FWD	2498	54	73	07.82-10.94	■
2.5 D A las 4 ruedas (CRD93)		Diesel	4WD	2498	54	73	11.88-10.94	■
2.5 TD (CRD93LS)		Diesel	FWD	2498	70	95	06.87-10.94	■
2.5 TD A las 4 ruedas (CRD93LS)		Diesel	4WD	2498	70	95	11.88-10.94	■

# LISTA DE APLICACIONES - BUYERS GUIDE

EXPRESS 1000 -1800 07.81-10.94					Van (LCVs-N1 Segment)			
1.8 (XM7T)	Gasolina	FWD	1796	51	69	07.81-10.90	■	
2.0 (XN1TA)	Gasolina	FWD	1971	57	78	07.82-10.90	■	
1.9 D (XUD9A)	Diesel	FWD	1905	51	69	07.87-10.90	■	
2.5 D (CRD93)	Diesel	FWD	2498	54	73	07.82-10.94	■	
2.5 D A las 4 ruedas (CRD93)	Diesel	4WD	2498	54	73	11.88-10.94	■	
2.5 TD (CRD93LS)	Diesel	FWD	2498	70	95	06.87-10.94	■	
2.5 TD A las 4 ruedas (CRD93LS)	Diesel	4WD	2498	70	95	11.88-10.94	■	
VAUXHALL								
ARENA (A97) 01.97-08.01					Bus (Minibus-M2-Segment)			
1.9 D (F8Q 600)	Diesel	FWD	1870	44	60	03.98-08.01	■	
1.9 D (F8Q 606)	Diesel	FWD	1870	44	60	03.98-08.01	■	
2.5 D (S8U 758)	Diesel	FWD	2499	55	75	03.98-08.01	■	
2.5 D (S8U 780)	Diesel	FWD	2499	55	75	03.98-08.01	■	
2.5 D (S8U 782)	Diesel	FWD	2499	55	75	03.98-08.01	■	
ARENA (A97) 01.97-08.01					Van (LCVs-N1 Segment)			
1.9 D (F8Q 600)	Diesel	FWD	1870	44	60	03.98-08.01	■	
1.9 D (F8Q 606)	Diesel	FWD	1870	44	60	03.98-08.01	■	
2.5 D (S8U 758)	Diesel	FWD	2499	55	75	03.98-08.01	■	
2.5 D (S8U 780)	Diesel	FWD	2499	55	75	03.98-08.01	■	
2.5 D (S8U 782)	Diesel	FWD	2499	55	75	03.98-08.01	■	