

# LISTA DE APLICACIONES - BUYERS GUIDE

## 79PB4007 C



8 424073 206039

Weight: 1.230

O.E.M.	MAKE
0024205820	MERCEDES-BENZ
0034201420	MERCEDES-BENZ
0034203420	MERCEDES-BENZ
2D0 609 525	VAG
2D0 609 525 B	VAG
2D0 609 538	VAG
2D0 698 525	VAG
2D0698525	VW
2D0698525B	AUDI
2S0698525B	VW
9014200120	MERCEDES-BENZ
9014200320	MERCEDES-BENZ
9014200520	MERCEDES-BENZ
A0024205820	MERCEDES-BENZ
A0034201420	MERCEDES-BENZ
A0034203420	MERCEDES-BENZ
A9014200120	MERCEDES-BENZ
A9014200320	MERCEDES-BENZ
A9014200520	MERCEDES-BENZ

## 79PB4007 C

E1 90R-011046/115



MAKE
DODGE
FREIGHTLINER
MERCEDES-BENZ
PUCH
VW



Trac.	CC	Kw	CV		
					Front / Rear

### DODGE

#### SPRINTER 2500 (U.S.A.) 09.92-12.06

						Bus (Minibus-M2-Segment)		
2.7 D (EX8)		Diesel	RWD	2685	115	156	09.03-12.06	■
2.7 D		Diesel	RWD	2686	93	125	09.02-12.03	■

#### SPRINTER 2500 (U.S.A.) 09.94-12.07

						Platform/Chassis (LCVs-N1 Segment)		
3.5 (EG2)		Gasolina	RWD	3498	189	257	09.06-12.07	■
2.7 D (EX8)		Diesel	RWD	2685	115	156	09.03-12.06	■
3.0 D (EXM)		Diesel	RWD	2987	115	156	09.06-12.07	■

#### SPRINTER 2500 (VA) 09.92-12.06

						Van (LCVs-N1 Segment)		
2.7 D		Diesel	RWD	2685	115	156	09.03-12.06	■

#### SPRINTER 3500 09.92-12.06

						Platform/Chassis (LCVs-N1 Segment)		
2.7 D (EX8)		Diesel	RWD	2685	115	156	01.05-12.06	■

#### SPRINTER 3500 (U.S.A.) 09.92-12.06

						Van (LCVs-N1 Segment)		
2.7 D (EX8)		Diesel	RWD	2685	115	156	09.02-12.06	■

### FREIGHTLINER

#### SPRINTER 2500 (U.S.A.) 09.01-12.06

						Bus (Minibus-M2-Segment)		
2.7 D		Diesel	RWD	2685	93	126	09.01-12.05	■

#### SPRINTER 2500 (U.S.A.) 09.04-12.06

						Platform/Chassis (LCVs-N1 Segment)		
2.7 D (OM 612.981)		Diesel	RWD	2685	115	156	09.04-12.06	■

#### SPRINTER 2500 (U.S.A.) 09.04-12.06

						Van (LCVs-N1 Segment)		
2.7 D		Diesel	RWD	2685	93	126	09.01-12.05	■

# LISTA DE APLICACIONES - BUYERS GUIDE

SPRINTER 3500 (U.S.A.) 09.04-12.05					Bus (Minibus-M2-Segment)			
2.7 D		Diesel	RWD	2685	93	126	09.04-12.05	■
SPRINTER 3500 (U.S.A.) 09.04-12.06					Platform/Chassis (LCVs-N1 Segment)			
2.7 D (OM 612.981)		Diesel	RWD	2685	115	156	09.04-12.06	■
SPRINTER 3500 (U.S.A.) 09.04-12.05					Van (Minibus-M2-Segment)			
2.7 D		Diesel	RWD	2685	93	126	09.04-12.05	■
MERCEDES-BENZ								
G-Class (W463) 09.89-					Closed Off-Road Vehicle (Luxury Crossover SUV-J Segment)			
G 320 (463.232, 463.233, 463.244, 463.245) (M 112.945)		Gasolina	4WD	3199	158	215	07.97-08.04	■
G 500 (463.234, 463.239) (M 176.980)		Gasolina	4WD	3982	310	422	06.15-04.18	■
G 500 (463.249) (M 113.962)		Gasolina	4WD	4966	215	292	09.04-12.05	■
G 500 (463.247, 463.248, 463.249, 463.240, 463.241,... (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■
G 55 AMG (463.243, 463.246) (M 113.982)		Gasolina	4WD	5439	260	354	04.99-07.08	■
G 55 AMG (463.270, 463.271) (M 113.993)		Gasolina	4WD	5439	350	476	06.04-07.06	■
G 55 AMG (463.270, 463.271)		Gasolina	4WD	5439	350	476	09.04-12.11	■
G 55 AMG (463.270, 463.271) (M 113.993)		Gasolina	4WD	5439	368	500	08.06-12.12	■
G 55 AMG (463.270, 463.271) (M 113.993)		Gasolina	4WD	5439	373	507	08.08-06.12	■
G 500 (463.222, 463.236, 463.237, 463.242) (M 273.963)		Gasolina	4WD	5461	285	388	05.08-08.15	■
G 500 (463.222, 463.236, 463.237, 463.242) (M 273.969)		Gasolina	4WD	5461	285	388	05.08-08.15	■
G 63 AMG (463.273) (M 157.984)		Gasolina	4WD	5461	400	544	05.12-03.18	■
G 63 AMG 6x6 (M 157.984)		Gasolina	4WD	5461	400	544	12.14-03.18	■
AMG G 63 (463.272) (M 157.984)		Gasolina	4WD	5461	420	571	06.15-03.18	■
G 65 AMG (M 279.982)		Gasolina	4WD	5980	450	612	05.12-04.18	■
AMG G 65 (463.274, 463.275) (M 279.982)		Gasolina	4WD	5980	463	630	06.15-04.18	■
G 270 CDI (463.322, 463.323) (OM 612.965)	disc brak.rear axle	Diesel	4WD	2685	115	156	10.01-07.03	■
G 350 CDI (463.346) (OM 642.886)		Diesel	4WD	2987	155	211	07.11-08.15	■
G 320 CDI (463.343) (OM 642.970)		Diesel	4WD	2987	165	224	09.06-12.12	■
G 350 CDI (463.306, 463.340, 463.341, 463.346) (OM 642.970)		Diesel	4WD	2987	165	224	06.09-12.11	■
G 350 d (463.348) (OM 642.887)		Diesel	4WD	2987	180	245	06.15-04.18	■
G 300 Diesel (463.327, 463.328)	disc brak.rear axle	Diesel	4WD	2996	83	113	09.93-08.94	■
G 300 TD (463.330, 463.331) (OM 606.964)	disc brak.rear axle	Diesel	4WD	2996	130	177	08.96-07.00	■
350 Turbo GD (463.320, 463.321) (OM 603.972)	disc brak.rear axle	Diesel	4WD	3449	100	136	09.91-08.96	■
G 320 CDI (463.321) (OM 603.972)	disc brak.rear axle	Diesel	4WD	3449	100	136	09.96-08.99	■
G 400 CDI (463.332, 463.333) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■
G-Class (W461) 09.89-					Closed Off-Road Vehicle (Off-Road SUV-J Segment)			
G 270 CDI (OM 612.966)		Diesel	4WD	2685	115	156	01.03-12.06	■
G 290 TD (461.335, 461.336) (OM 602.983)		Diesel	4WD	2874	88	120	07.97-07.01	■
G 280 CDI (461.304, 461.334, 461.339, 461.344, 461.390) (OM 642.884)		Diesel	4WD	2987	135	184	04.09-	■
G 280 CDI (461.304, 461.334, 461.339, 461.344, 461.390) (OM 642.975)		Diesel	4WD	2987	135	184	04.09-	■
G 300 CDI (461.333) (OM 642.884)		Diesel	4WD	2987	135	184	04.10-07.23	■
G-Class (W463) 09.89-					Open Off-Road Vehicle (Luxury Crossover SUV-J Segment)			
G 320 (463.209, 463.250) (M 112.945)	disc brak.rear axle	Gasolina	4WD	3199	158	215	11.97-08.04	■
G 500 (463) (M 113.962)		Gasolina	4WD	4966	218	296	04.98-12.15	■
G 500 (463.202) (M 273.963)		Gasolina	4WD	5461	285	388	12.09-08.14	■
G 500 (463.202) (M 273.969)		Gasolina	4WD	5461	285	388	12.09-08.14	■

# LISTA DE APLICACIONES - BUYERS GUIDE

G 350 CDI (OM 642.886)		Diesel	4WD	2987	155	211	07.11-12.15	■
G 320 CDI (463.303) (OM 642.970)	disc brak.rear axle	Diesel	4WD	2987	165	224	09.06-12.12	■
G 350 CDI (463.306) (OM 642.970)		Diesel	4WD	2987	165	224	06.09-12.11	■
G 300 Diesel (463.307)	disc brak.rear axle	Diesel	4WD	2996	83	113	09.93-08.94	■
G 300 TD (463.308) (OM 606.964)	disc brak.rear axle	Diesel	4WD	2996	130	177	09.96-07.00	■
G 320 CDI (463.320) (OM 603.972)	disc brak.rear axle	Diesel	4WD	3449	100	136	09.96-08.99	■
G 400 CDI (463.309) (OM 628.962)		Diesel	4WD	3996	184	250	12.00-07.06	■
<b>SPRINTER CLASSIC 3,5-Ton. (B909) 09.13-</b>					<b>Van (LCVs-N1 Segment)</b>			
311 CDI (909.632, 909.633) (OM 646.701)		Diesel	RWD	2148	80	109	09.13-	■
313 CDI (909.632, 909.633) (OM 646.701)		Diesel	RWD	2148	100	136	01.17-	■
<b>SPRINTER CLASSIC 4,6-Ton. (B909) 09.13-</b>					<b>Bus (Minibus-M2-Segment)</b>			
411 CDI (909.843) (OM 646.701)		Diesel	RWD	2148	80	109	09.13-	■
<b>SPRINTER CLASSIC 4,6-Ton. (B909) 01.17-</b>					<b>Van (LCVs-N1 Segment)</b>			
413 CDI (909.643) (OM 646.701)		Diesel	RWD	2148	100	136	01.17-	■
<b>SPRINTER 2-Ton. (B901, B902) 01.95-05.06</b>					<b>Bus (Minibus-M2-Segment)</b>			
214 (902.071, 902.072, 902.671, 902.672) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■
214 (902.071, 902.072, 902.671, 902.672) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■
214 NGT (902.072, 902.671, 902.672) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
214 NGT (902.072, 902.671, 902.672) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
208 CDI (901.671, 902.671, 902.672) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■
211 CDI (902.671, 902.672) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■
213 CDI (902.671, 902.672) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■
208 D (901.371, 902.371, 902.372) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■
216 CDI (902.671, 902.672) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
210 D (902.471, 902.472) (OM 602.980)		Diesel	RWD	2874	75	102	03.97-04.00	■
212 D (902.471, 902.472) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■
<b>SPRINTER 2-Ton. (B901, B902) 01.95-05.06</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
214 (902.011, 902.012, 902.611, 902.612) (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■
214 (902.011, 902.012, 902.611, 902.612) (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■
214 NGT (902.012, 902.611, 902.612) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
214 NGT (902.012, 902.611, 902.612) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
208 CDI (901.611, 901.612, 901.621, 902.611, 902.612,... (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■
211 CDI (901.621, 902.611, 902.612, 902.621, 902.622) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■
213 CDI (901.621, 902.611, 902.612, 902.621, 902.622) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■
208 D (901.311, 901.312, 901.321, 902.311, 902.312,... (OM 601.943)		Diesel	RWD	2299	58	79	01.95-04.00	■
208 D (901.311, 901.312, 901.321, 902.311, 902.312,... (OM 601.943)		Diesel	RWD	2299	60	82	09.96-04.00	■
216 CDI (902.611, 902.612, 902.621, 902.622) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
210 D (901.421, 902.412) (OM 602.980)		Diesel	RWD	2874	75	102	01.97-04.00	■
212 D (901.421, 902.412) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■

# LISTA DE APLICACIONES - BUYERS GUIDE

SPRINTER 2-Ton. (B901, B902) 01.95-05.06					Van (LCVs-N1 Segment)			
214 (901.061, 901.062, 901.661, 901.662, 902.061,... (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■
214 (901.061, 901.062, 901.661, 901.662, 902.061,... (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■
214 NGT (901.661, 902.061, 902.062, 902.661, 902.662) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
214 NGT (901.661, 902.061, 902.062, 902.661, 902.662) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
208 CDI (901.661, 901.662, 902.661, 902.662) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■
211 CDI (901.661, 901.662, 902.661, 902.662) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■
213 CDI (901.661, 901.662, 902.661, 902.662) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■
208 D (901.361, 901.362, 902.361, 902.362) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■
208 D (901.361, 901.362, 902.361, 902.362) (OM 601.943)		Diesel	RWD	2299	60	82	10.96-04.00	■
216 CDI (902.661, 902.662) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
210 D (901.461, 901.462, 902.461, 902.462) (OM 602.980)		Diesel	RWD	2874	75	102	01.97-04.00	■
212 D (901.461, 901.462, 902.461, 902.462) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■
SPRINTER 3-Ton. (B903) 01.95-05.12					Bus (Minibus-M2-Segment)			
314 (903.071, 903.072, 903.073, 903.671, 903.672,... (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.071, 903.072, 903.073, 903.671, 903.672,... (M 111.984)		Gasolina	RWD	2295	105	143	02.95-05.06	■
314 4x4 (903.672, 903.673) (M 111.984)		Gasolina	4WD	2295	105	143	02.95-05.06	■
314 NGT (903.072, 903.671, 903.672) (M 111.979)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.072, 903.671, 903.672) (M 111.984)		Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
308 E (903.372)		Eléctrico	RWD		40	54	01.96-05.06	■
308 CDI (903.671, 903.672, 903.673) (OM 611.987)		Diesel	RWD	2148	60	82	04.00-05.06	■
311 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	80	109	04.00-05.06	■
311 CDI 4x4 (903.672, 903.673) (OM 611.981)		Diesel	4WD	2148	80	109	08.02-05.06	■
313 CDI (903.671, 903.672) (OM 611.981)		Diesel	RWD	2148	95	129	04.00-05.06	■
313 CDI 4x4 (903.672, 903.673) (OM 611.981)		Diesel	4WD	2148	95	129	08.02-05.06	■
308 D (903.372, 903.373) (OM 601.943)		Diesel	RWD	2299	58	79	02.95-04.00	■
308 D (903.371, 903.372, 903.373) (OM 601.943)		Diesel	RWD	2299	60	82	03.97-04.00	■
316 CDI (903.671, 903.672, 903.673) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.671, 903.672, 903.673) (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI 4x4 (903.672, 903.673) (OM 612.981)		Diesel	4WD	2685	115	156	08.02-05.06	■
316 CDI 4x4 (903.672, 903.673) (OM 647.981)		Diesel	4WD	2685	115	156	08.02-05.06	■
310 D (903.471, 903.472, 903.473) (OM 602.980)		Diesel	RWD	2874	75	102	01.97-12.99	■
310 D 4x4 (903.472, 903.473) (OM 602.980)		Diesel	4WD	2874	75	102	05.97-08.02	■
312 D 2.9 (903.471, 903.472, 903.473) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■
312 D 2.9 4x4 (903.473) (OM 602.980)		Diesel	4WD	2874	90	122	05.97-08.02	■
SPRINTER 3-Ton. (B903) 01.95-05.12					Platform/Chassis (LCVs-N1 Segment)			
314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.979)		Gasolina	RWD	2295	105	143	02.95-05.06	■

# LISTA DE APLICACIONES - BUYERS GUIDE

314 (903.011, 903.012, 903.013, 903.022, 903.612,... (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 4x4 (903.612, 903.613, 903.622) (M 111.984)	Gasolina	4WD	2295	105	143	02.95-05.06	■
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.611, 903.612, 903.613, 903.622, 903.012,... (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
308 E (903.312, 903.322)	Eléctrico	RWD		40	54	01.96-05.06	■
308 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■
311 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
311 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 611.981)	Diesel	4WD	2148	80	109	04.00-05.06	■
313 CDI (903.611, 903.612, 903.621, 903.622) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
313 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 611.981)	Diesel	4WD	2148	95	129	04.00-05.06	■
308 D 2.3 (903.311, 903.322) (OM 601.943)	Diesel	RWD	2299	58	79	02.95-04.00	■
308 D 2.3 (903.311, 903.322) (OM 601.943)	Diesel	RWD	2299	60	82	11.96-04.00	■
310 D (OM 632.999)	Diesel	RWD	2495	70	95	09.96-05.01	■
412 D	Diesel	RWD	2495	85	115	10.99-05.01	■
412 D (OM 632.998)	Diesel	RWD	2495	85	115	10.99-05.01	■
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 612.981)	Diesel	4WD	2685	115	156	08.02-05.06	■
316 CDI 4x4 (903.612, 903.613, 903.622, 903.623) (OM 647.981)	Diesel	4WD	2685	115	156	08.02-05.06	■
310 D 2.9 (903.411, 903.412, 903.413, 903.421, 903.422,... (OM 602.980)	Diesel	RWD	2874	75	102	01.97-04.00	■
310 D 2.9 4x4 (903.421, 903.422, 903.423) (OM 602.980)	Diesel	4WD	2874	75	102	01.97-04.00	■
312 D 2.9 (903.411, 903.412, 903.421, 903.422, 903.423) (OM 602.980)	Diesel	RWD	2874	85	116	12.98-09.01	■
312 D 2.9 (903.411, 903.412, 903.421, 903.422, 903.423) (OM 602.980)	Diesel	RWD	2874	90	122	02.95-04.00	■
<b>SPRINTER 3-Ton. (B903) 01.95-05.12</b>				<b>Van (LCVs-N1 Segment)</b>			
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.979)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 (903.061, 903.062, 903.063, 903.661, 903.662) (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■
314 4x4 (903.661, 903.662, 903.663) (M 111.984)	Gasolina	4WD	2295	105	143	02.95-05.06	■
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
314 NGT (903.661, 903.061, 903.062, 903.063, 903.662) (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
308 E (903.362)	Eléctrico	RWD		40	54	01.96-05.06	■
308 CDI (903.661, 903.662, 903.663) (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■
311 CDI (903.661, 903.662, 903.663) (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
311 CDI 4x4 (903.662, 903.663) (OM 611.981)	Diesel	4WD	2148	80	109	08.02-05.06	■
313 CDI (903.663, 903.662, 903.661) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
313 CDI 4x4 (903.662, 903.663) (OM 611.981)	Diesel	4WD	2148	95	129	08.02-05.06	■
308 D 2.3 (903.361, 903.362, 903.363) (OM 601.943)	Diesel	RWD	2299	58	79	02.95-04.00	■
308 D 2.3 (903.361) (OM 601.943)	Diesel	RWD	2299	60	82	02.95-04.00	■

# LISTA DE APLICACIONES - BUYERS GUIDE

310 D		Diesel	RWD	2495	70	95	09.96-05.01	■
312 D (OM 632.997)		Diesel	RWD	2495	77	105	10.99-05.01	■
316 CDI (903.661, 903.662, 903.663) (OM 612.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI (903.661, 903.662, 903.663) (OM 647.981)		Diesel	RWD	2685	115	156	04.00-05.06	■
316 CDI 4x4 (903.662, 903.663) (OM 612.981)		Diesel	4WD	2685	115	156	02.01-05.06	■
316 CDI 4x4 (903.662, 903.663) (OM 647.981)		Diesel	4WD	2685	115	156	02.01-05.06	■
310 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)		Diesel	RWD	2874	75	102	02.95-04.00	■
310 D 2.9 4x4 (903.461, 903.462) (OM 602.980)		Diesel	4WD	2874	75	102	06.97-04.00	■
312 D 2.9 (903.461, 903.462, 903.463) (OM 602.980)		Diesel	RWD	2874	90	122	02.95-04.00	■
312 D 2.9 4x4 (903.461, 903.462) (OM 602.980)		Diesel	4WD	2874	90	122	05.97-08.02	■
<b>VARIO (B670) 08.96-</b>					<b>Bus (Minibus-M2-Segment)</b>			
O 812 (670.373, 670.674) (OM 602.984)		Diesel	RWD	2874	90	122	09.96-12.10	■
O 812 (670.373, 670.674) (OM 602.985)		Diesel	RWD	2874	90	122	09.96-12.10	■
O 810 (670.373, 670.374) (OM 904.904)		Diesel	RWD	4249	75	102	09.96-12.10	■
O 814 (670.373, 670.374) (OM 904.908)		Diesel	RWD	4249	100	136	09.96-12.10	■
O 815 (670.373, 670.374) (OM 904.923)		Diesel	RWD	4249	112	152	09.96-12.10	■
<b>VARIO 09.96-</b>					<b>Cab with engine (LCVs-N1 Segment)</b>			
810 DT (670.398) (OM 904.904)		Diesel	RWD	4249	75	102	09.96-06.06	■
814 DT (670.398) (OM 904.908)		Diesel	RWD	4249	100	136	09.96-06.06	■
816 DT (670.398) (OM 904.923)		Diesel	RWD	4249	112	152	09.96-06.06	■
<b>VARIO (B670, B668, B667) 09.96-</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
512 D (667.321, 667.322, 667.323) (OM 602.984)		Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.321, 668.322, 668.323) (OM 602.984)		Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.321, 668.322, 668.323) (OM 602.985)		Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.331, 668.332) (OM 602.984)		Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.331, 668.332) (OM 602.985)		Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.321, 670.322, 670.323, 670.324) (OM 602.984)		Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.321, 670.322, 670.323, 670.324) (OM 602.985)		Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.331, 670.332) (OM 602.984)		Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.331, 670.332) (OM 602.985)		Diesel	RWD	2874	90	122	09.96-12.10	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.908)		Diesel	RWD	4249	95	129	09.96-	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.917)		Diesel	RWD	4249	95	129	09.96-	■
613 D, 614 D (668.331, 668.332) (OM 900.917)		Diesel	RWD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.331, 668.332) (OM 904.908)		Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 900.917)		Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 904.908)		Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.331, 670.332) (OM 900.917)		Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.331, 670.332) (OM 904.908)		Diesel	RWD	4249	95	129	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)		Diesel	4WD	4249	95	129	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)		Diesel	4WD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.908)		Diesel	RWD	4249	100	136	09.96-12.11	■
613 D, 614 D (668.331, 668.332) (OM 904.908)		Diesel	RWD	4249	100	136	09.96-11.12	■

# LISTA DE APLICACIONES - BUYERS GUIDE

813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■
813 D, 814 D (670.331, 670.332) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■
815 D (670.324, 670.323, 670.322, 670.321) (OM 904.936)	Diesel	RWD	4249	110	150	09.96-12.13	■
615 D, 616 D (668.321, 668.322, 668.323) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-	■
615 D, 616 D (668.331, 668.332) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-	■
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■
815 D, 816 D (670.331, 670.332) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■
615 D, 616 D (668.321, 668.322, 668.323) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-	■
615 D, 616 D (668.321, 668.322, 668.323) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-	■
615 D, 616 D (668.331, 668.332) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-	■
615 D, 616 D (668.331, 668.332) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-	■
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 904.923)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.331, 670.332) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.331, 670.332) (OM 904.923)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	115	156	09.96-12.13	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	115	156	09.96-12.13	■
<b>VARIO (B667, B670, B668) 09.96-</b>				<b>Van (LCVs-N1 Segment)</b>			
512 D (667.351, 667.352, 667.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.351, 668.352, 668.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.351, 668.352, 668.353) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.351, 670.352, 670.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.351, 670.352, 670.353) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 DA, 814 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.908)	Diesel	4WD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.11	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■
813 DA, 814 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-12.10	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■
815 DA, 816 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■

# LISTA DE APLICACIONES - BUYERS GUIDE

615 D, 616 D (668.351, 668.352, 668.353) (OM 900.918)		Diesel	RWD	4249	115	156	09.98-12.13	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 904.923)		Diesel	RWD	4249	115	156	09.98-12.13	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 900.918)		Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 904.923)		Diesel	RWD	4249	115	156	09.96-12.13	■
815 DA, 816 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.923)		Diesel	4WD	4249	115	156	09.96-12.13	■
PUCH								
<b>G-MODELL (W463) 06.89-03.01</b>					<b>Closed Off-Road Vehicle (Off-Road SUV-J Segment)</b>			
300 GE (463.227, 463.228) (M 103.987)	disc brak.rear axle	Gasolina	4WD	2960	125	170	06.89-08.93	■
G 320 (463.230, 463.231) (M 104.996)	disc brak.rear axle	Gasolina	4WD	3199	155	211	02.94-12.97	■
G 320 (V6) (463.232, 463.233) (M 112.945)		Gasolina	4WD	3199	158	215	04.97-11.00	■
G 500 (463.240, 463.241) (M 113.962)		Gasolina	4WD	4966	218	296	12.97-11.00	■
G 300 Turbodiesel (463.330, 463.331) (OM 606.964)	disc brak.rear axle	Diesel	4WD	2996	130	177	01.96-11.00	■
G 350 Turbo (463.320, 463.321) (OM 603.972)	disc brak.rear axle	Diesel	4WD	3449	100	136	09.93-07.96	■
<b>G-MODELL (W463) 06.89-11.00</b>					<b>Open Off-Road Vehicle (Off-Road SUV-J Segment)</b>			
G 320 (V6) (463.209) (M 112.945)	disc brak.rear axle	Gasolina	4WD	3199	158	215	05.97-11.00	■
G 500 (463.206) (M 113.962)		Gasolina	4WD	4966	218	296	01.98-11.00	■
G 55 AMG (463.206) (M 113.982)		Gasolina	4WD	5439	260	354	07.99-11.00	■
G 300 Turbodiesel (463.330, 463.331) (OM 606.964)	disc brak.rear axle	Diesel	4WD	2996	130	177	01.96-11.00	■
VW								
<b>LT 28-35 (2DB, 2DE, 2DK) 04.96-07.06</b>					<b>Bus (Minibus-M2-Segment)</b>			
2.3 (AGL)		Gasolina	RWD	2295	105	143	05.96-07.06	■
2.5 SDI (AGX)		Diesel	RWD	2461	55	75	07.96-07.06	■
2.5 TDI (BBE)		Diesel	RWD	2461	61	83	05.01-07.06	■
2.5 TDI (APA)		Diesel	RWD	2461	66	90	05.99-07.06	■
2.5 TDI (BBF)		Diesel	RWD	2461	70	95	05.01-07.06	■
2.5 TDI (AHD)		Diesel	RWD	2461	75	102	05.96-08.99	■
2.5 TDI (ANJ)		Diesel	RWD	2461	80	109	05.99-07.06	■
2.5 TDI (AVR)		Diesel	RWD	2461	80	109	05.99-07.06	■
2.8 TDI (AGK)		Diesel	RWD	2798	92	125	07.97-05.03	■
2.8 TDI (ATA)		Diesel	RWD	2798	96	131	01.99-01.02	■
2.8 TDI (AUH)		Diesel	RWD	2799	116	158	05.01-06.06	■
2.8 TDI (BCQ)		Diesel	RWD	2799	116	158	05.01-06.06	■
<b>LT 28-46 (2DC, 2DF, 2DG, 2DL, 2DM) 04.96-07.06</b>					<b>Platform/Chassis (LCVs-N1 Segment)</b>			
2.3 (AGL)	Axle LT 28, LT 35	Gasolina	RWD	2295	105	143	06.96-07.06	■
2.5 SDI (AGX)	Axle LT 28, LT 35	Diesel	RWD	2461	55	75	09.96-07.06	■
2.5 TDI (BBE)	Axle LT 28, LT 35	Diesel	RWD	2461	61	83	05.01-07.06	■
2.5 TDI (APA)	Axle LT 28, LT 35	Diesel	RWD	2461	66	90	05.99-07.06	■
2.5 TDI (BBF)	Axle LT 28, LT 35	Diesel	RWD	2461	70	95	05.01-07.06	■
2.5 TDI (AHD)	Axle LT 28, LT 35	Diesel	RWD	2461	75	102	06.96-08.99	■
2.5 TDI (ANJ)	Axle LT 28, LT 35	Diesel	RWD	2461	80	109	05.99-07.06	■
2.5 TDI (AVR)	Axle LT 28, LT 35	Diesel	RWD	2461	80	109	05.99-07.06	■
2.8 TDI (AGK)	Axle LT 28, LT 35	Diesel	RWD	2799	92	125	07.97-01.02	■
2.8 TDI (ATA)	Axle LT 28, LT 35	Diesel	RWD	2799	96	130	01.99-07.06	■
2.8 TDI (AUH)	Axle LT 28, LT 35	Diesel	RWD	2799	116	158	04.02-07.06	■
<b>LT 28-46 (2DA, 2DD, 2DH) 04.96-07.06</b>					<b>Van (LCVs-N1 Segment)</b>			
2.3 (AGL)	Axle LT 28, LT 35	Gasolina	RWD	2295	105	143	05.96-07.06	■



## LISTA DE APLICACIONES - BUYERS GUIDE

2.5 SDI (AGX)	Axle LT 28, LT 35	Diesel	RWD	2461	55	75	09.96-07.06
2.5 TDI (BBE)	Axle LT 28, LT 35	Diesel	RWD	2461	61	83	05.01-07.06
2.5 TDI (APA)	Axle LT 28, LT 35	Diesel	RWD	2461	66	90	05.99-07.06
2.5 TDI (BBF)	Axle LT 28, LT 35	Diesel	RWD	2461	70	95	05.01-07.06
2.5 TDI (AHD)	Axle LT 28, LT 35	Diesel	RWD	2461	75	102	05.96-08.99
2.5 TDI (ANJ)	Axle LT 28, LT 35	Diesel	RWD	2461	80	109	05.99-07.06
2.5 TDI (AVR)	Axle LT 28, LT 35	Diesel	RWD	2461	80	109	05.99-07.06
2.8 TDI (AGK)	Axle LT 28, LT 35	Diesel	RWD	2799	92	125	07.97-01.02
2.8 TDI (ATA)	Axle LT 28, LT 35	Diesel	RWD	2799	96	130	01.99-07.06
2.8 TDI (AUH)	Axle LT 28, LT 35	Diesel	RWD	2799	116	158	04.02-07.06
2.8 TDI (BCQ)	Axle LT 28, LT 35	Diesel	RWD	2799	116	158	04.02-07.06

