

LISTA DE APLICACIONES - BUYERS GUIDE

79PB4008 C



Weight: 1.540

O.E.M.	MAKE
0024205920	MERCEDES-BENZ
2D0 609 525 A	VAG
2D0 609 538 A	VAG
2D0 698 525 A	VAG
2D0609538A	VW
2D0698525A	VW
9044200220	MERCEDES-BENZ
9044200320	MERCEDES-BENZ
9044200420	MERCEDES-BENZ
A0024205920	MERCEDES-BENZ
A9044200220	MERCEDES-BENZ
A9044200320	MERCEDES-BENZ
A9044200420	MERCEDES-BENZ

79PB4008 C

E1 90R-011046/116



MAKE
MERCEDES-BENZ
VW



Trac.	CC	Kw	CV		
					Front / Rear

MERCEDES-BENZ

SPRINTER CLASSIC 4,6-Ton. (B909) 09.13-						Bus (Minibus-M2-Segment)		
411 CDI (909.843) (OM 646.701)	Diesel	RWD	2148	80	109	09.13-		■
SPRINTER CLASSIC 4,6-Ton. (B909) 01.17-						Van (LCVs-N1 Segment)		
413 CDI (909.643) (OM 646.701)	Diesel	RWD	2148	100	136	01.17-		■
SPRINTER 3-Ton. (B903) 01.95-05.12						Bus (Minibus-M2-Segment)		
311 CDI (903.671, 903.672) (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06		■
313 CDI (903.671, 903.672, 903.673) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06		■
SPRINTER 3-Ton. (B903) 01.95-05.12						Platform/Chassis (LCVs-N1 Segment)		
311 CDI (903.611, 903.612, 903.613, 903.621, 903.622,... (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06		■
313 CDI (903.611, 903.612, 903.621, 903.622) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06		■
412 D	Diesel	RWD	2495	85	115	10.99-05.01		■
412 D (OM 632.998)	Diesel	RWD	2495	85	115	10.99-05.01		■
SPRINTER 3-Ton. (B903) 01.95-05.12						Van (LCVs-N1 Segment)		
311 CDI (903.661, 903.662, 903.663) (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06		■
313 CDI (903.663, 903.662, 903.661) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06		■
312 D (OM 632.997)	Diesel	RWD	2495	77	105	10.99-05.01		■
SPRINTER 4-Ton. (B904) 02.96-05.06						Bus (Minibus-M2-Segment)		
414 (904.662, 904.663) (M 111.979)	Gasolina	RWD	2295	105	143	02.96-05.06		■
414 (904.662, 904.663) (M 111.984)	Gasolina	RWD	2295	105	143	02.96-05.06		■
408 CDI (904.662, 904.663) (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06		■

LISTA DE APLICACIONES - BUYERS GUIDE

411 CDI (904.662, 904.663) (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
413 CDI (904.663, 904.662) (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
416 CDI (904.662, 904.663) (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
SPRINTER 4-Ton. (B904) 02.95-05.12				Platform/Chassis (LCVs-N1 Segment)			
414 (904.012, 904.013, 904.612, 904.613) (M 111.979)	Gasolina	RWD	2295	105	143	02.95-05.06	■
414 (904.012, 904.013, 904.612, 904.613) (M 111.984)	Gasolina	RWD	2295	105	143	02.95-05.06	■
414 4x4 (904.012, 904.013, 904.612, 904.613) (M 111.979)	Gasolina	4WD	2295	105	143	05.97-05.06	■
414 4x4 (904.012, 904.013, 904.612, 904.613) (M 111.984)	Gasolina	4WD	2295	105	143	05.97-05.06	■
414 NGT (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
414 NGT (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
408 CDI (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■
411 CDI (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
411 CDI 4x4 (OM 611.981)	Diesel	4WD	2148	80	109	04.00-05.06	■
413 CDI (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
413 CDI 4x4 (OM 611.981)	Diesel	4WD	2148	95	129	04.00-05.06	■
408 D (OM 601.943)	Diesel	RWD	2299	58	79	02.96-05.06	■
416 CDI (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
416 CDI (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
416 CDI 4x4 (OM 612.981)	Diesel	4WD	2685	115	156	04.00-05.06	■
416 CDI 4x4 (OM 647.981)	Diesel	4WD	2685	115	156	04.00-05.06	■
410 D (OM 602.980)	Diesel	RWD	2874	75	102	02.96-05.06	■
410 D 4x4 (OM 602.980)	Diesel	4WD	2874	75	102	05.97-05.06	■
412 D (OM 602.980)	Diesel	RWD	2874	85	115	02.96-05.06	■
412 D 4x4 (OM 602.980)	Diesel	4WD	2874	85	115	05.97-05.06	■
412 D (OM 602.980)	Diesel	RWD	2874	90	122	02.96-05.06	■
412 D 4x4 (OM 602.980)	Diesel	4WD	2874	90	122	05.97-05.06	■
SPRINTER 4-Ton. (B904) 02.95-05.12				Van (LCVs-N1 Segment)			
414 (904.062, 904.063, 904.662, 904.663) (M 111.979)	Gasolina	RWD	2295	105	143	02.96-05.06	■
414 (904.062, 904.063, 904.662, 904.663) (M 111.984)	Gasolina	RWD	2295	105	143	02.96-05.06	■
414 4x4 (904.062, 904.063, 904.662, 904.663) (M 111.979)	Gasolina	4WD	2295	105	143	05.97-05.06	■
414 4x4 (904.062, 904.063, 904.662, 904.663) (M 111.984)	Gasolina	4WD	2295	105	143	05.97-05.06	■
414 NGT (M 111.979)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
414 NGT (M 111.984)	Gasol./Gas (CNG)	RWD	2295	95	129	02.95-05.06	■
408 CDI (OM 611.987)	Diesel	RWD	2148	60	82	04.00-05.06	■
411 CDI (OM 611.981)	Diesel	RWD	2148	80	109	04.00-05.06	■
411 CDI 4x4 (OM 611.981)	Diesel	4WD	2148	80	109	04.00-05.06	■
413 CDI (OM 611.981)	Diesel	RWD	2148	95	129	04.00-05.06	■
413 CDI 4x4 (OM 611.981)	Diesel	4WD	2148	95	129	04.00-05.06	■
408 D (OM 601.943)	Diesel	RWD	2299	58	79	02.96-05.06	■
416 CDI (OM 612.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
416 CDI (OM 647.981)	Diesel	RWD	2685	115	156	04.00-05.06	■
416 CDI 4x4 (OM 612.981)	Diesel	4WD	2685	115	156	04.00-05.06	■
416 CDI 4x4 (OM 647.981)	Diesel	4WD	2685	115	156	04.00-05.06	■

LISTA DE APLICACIONES - BUYERS GUIDE

410 D (OM 602.980)	Diesel	RWD	2874	75	102	02.96-05.06	■
410 D 4x4 (OM 602.980)	Diesel	4WD	2874	75	102	05.97-05.06	■
412 D (OM 602.980)	Diesel	RWD	2874	85	115	02.96-05.06	■
412 D 4x4 (OM 602.980)	Diesel	4WD	2874	85	115	05.97-05.06	■
412 D (OM 602.980)	Diesel	RWD	2874	90	122	02.96-05.06	■
412 D 4x4 (OM 602.980)	Diesel	4WD	2874	90	122	05.97-05.06	■
414 D 4x4 (OM 602.980)	Diesel	4WD	2874	90	122	05.97-05.06	■
VARIO (B670) 08.96-				Bus (Minibus-M2-Segment)			
O 812 (670.373, 670.674) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
O 812 (670.373, 670.674) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
O 810 (670.373, 670.374) (OM 904.904)	Diesel	RWD	4249	75	102	09.96-12.10	■
O 814 (670.373, 670.374) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.10	■
O 815 (670.373, 670.374) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■
VARIO 09.96-				Cab with engine (LCVs-N1 Segment)			
810 DT (670.398) (OM 904.904)	Diesel	RWD	4249	75	102	09.96-06.06	■
814 DT (670.398) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-06.06	■
816 DT (670.398) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-06.06	■
VARIO (B670, B668, B667) 09.96-				Platform/Chassis (LCVs-N1 Segment)			
512 D (667.321, 667.322, 667.323) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.321, 668.322, 668.323) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.321, 668.322, 668.323) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.331, 668.332) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.331, 668.332) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.321, 670.322, 670.323, 670.324) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.321, 670.322, 670.323, 670.324) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.331, 670.332) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.331, 670.332) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.917)	Diesel	RWD	4249	95	129	09.96-	■
613 D, 614 D (668.331, 668.332) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.331, 668.332) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.331, 670.332) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.331, 670.332) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	95	129	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.321, 668.322, 668.323) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.11	■
613 D, 614 D (668.331, 668.332) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-11.12	■
813 D, 814 D (670.321, 670.322, 670.323, 670.324) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■
813 D, 814 D (670.331, 670.332) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■
813 DA, 814 DA 4x4 (670.431, 670.432) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■

LISTA DE APLICACIONES - BUYERS GUIDE

815 D (670.324, 670.323, 670.322, 670.321) (OM 904.936)	Diesel	RWD	4249	110	150	09.96-12.13	■
615 D, 616 D (668.321, 668.322, 668.323) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-	■
615 D, 616 D (668.331, 668.332) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-	■
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■
815 D, 816 D (670.331, 670.332) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■
615 D, 616 D (668.321, 668.322, 668.323) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-	■
615 D, 616 D (668.321, 668.322, 668.323) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-	■
615 D, 616 D (668.331, 668.332) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-	■
615 D, 616 D (668.331, 668.332) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-	■
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.321, 670.322, 670.323, 670.324) (OM 904.923)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.331, 670.332) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 D, 816 D (670.331, 670.332) (OM 904.923)	Diesel	RWD	4249	115	156	09.96-12.13	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	115	156	09.96-12.13	■
815 DA, 816 DA 4x4 (670.431, 670.432) (OM 904.923)	Diesel	4WD	4249	115	156	09.96-12.13	■
VARIO (B667, B670, B668) 09.96-				Van (LCVs-N1 Segment)			
512 D (667.351, 667.352, 667.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.351, 668.352, 668.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
612 D (668.351, 668.352, 668.353) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.351, 670.352, 670.353) (OM 602.984)	Diesel	RWD	2874	90	122	09.96-12.10	■
812 D (670.351, 670.352, 670.353) (OM 602.985)	Diesel	RWD	2874	90	122	09.96-12.10	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 900.917)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 904.908)	Diesel	RWD	4249	95	129	09.96-12.13	■
813 DA, 814 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.908)	Diesel	4WD	4249	95	129	09.96-12.13	■
613 D, 614 D (668.351, 668.352, 668.353) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.11	■
813 D, 814 D (670.351, 670.352, 670.353) (OM 904.908)	Diesel	RWD	4249	100	136	09.96-12.13	■
813 DA, 814 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.908)	Diesel	4WD	4249	100	136	09.96-12.13	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 904.923)	Diesel	RWD	4249	112	152	09.98-12.10	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 904.923)	Diesel	RWD	4249	112	152	09.96-12.10	■
815 DA, 816 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.923)	Diesel	4WD	4249	112	152	09.96-12.10	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 900.918)	Diesel	RWD	4249	115	156	09.98-12.13	■
615 D, 616 D (668.351, 668.352, 668.353) (OM 904.923)	Diesel	RWD	4249	115	156	09.98-12.13	■
815 D, 816 D (670.351, 670.352, 670.353) (OM 900.918)	Diesel	RWD	4249	115	156	09.96-12.13	■

LISTA DE APLICACIONES - BUYERS GUIDE

815 D, 816 D (670.351, 670.352, 670.353) (OM 904.923)		Diesel	RWD	4249	115	156	09.96-12.13	■
815 DA, 816 DA 4x4 (669.599, 670.451, 670.452, 670.453) (OM 904.923)		Diesel	4WD	4249	115	156	09.96-12.13	■
VW								
LT 28-35 (2DB, 2DE, 2DK) 04.96-07.06					Bus (Minibus-M2-Segment)			
2.3 (AGL)	Axle LT 46	Gasolina	RWD	2295	105	143	05.96-07.06	■
2.5 SDI (AGX)	Axle LT 46	Diesel	RWD	2461	55	75	07.96-07.06	■
2.5 TDI (AHD)	Axle LT 46	Diesel	RWD	2461	75	102	05.96-08.99	■
LT 28-46 (2DC, 2DF, 2DG, 2DL, 2DM) 04.96-07.06					Platform/Chassis (LCVs-N1 Segment)			
2.3 (AGL)	Axle LT 46	Gasolina	RWD	2295	105	143	06.96-07.06	■
2.5 SDI (AGX)	Axle LT 46	Diesel	RWD	2461	55	75	09.96-07.06	■
2.5 TDI (BBE)	Axle LT 46	Diesel	RWD	2461	61	83	05.01-07.06	■
2.5 TDI (APA)	Axle LT 46	Diesel	RWD	2461	66	90	05.99-07.06	■
2.5 TDI (BBF)	Axle LT 46	Diesel	RWD	2461	70	95	05.01-07.06	■
2.5 TDI (AHD)	Axle LT 46	Diesel	RWD	2461	75	102	06.96-08.99	■
2.5 TDI (ANJ)	Axle LT 46	Diesel	RWD	2461	80	109	05.99-07.06	■
2.5 TDI (AVR)	Axle LT 46	Diesel	RWD	2461	80	109	05.99-07.06	■
2.8 TDI (AGK)	Axle LT 46	Diesel	RWD	2799	92	125	07.97-01.02	■
2.8 TDI (ATA)	Axle LT 46	Diesel	RWD	2799	96	130	01.99-07.06	■
2.8 TDI (AUH)	Axle LT 46	Diesel	RWD	2799	116	158	04.02-07.06	■
LT 28-46 (2DA, 2DD, 2DH) 04.96-07.06					Van (LCVs-N1 Segment)			
2.3 (AGL)	Axle LT 46	Gasolina	RWD	2295	105	143	05.96-07.06	■
2.5 SDI (AGX)	Axle LT 46	Diesel	RWD	2461	55	75	09.96-07.06	■
2.5 TDI (BBE)	Axle LT 46	Diesel	RWD	2461	61	83	05.01-07.06	■
2.5 TDI (APA)	Axle LT 46	Diesel	RWD	2461	66	90	05.99-07.06	■
2.5 TDI (BBF)	Axle LT 46	Diesel	RWD	2461	70	95	05.01-07.06	■
2.5 TDI (AHD)	Axle LT 46	Diesel	RWD	2461	75	102	05.96-08.99	■
2.5 TDI (ANJ)	Axle LT 46	Diesel	RWD	2461	80	109	05.99-07.06	■
2.5 TDI (AVR)	Axle LT 46	Diesel	RWD	2461	80	109	05.99-07.06	■
2.8 TDI (AGK)	Axle LT 46	Diesel	RWD	2799	92	125	07.97-01.02	■
2.8 TDI (ATA)	Axle LT 46	Diesel	RWD	2799	96	130	01.99-07.06	■
2.8 TDI (AUH)	Axle LT 46	Diesel	RWD	2799	116	158	04.02-07.06	■
2.8 TDI (BCQ)	Axle LT 46	Diesel	RWD	2799	116	158	04.02-07.06	■