

79PB4009 C



Weight: 1.233

O.E.M.	MAKE
2E0 609 537	VAG
2E0 698 525	VAG
2E0698525	VW
9064200320	MERCEDES-BENZ
906420032028	MERCEDES-BENZ
9104202600	MERCEDES-BENZ
A9064200320	MERCEDES-BENZ
A906420032028	MERCEDES-BENZ
A9104202600	MERCEDES-BENZ

79PB4009 C

E1 90R-011046/241



MAKE
DODGE
FREIGHTLINER
MERCEDES-BENZ
VW



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

DODGE

SPRINTER 2500 (U.S.A.) 09.06-12.10						Bus (Minibus-M2-Segment)			
3.5 (EG2)	Gasolina	RWD	3498	190	258	09.06-12.08		■	
3.0 D (EXM)	Diesel	RWD	2987	115	156	09.06-12.09		■	
SPRINTER 2500 (U.S.A.) 09.05-12.07						Platform/Chassis (LCVs-N1 Segment)			
3.5	Gasolina	RWD	3498	189	257	09.06-12.08		■	
3.0 D (EXM)	Diesel	RWD	2987	115	156	09.06-12.09		■	
SPRINTER 2500 (U.S.A.) 09.05-12.10						Van (LCVs-N1 Segment)			
3.5 (EG2)	Gasolina	RWD	3498	190	258	09.06-12.08		■	
3.0 D (EXM)	Diesel	RWD	2987	115	156	09.06-12.09		■	
SPRINTER 3500 (U.S.A.) 09.06-12.10						Bus (Minibus-M2-Segment)			
3.5 (EG2)	Gasolina	RWD	3498	189	257	09.06-12.07		■	
3.0 D (EXM)	Diesel	RWD	2987	115	156	09.06-12.07		■	
SPRINTER 3500 (U.S.A.) 09.06-12.10						Van (LCVs-N1 Segment)			
3.5 (EG2)	Gasolina	RWD	3498	189	257	09.06-12.08		■	
3.0 D (EXM)	Diesel	RWD	2987	115	156	09.06-12.09		■	

FREIGHTLINER

SPRINTER 2500 (U.S.A.) 09.06-						Bus (Minibus-M2-Segment)			
3.5 (EG2)	Gasolina	RWD	3498	200	272	09.06-12.08		■	
2.1 CDI (OM 651.955)	Diesel	RWD	2143	120	163	09.13-		■	
2.1 CDI 4WD (OM 651.955)	Diesel	4WD	2143	120	163	09.14-		■	
3.0 CDI (EXM)	Diesel	RWD	2987	140	190	09.10-		■	
3.0 CDI	Diesel	RWD	2987	140	190	09.14-		■	

LISTA DE APLICACIONES - BUYERS GUIDE

3.0 CDI		Diesel	RWD	2987	160	218	09.06-12.10	■	
SPRINTER 2500 (U.S.A.) 09.06-12.07					Platform/Chassis (LCVs-N1 Segment)				
3.5		Gasolina	RWD	3498	200	272	09.06-12.07	■	
3.0 D (EXM,OM 642.993)		Diesel	RWD	2987	135	184	09.06-12.07	■	
SPRINTER 2500 09.06-					Van (LCVs-N1 Segment)				
2.1 CDI		Diesel	RWD	2143	120	163	09.13-	■	
2.1 CDI (OM 651.955)		Diesel	RWD	2143	120	163	09.13-	■	
2.1 CDI 4WD (OM 651.955)		Diesel	4WD	2143	120	163	09.14-	■	
2.1 CDI 4WD (OM 651.955)		Diesel	4WD	2143	120	163	09.14-	■	
3.0 CDI (EXM)		Diesel	RWD	2987	140	190	09.13-	■	
3.0 CDI		Diesel	RWD	2987	140	190	09.14-	■	
3.0 CDI		Diesel	RWD	2987	140	190	09.14-	■	
3.0 CDI (EXM)		Diesel	RWD	2987	140	190	09.10-	■	
3.0 D		Diesel	RWD	2987	160	218	09.06-12.10	■	
3.5 (EG2)		Diesel	RWD	3498	200	272	09.06-12.08	■	
SPRINTER 3500 (U.S.A.) 09.06-					Bus (Minibus-M2-Segment)				
3.5 (EG2)		Gasolina	RWD	3498	200	272	09.06-12.07	■	
2.1 CDI (OM 651.955)		Diesel	RWD	2143	120	163	09.13-	■	
3.0 CDI (EXM, OM 642.993)		Diesel	RWD	2987	135	184	09.06-12.07	■	
3.0 CDI		Diesel	RWD	2987	160	218	09.06-12.07	■	
SPRINTER 3500 (U.S.A.) 09.06-					Platform/Chassis (LCVs-N1 Segment)				
3.5		Gasolina	RWD	3498	200	272	09.06-12.08	■	
2.1 CDI (OM 651.955)		Diesel	RWD	2143	120	163	09.13-	■	
2.1 CDI 4WD (OM 651.955)		Diesel	4WD	2143	120	163	09.14-	■	
3.0 CDI (EXM)		Diesel	RWD	2987	140	190	09.10-	■	
3.0 CDI 4WD (EXM)		Diesel	4WD	2987	140	190	09.14-	■	
3.0 D		Diesel	RWD	2987	160	218	09.06-12.10	■	
SPRINTER 3500 09.06-					Van (LCVs-N1 Segment)				
3.5 (EG2)		Gasolina	RWD	3498	190	258	09.06-12.08	■	
2.1 CDI (OM 651.955)		Diesel	RWD	2143	120	163	09.13-	■	
2.1 CDI		Diesel	RWD	2143	120	163	09.13-	■	
2.1 CDI 4WD (OM 651.955)		Diesel	4WD	2143	120	163	09.14-	■	
2.1 CDI 4WD (OM 651.955)		Diesel	4WD	2143	120	163	09.14-	■	
3.0 CDI (EXM)		Diesel	RWD	2987	140	190	09.13-	■	
3.0 CDI (EXM)		Diesel	RWD	2987	140	190	09.10-	■	
3.0 CDI 4WD (EXM)		Diesel	4WD	2987	140	190	09.14-	■	
3.0 CDI 4WD (EXM)		Diesel	4WD	2987	140	190	09.14-	■	
3.0 D		Diesel	RWD	2987	160	218	09.06-12.10	■	
MERCEDES-BENZ									
SPRINTER II 3-Ton. (B906) 06.06-					Bus (Minibus-M2-Segment)				
216 (906.713) (M 271.951)		Gasolina	RWD	1796	115	156	03.09-12.18	■	
224 (906.713) (M 272.979)		Gasolina	RWD	3498	190	258	06.06-12.13	■	
210 CDI (906.711, 906.713) (OM 651.955)		Diesel	RWD	2143	70	95	03.09-12.16	■	
211 CDI (906.711, 906.713) (OM 651.955)		Diesel	RWD	2143	84	114	04.16-12.18	■	
213 CDI (906.711, 906.713) (OM 651.955)		Diesel	RWD	2143	95	129	06.06-12.16	■	
214 CDI (906.711, 906.713) (OM 651.955)		Diesel	RWD	2143	105	143	04.16-12.18	■	
216 CDI (906.711, 906.713) (OM 651.955)		Diesel	RWD	2143	120	163	06.09-12.18	■	
216 CDI (906.711, 906.713) (OM 651.957)		Diesel	RWD	2143	120	163	06.09-12.18	■	
209 CDI (906.711, 906.713)		Diesel	RWD	2148	65	88	04.12-12.19	■	

LISTA DE APLICACIONES - BUYERS GUIDE

211 CDI (906.711, 906.713) (OM 646.985)		Diesel	RWD	2148	80	109	06.06-12.09	■	
215 CDI (906.711, 906.713) (OM 646.986)		Diesel	RWD	2148	110	150	06.06-12.09	■	
215 CDI (906.711, 906.713) (OM 646.989)		Diesel	RWD	2148	110	150	06.06-12.09	■	
215 CDI (906.711, 906.713) (OM 646.990)		Diesel	RWD	2148	110	150	06.06-12.09	■	
218 CDI (906.711, 906.713)		Diesel	RWD	2987	135	184	04.12-12.18	■	
SPRINTER II 3-Ton. (B906) 06.06-							Platform/Chassis (LCVs-N1 Segment)		
216 (906.113, 906.213) (M 271.951)		Gasolina	RWD	1796	115	156	09.08-12.18	■	
224 (906.113, 906.213) (M 272.979)		Gasolina	RWD	3498	190	258	06.06-12.16	■	
210 CDI (906.111, 906.113, 906.211, 906.213) (OM 651.955)		Diesel	RWD	2143	70	95	03.09-12.16	■	
211 CDI (906.111, 906.113, 906.211, 906.213) (OM 651.955)		Diesel	RWD	2143	84	114	04.16-12.18	■	
213 CDI (906.111, 906.113, 906.211, 906.213) (OM 651.955)		Diesel	RWD	2143	95	129	03.09-12.16	■	
213 CDI (906.111, 906.113, 906.211, 906.213) (OM 651.957)		Diesel	RWD	2143	95	129	03.09-12.16	■	
214 CDI (906.111, 906.113, 906.211, 906.213) (OM 651.955)		Diesel	RWD	2143	105	143	04.16-12.18	■	
216 CDI (906.111, 906.113, 906.211, 906.213) (OM 651.957)		Diesel	RWD	2143	120	163	03.09-12.18	■	
209 CDI (906.111, 906.113, 906.211, 906.213) (OM 646.984)		Diesel	RWD	2148	65	88	06.06-12.09	■	
211 CDI (906.111, 906.113, 906.211, 906.213) (OM 646.985)		Diesel	RWD	2148	80	109	06.06-12.09	■	
213 CDI (906.111, 906.113, 906.211, 906.213) (OM 646.986)		Diesel	RWD	2148	95	129	06.06-12.09	■	
215 CDI (906.111, 906.113, 906.211, 906.213) (OM 646.986)		Diesel	RWD	2148	110	150	06.06-12.09	■	
215 CDI (906.111, 906.113, 906.211, 906.213) (OM 646.989)		Diesel	RWD	2148	110	150	06.06-12.09	■	
215 CDI (906.111, 906.113, 906.211, 906.213) (OM 646.990)		Diesel	RWD	2148	110	150	06.06-12.09	■	
218 CDI (906.111, 906.113, 906.211, 906.213) (OM 642.896)		Diesel	RWD	2987	135	184	06.06-12.09	■	
218 CDI (906.111, 906.113, 906.211, 906.213) (OM 642.992)		Diesel	RWD	2987	135	184	06.06-12.09	■	
218 CDI (906.111, 906.113, 906.211, 906.213) (OM 642.993)		Diesel	RWD	2987	135	184	06.06-12.09	■	
219 CDI / BlueTEC (906.111, 906.113, 906.211, 906.213) (OM 642.896)		Diesel	RWD	2987	140	190	03.09-12.18	■	
219 CDI / BlueTEC (906.111, 906.113, 906.211, 906.213) (OM 642.992)		Diesel	RWD	2987	140	190	03.09-12.18	■	
SPRINTER II 3-Ton. (B906) 06.06-							Van (LCVs-N1 Segment)		
216 (906.613) (M 271.951)		Gasolina	RWD	1796	115	156	09.08-12.18	■	
224 (906.613) (M 272.979)		Gasolina	RWD	3498	190	258	06.06-12.16	■	
210 CDI (906.611, 906.613) (OM 651.955)		Diesel	RWD	2143	70	95	03.09-12.16	■	
211 CDI (906.611, 906.613) (OM 651.955)		Diesel	RWD	2143	84	114	04.16-12.18	■	
213 CDI (906.611, 906.613) (OM 651.955)		Diesel	RWD	2143	95	129	06.06-12.16	■	
213 CDI (906.611, 906.613) (OM 651.957)		Diesel	RWD	2143	95	129	06.06-12.16	■	
214 CDI (906.611, 906.613) (OM 651.955)		Diesel	RWD	2143	105	143	04.16-12.18	■	
216 CDI (906.611, 906.613) (OM 651.955)		Diesel	RWD	2143	120	163	03.09-12.18	■	
216 CDI (906.611, 906.613) (OM 651.957)		Diesel	RWD	2143	120	163	03.09-12.18	■	
209 CDI (906.611, 906.613) (OM 646.984)		Diesel	RWD	2148	65	88	06.06-12.09	■	
211 CDI (906.611, 906.613) (OM 646.985)		Diesel	RWD	2148	80	109	06.06-12.09	■	
213 CDI (906.611, 906.613) (OM 646.986)		Diesel	RWD	2148	95	129	06.06-12.09	■	
215 CDI (906.611, 906.613) (OM 646.986)		Diesel	RWD	2148	110	150	06.06-12.09	■	
215 CDI (906.611, 906.613) (OM 646.989)		Diesel	RWD	2148	110	150	06.06-12.09	■	
215 CDI (906.611, 906.613) (OM 646.990)		Diesel	RWD	2148	110	150	06.06-12.09	■	
218 CDI (906.611, 906.613) (OM 642.896)		Diesel	RWD	2987	135	184	06.06-12.09	■	
218 CDI (906.611, 906.613) (OM 642.992)		Diesel	RWD	2987	135	184	06.06-12.09	■	

LISTA DE APLICACIONES - BUYERS GUIDE

219 CDI / BlueTEC (906.611, 906.613) (OM 642.896)	Diesel	RWD	2987	140	190	03.09-12.18	■
219 CDI / BlueTEC (906.611, 906.613) (OM 642.992)	Diesel	RWD	2987	140	190	03.09-12.18	■
SPRINTER II 3.5-Ton. (B906) 06.06-				Bus (Minibus-M2-Segment)			
316 (906.733, 906.735) (M 271.951)	Gasolina	RWD	1796	115	156	09.08-12.18	■
324 (906.733, 906.735) (M 272.979)	Gasolina	RWD	3498	190	258	06.06-12.16	■
316 LGT (906.735, 906.733) (M 271.951)	Gasol./Gas (LPG)	RWD	1796	115	156	09.08-12.18	■
316 NGT (906.733) (M 271.951)	Gasol./Gas (CNG)	RWD	1796	115	156	03.09-12.18	■
310 CDI (906.731, 906.733, 906.735) (OM 651.955)	Diesel	RWD	2143	70	95	03.09-12.16	■
310 CDI (906.731, 906.733, 906.735) (OM 651.956)	Diesel	RWD	2143	70	95	03.09-12.16	■
311 CDI (906.731, 906.733, 906.735) (OM 651.955)	Diesel	RWD	2143	84	114	05.16-12.18	■
313 CDI (906.731, 906.733, 906.735) (OM 651.955)	Diesel	RWD	2143	95	129	08.11-12.16	■
313 CDI 4x4 (906.731, 906.733, 906.735) (OM 651.955)	Diesel	4WD	2143	95	129	08.11-12.16	■
314 CDI (906.731, 906.733, 906.735) (OM 651.955)	Diesel	RWD	2143	105	143	05.16-12.18	■
314 CDI 4x4 (906.731, 906.733, 906.735) (OM 651.955)	Diesel	4WD	2143	105	143	05.16-12.18	■
315 CDI (906.733) (OM 651.957)	Diesel	RWD	2143	110	150	06.13-09.20	■
315 CDI 4x4 (906.735) (OM 651.957)	Diesel	4WD	2143	110	150	06.13-	■
316 CDI (906.731, 906.733, 906.735) (OM 651.955)	Diesel	RWD	2143	120	163	08.11-12.18	■
316 CDI (906.731, 906.733, 906.735) (OM 651.957)	Diesel	RWD	2143	120	163	08.11-12.18	■
316 CDI 4x4 (906.731, 906.733, 906.735) (OM 651.955)	Diesel	4WD	2143	120	163	08.11-12.18	■
316 CDI 4x4 (906.731, 906.733, 906.735) (OM 651.957)	Diesel	4WD	2143	120	163	08.11-12.18	■
309 CDI (906.731, 906.733, 906.735)	Diesel	RWD	2148	65	88	04.12-12.19	■
311 CDI (906.731, 906.733, 906.735) (OM 646.985)	Diesel	RWD	2148	80	109	06.06-12.09	■
311 CDI 4x4 (906.731, 906.733, 906.735) (OM 646.985)	Diesel	4WD	2148	80	109	02.08-12.09	■
315 CDI (906.731, 906.733, 906.735) (OM 646.986)	Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI (906.731, 906.733, 906.735) (OM 646.989)	Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI (906.731, 906.733, 906.735) (OM 646.990)	Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI 4x4 (906.731, 906.733, 906.735) (OM 646.986)	Diesel	4WD	2148	110	150	02.08-12.09	■
315 CDI 4x4 (906.731, 906.733, 906.735) (OM 646.989)	Diesel	4WD	2148	110	150	02.08-12.09	■
315 CDI 4x4 (906.731, 906.733, 906.735) (OM 646.990)	Diesel	4WD	2148	110	150	02.08-12.09	■
318 CDI (906.731, 906.733, 906.735) (OM 642.896)	Diesel	RWD	2987	135	184	02.08-12.09	■
318 CDI (906.731, 906.733, 906.735) (OM 642.986)	Diesel	RWD	2987	135	184	02.08-12.09	■
318 CDI (906.731, 906.733, 906.735) (OM 642.992)	Diesel	RWD	2987	135	184	02.08-12.09	■
318 CDI (906.731, 906.733, 906.735) (OM 642.993)	Diesel	RWD	2987	135	184	02.08-12.09	■
318 CDI 4x4 (906.731, 906.733, 906.735) (OM 642.896)	Diesel	4WD	2987	135	184	02.08-12.09	■
318 CDI 4x4 (906.731, 906.733, 906.735) (OM 642.986)	Diesel	4WD	2987	135	184	02.08-12.09	■
318 CDI 4x4 (906.731, 906.733, 906.735) (OM 642.992)	Diesel	4WD	2987	135	184	02.08-12.09	■

LISTA DE APLICACIONES - BUYERS GUIDE

318 CDI 4x4 (906.731, 906.733, 906.735) (OM 642.993)	Diesel	4WD	2987	135	184	02.08-12.09	■
319 CDI / BlueTEC (906.731, 906.733, 906.735) (OM 642.896)	Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC (906.731, 906.733, 906.735) (OM 642.898)	Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC (906.731, 906.733, 906.735) (OM 642.986)	Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC (906.731, 906.733, 906.735) (OM 642.992)	Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.896)	Diesel	4WD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.898)	Diesel	4WD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.986)	Diesel	4WD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.992)	Diesel	4WD	2987	140	190	03.09-12.18	■
SPRINTER II 3.5-Ton. (B906) 06.06-				Platform/Chassis (LCVs-N1 Segment)			
316 (906.133, 906.135, 906.233, 906.235) (M 271.951)	Gasolina	RWD	1796	115	156	09.08-12.18	■
324 (906.133, 906.135, 906.233, 906.235, 906.132,... (M 272.979)	Gasolina	RWD	3498	190	258	06.06-12.16	■
316 LGT (906.133, 906.135, 906.233, 906.235) (M 271.951)	Gasol./Gas (LPG)	RWD	1796	115	156	01.11-12.18	■
316 NGT (906.133, 906.135, 906.233, 906.235) (M 271.951)	Gasol./Gas (CNG)	RWD	1796	115	156	09.08-12.18	■
310 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.955)	Diesel	RWD	2143	70	95	03.09-12.16	■
311 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.955)	Diesel	RWD	2143	84	114	05.16-12.18	■
313 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.955)	Diesel	RWD	2143	95	129	06.06-12.16	■
313 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.956)	Diesel	RWD	2143	95	129	06.06-12.16	■
313 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 651.955)	Diesel	4WD	2143	95	129	06.06-12.16	■
314 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.955)	Diesel	RWD	2143	105	143	04.16-12.18	■
314 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 651.955)	Diesel	4WD	2143	105	143	05.16-12.18	■
316 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.955)	Diesel	RWD	2143	120	163	03.09-12.18	■
316 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 651.957)	Diesel	RWD	2143	120	163	03.09-12.18	■
316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 651.955)	Diesel	4WD	2143	120	163	03.09-12.18	■
316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 651.957)	Diesel	4WD	2143	120	163	03.09-12.18	■
309 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 646.984)	Diesel	RWD	2148	65	88	06.06-12.09	■
311 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 646.985)	Diesel	RWD	2148	80	109	06.06-12.09	■
311 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 646.985)	Diesel	4WD	2148	80	109	02.08-12.09	■
313 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 646.986)	Diesel	RWD	2148	95	129	06.06-05.16	■
315 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 646.986)	Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 646.989)	Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 646.990)	Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 646.986)	Diesel	4WD	2148	110	150	02.08-12.09	■
315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 646.989)	Diesel	4WD	2148	110	150	02.08-12.09	■
315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 646.990)	Diesel	4WD	2148	110	150	02.08-12.09	■

LISTA DE APLICACIONES - BUYERS GUIDE

311 CDI		Diesel	RWD	2150	85	116	06.11-	■
318 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 642.896)		Diesel	RWD	2987	135	184	06.06-12.09	■
318 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 642.992)		Diesel	RWD	2987	135	184	06.06-12.09	■
318 CDI (906.131, 906.133, 906.135, 906.231, 906.233,... (OM 642.993)		Diesel	RWD	2987	135	184	06.06-12.09	■
318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 642.896)		Diesel	4WD	2987	135	184	02.08-12.09	■
318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 642.992)		Diesel	4WD	2987	135	184	02.08-12.09	■
318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233... (OM 642.993)		Diesel	4WD	2987	135	184	02.08-12.09	■
319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231,... (OM 642.896)		Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231,... (OM 642.898)		Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231,... (OM 642.992)		Diesel	RWD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.896)		Diesel	4WD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.898)		Diesel	4WD	2987	140	190	03.09-12.18	■
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.992)		Diesel	4WD	2987	140	190	03.09-12.18	■
SPRINTER II 3.5-Ton. (B906) 06.06-				Van (LCVs-N1 Segment)				
316 (906.635, 906.633) (M 271.951)		Gasolina	RWD	1796	115	156	09.08-12.18	■
324 (906.633, 906.635, 906.637) (M 272.979)		Gasolina	RWD	3498	190	258	06.06-12.16	■
316 LGT (906.633, 906.635) (M 271.951)		Gasol./Gas (LPG)	RWD	1796	115	156	01.11-12.18	■
316 NGT (906.633, 906.635) (M 271.951)		Gasol./Gas (CNG)	RWD	1796	115	156	09.08-12.18	■
310 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	RWD	2143	70	95	03.09-12.16	■
311 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	RWD	2143	84	114	05.16-12.18	■
313 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.940)		Diesel	RWD	2143	95	129	05.09-12.16	■
313 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	RWD	2143	95	129	05.09-12.16	■
313 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	4WD	2143	95	129	03.09-12.16	■
314 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	RWD	2143	105	143	05.16-12.18	■
314 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	4WD	2143	105	143	05.16-12.18	■
315 CDI (906.633, 906.637) (OM 651.955)		Diesel	RWD	2143	110	150	12.14-09.20	■
316 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	RWD	2143	120	163	03.09-12.18	■
316 CDI (906.631, 906.633, 906.635, 906.637) (OM 651.957)		Diesel	RWD	2143	120	163	03.09-12.18	■
316 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 651.955)		Diesel	4WD	2143	120	163	03.09-12.18	■
316 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 651.957)		Diesel	4WD	2143	120	163	03.09-12.18	■
309 CDI (906.631, 906.633, 906.635, 906.637) (OM 646.984)		Diesel	RWD	2148	65	88	06.06-12.09	■
311 CDI (906.631, 906.633, 906.635, 906.637) (OM 646.985)		Diesel	RWD	2148	80	109	06.06-12.09	■
311 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 646.985)		Diesel	4WD	2148	80	109	02.08-12.09	■
313 CDI (906.631, 906.633, 906.635, 906.637) (OM 646.986)		Diesel	RWD	2148	95	129	06.06-12.16	■
315 CDI (906.631, 906.633, 906.635, 906.637) (OM 646.986)		Diesel	RWD	2148	110	150	06.06-12.09	■
315 CDI (906.631, 906.633, 906.635, 906.637) (OM 646.989)		Diesel	RWD	2148	110	150	06.06-12.09	■

LISTA DE APLICACIONES - BUYERS GUIDE

315 CDI (906.631, 906.633, 906.635, 906.637) (OM 646.990)		Diesel	RWD	2148	110	150	06.06-12.09	■	
315 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 646.986)		Diesel	4WD	2148	110	150	02.08-12.09	■	
315 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 646.989)		Diesel	4WD	2148	110	150	02.08-12.09	■	
315 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 646.990)		Diesel	4WD	2148	110	150	02.08-12.09	■	
318 CDI (906.631, 906.633, 906.635, 906.637) (OM 642.896)		Diesel	RWD	2987	135	184	06.06-12.09	■	
318 CDI (906.631, 906.633, 906.635, 906.637) (OM 642.986)		Diesel	RWD	2987	135	184	06.06-12.09	■	
318 CDI (906.631, 906.633, 906.635, 906.637) (OM 642.992)		Diesel	RWD	2987	135	184	06.06-12.09	■	
318 CDI (906.631, 906.633, 906.635, 906.637) (OM 642.993)		Diesel	RWD	2987	135	184	06.06-12.09	■	
318 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 642.896)		Diesel	4WD	2987	135	184	02.08-12.09	■	
318 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 642.986)		Diesel	4WD	2987	135	184	02.08-12.09	■	
318 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 642.992)		Diesel	4WD	2987	135	184	02.08-12.09	■	
318 CDI 4x4 (906.631, 906.633, 906.635, 906.637) (OM 642.993)		Diesel	4WD	2987	135	184	02.08-12.09	■	
319 CDI / BlueTEC (906.631, 906.633, 906.635, 906.637) (OM 642.896)		Diesel	RWD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC (906.631, 906.633, 906.635, 906.637) (OM 642.898)		Diesel	RWD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC (906.631, 906.633, 906.635, 906.637) (OM 642.986)		Diesel	RWD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC (906.631, 906.633, 906.635, 906.637) (OM 642.992)		Diesel	RWD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.896)		Diesel	4WD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.898)		Diesel	4WD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.986)		Diesel	4WD	2987	140	190	03.09-12.18	■	
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735) (OM 642.992)		Diesel	4WD	2987	140	190	03.09-12.18	■	
SPRINTER II 4,6-Ton. (B906) 06.06-						Bus (Minibus-M2-Segment)			
2.1 311 CDI (OM 651.955)	Solid disc	Diesel	RWD	2143	110	150	11.11-	■	
SPRINTER II 4,6-Ton. (B906) 06.06-						Platform/Chassis (LCVs-N1 Segment)			
424 (906.153, 906.155, 906.253, 906.255) (M 272.979)	Solid disc	Gasolina	RWD	3498	190	258	06.06-12.16	■	
411 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)	Solid disc	Diesel	RWD	2143	84	114	04.16-12.18	■	
413 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)	Solid disc	Diesel	RWD	2143	95	129	06.06-12.16	■	
414 CDI (906.153, 906.155, 906.253, 906.255)		Diesel	RWD	2143	105	143	05.16-12.18	■	
415 CDI (906.155)	Solid disc	Diesel	RWD	2143	110	150	01.12-09.20	■	
416 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■	
416 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.957)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■	
411 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.985)	Solid disc	Diesel	RWD	2148	80	109	06.09-12.18	■	
415 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.986)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.09	■	
415 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.989)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.09	■	
415 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.990)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.09	■	
418 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.896)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
418 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.986)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	

LISTA DE APLICACIONES - BUYERS GUIDE

418 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.992)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■
418 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.993)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■
419 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.896)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
419 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.898)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
419 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.986)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
419 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.992)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
SPRINTER II 4,6-Ton. (B906) 06.06-				Van (LCVs-N1 Segment)				
424 (906.655, 906.657, 906.653) (M 272.979)	Solid disc	Gasolina	RWD	3498	190	258	06.06-12.16	■
411 CDI (906.653, 906.655, 906.657)		Diesel	RWD	2143	84	114	04.16-12.18	■
413 CDI (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	95	129	06.06-12.16	■
413 CDI (906.653, 906.655, 906.657) (OM 651.956)	Solid disc	Diesel	RWD	2143	95	129	06.06-12.16	■
414 CDI (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	105	143	05.16-12.18	■
415 CDI (906.631, 906.633, 906.635, 906.655) (OM 651.955, OM 651.956, OM 651.957)	Solid disc	Diesel	RWD	2143	110	150	06.11-	■
416 CDI (906.653, 906.655, 906.657, 906.633, 906.635,...) (OM 651.955)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■
416 CDI (906.653, 906.655, 906.657, 906.633, 906.635,...) (OM 651.957)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■
411 CDI (906.653, 906.655, 906.657) (OM 646.985)	Solid disc	Diesel	RWD	2148	80	109	06.09-12.18	■
415 CDI (906.653, 906.655, 906.657) (OM 646.986)	Solid disc	Diesel	RWD	2148	110	150	06.09-12.09	■
415 CDI (906.653, 906.655, 906.657) (OM 646.989)	Solid disc	Diesel	RWD	2148	110	150	06.09-12.09	■
415 CDI (906.653, 906.655, 906.657) (OM 646.990)	Solid disc	Diesel	RWD	2148	110	150	06.09-12.09	■
418 CDI (906.653, 906.655, 906.657) (OM 642.896)	Solid disc	Diesel	RWD	2987	135	184	06.09-05.16	■
418 CDI (906.653, 906.655, 906.657) (OM 642.986)	Solid disc	Diesel	RWD	2987	135	184	06.09-05.16	■
418 CDI (906.653, 906.655, 906.657) (OM 642.992)	Solid disc	Diesel	RWD	2987	135	184	06.09-05.16	■
419 CDI (906.653, 906.655, 906.657) (OM 642.896)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
419 CDI (906.653, 906.655, 906.657) (OM 642.992)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
SPRINTER II 5-Ton. (B906) 06.06-				Bus (Minibus-M2-Segment)				
513 CDI (906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	95	129	03.09-12.16	■
515 CDI (906.655, 906.657) (OM 651.957)	Solid disc	Diesel	RWD	2143	110	150	06.06-09.20	■
516 CDI (906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■
519 CDI (906.655, 906.657) (OM 642.896)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■
SPRINTER II 5-Ton. (B906) 06.06-				Platform/Chassis (LCVs-N1 Segment)				
516 (906.153, 906.155, 906.253, 906.255) (M 271.951)	Solid disc	Gasolina	RWD	1796	115	156	09.08-12.18	■
524 (906.153, 906.155, 906.253, 906.255) (M 272.979)	Solid disc	Gasolina	RWD	3498	190	258	06.06-12.16	■
516 NGT (906.153, 906.155, 906.253, 906.255) (M 271.951)	Solid disc	Gasol./Gas (CNG)	RWD	1796	115	156	09.08-12.18	■
510 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)	Solid disc	Diesel	RWD	2143	70	95	03.09-12.16	■
511 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)		Diesel	RWD	2143	84	114	05.16-12.18	■
513 CDI 4x4 (906.155, 906.253, 906.255, 906.153) (OM 651.955)	Solid disc	Diesel	4WD	2143	95	129	05.11-12.16	■
513 CDI 4x4 (906.155, 906.253, 906.255, 906.153) (OM 651.957)	Solid disc	Diesel	4WD	2143	95	129	05.11-12.16	■

LISTA DE APLICACIONES - BUYERS GUIDE

514 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)		Diesel	RWD	2143	105	143	05.16-12.18	■	
514 CDI 4x4 (906.153, 906.155, 906.253, 906.255) (OM 651.955)		Diesel	4WD	2143	105	143	05.16-12.18	■	
515 CDI (906.155)	Solid disc	Diesel	RWD	2143	110	150	06.11-09.20	■	
516 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.955)		Diesel	RWD	2143	120	163	03.09-12.18	■	
516 CDI (906.153, 906.155, 906.253, 906.255) (OM 651.957)		Diesel	RWD	2143	120	163	03.09-12.18	■	
516 CDI 4x4 (906.153, 906.155, 906.255, 906.253) (OM 651.955)	Solid disc	Diesel	4WD	2143	120	163	03.09-12.18	■	
516 CDI 4x4 (906.153, 906.155, 906.255, 906.253) (OM 651.957)	Solid disc	Diesel	4WD	2143	120	163	03.09-12.18	■	
509 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.984)	Solid disc	Diesel	RWD	2148	65	88	06.06-12.09	■	
511 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.985)	Solid disc	Diesel	RWD	2148	80	109	06.06-12.09	■	
513 CDI (906.155, 906.253, 906.255, 906.153) (OM 646.986)	Solid disc	Diesel	RWD	2148	95	129	03.09-05.16	■	
515 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.986)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.19	■	
515 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.989)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.19	■	
515 CDI (906.153, 906.155, 906.253, 906.255) (OM 646.990)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.19	■	
518 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.896)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.986)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.992)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI (906.153, 906.155, 906.253, 906.255) (OM 642.993)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
519 CDI / BlueTEC (906.153, 906.155, 906.253, 906.255) (OM 642.896)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC (906.153, 906.155, 906.253, 906.255) (OM 642.898)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC (906.153, 906.155, 906.253, 906.255) (OM 642.986)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC (906.153, 906.155, 906.253, 906.255) (OM 642.992)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
SPRINTER II 5-Ton. (B906) 06.06-					Van (LCVs-N1 Segment)				
524 (906.653, 906.655, 906.657) (M 272.979)	Solid disc	Gasolina	RWD	3498	190	258	06.06-12.16	■	
510 CDI (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	70	95	03.09-12.16	■	
513 CDI (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	95	129	06.06-12.16	■	
513 CDI (906.653, 906.655, 906.657) (OM 651.957)	Solid disc	Diesel	RWD	2143	95	129	06.06-12.16	■	
513 CDI 4x4 (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	4WD	2143	95	129	03.09-12.16	■	
513 CDI 4x4 (906.653, 906.655, 906.657) (OM 651.957)	Solid disc	Diesel	4WD	2143	95	129	03.09-12.16	■	
515 CDI (906.655, 906.657)	Solid disc	Diesel	RWD	2143	110	150	06.11-09.20	■	
516 CDI (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■	
516 CDI (906.653, 906.655, 906.657) (OM 651.957)	Solid disc	Diesel	RWD	2143	120	163	03.09-12.18	■	
516 CDI 4x4 (906.653, 906.655, 906.657) (OM 651.955)	Solid disc	Diesel	4WD	2143	120	163	03.09-12.18	■	
516 CDI 4x4 (906.653, 906.655, 906.657) (OM 651.957)	Solid disc	Diesel	4WD	2143	120	163	03.09-12.18	■	
509 CDI (906.653, 906.655, 906.657) (OM 646.984)	Solid disc	Diesel	RWD	2148	65	88	06.06-12.09	■	
511 CDI (906.653, 906.655, 906.657) (OM 646.985)	Solid disc	Diesel	RWD	2148	80	109	06.06-12.09	■	
511 CDI 4x4 (906.653, 906.655, 906.657) (OM 646.985)	Solid disc	Diesel	4WD	2148	80	109	06.06-12.09	■	

LISTA DE APLICACIONES - BUYERS GUIDE

513 CDI (906.653, 906.655, 906.657) (OM 646.986)	Solid disc	Diesel	RWD	2148	95	129	03.09-05.16	■	
515 CDI (906.653, 906.655, 906.657) (OM 646.986)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.09	■	
515 CDI (906.653, 906.655, 906.657) (OM 646.989)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.09	■	
515 CDI (906.653, 906.655, 906.657) (OM 646.990)	Solid disc	Diesel	RWD	2148	110	150	06.06-12.09	■	
515 CDI 4x4 (906.653, 906.655, 906.657) (OM 646.986)	Solid disc	Diesel	4WD	2148	110	150	06.06-12.09	■	
515 CDI 4x4 (906.653, 906.655, 906.657) (OM 646.989)	Solid disc	Diesel	4WD	2148	110	150	06.06-12.09	■	
515 CDI 4x4 (906.653, 906.655, 906.657) (OM 646.990)	Solid disc	Diesel	4WD	2148	110	150	06.06-12.09	■	
518 CDI (906.653, 906.655, 906.657) (OM 642.896)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI (906.653, 906.655, 906.657) (OM 642.986)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI (906.653, 906.655, 906.657) (OM 642.992)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI (906.653, 906.655, 906.657) (OM 642.993)	Solid disc	Diesel	RWD	2987	135	184	06.06-12.09	■	
518 CDI 4x4 (906.653, 906.655, 906.657) (OM 642.896)	Solid disc	Diesel	4WD	2987	135	184	06.06-12.16	■	
518 CDI 4x4 (906.653, 906.655, 906.657) (OM 642.986)	Solid disc	Diesel	4WD	2987	135	184	06.06-12.16	■	
518 CDI 4x4 (906.653, 906.655, 906.657) (OM 642.992)	Solid disc	Diesel	4WD	2987	135	184	06.06-12.16	■	
518 CDI 4x4 (906.653, 906.655, 906.657) (OM 642.993)	Solid disc	Diesel	4WD	2987	135	184	06.06-12.16	■	
519 CDI / BlueTEC (906.653, 906.655, 906.657) (OM 642.896)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC (906.653, 906.655, 906.657) (OM 642.898)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC (906.653, 906.655, 906.657) (OM 642.986)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC (906.653, 906.655, 906.657) (OM 642.992)	Solid disc	Diesel	RWD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC 4x4 (906.653, 906.655, 906.657) (OM 642.896)	Solid disc	Diesel	4WD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC 4x4 (906.653, 906.655, 906.657) (OM 642.898)	Solid disc	Diesel	4WD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC 4x4 (906.653, 906.655, 906.657) (OM 642.986)	Solid disc	Diesel	4WD	2987	140	190	03.09-12.18	■	
519 CDI / BlueTEC 4x4 (906.653, 906.655, 906.657) (OM 642.992)	Solid disc	Diesel	4WD	2987	140	190	03.09-12.18	■	
SPRINTER III 3-Ton. (B910, B907) 02.18-							Platform/Chassis (LCVs-N1 Segment)		
211 CDI (910.121, 910.123)	elec.brake detention	Diesel	FWD	1950	84	114	10.21-	■	
211 CDI RWD (907.221, 907.223, 907.123) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	84	114	06.20-	■	
215 CDI (910.121, 910.123)	elec.brake detention	Diesel	FWD	1950	110	150	10.21-	■	
215 CDI RWD (907.221, 907.223) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	110	150	06.20-	■	
217 CDI RWD (907.221, 907.223) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	125	170	06.20-	■	
211 CDI (910.121, 910.123) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
211 CDI RWD (907.221, 907.223, 907.123) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■	
214 CDI (910.121, 910.123) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
214 CDI (910.121, 910.123) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
214 CDI RWD (907.221, 907.223) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■	
216 CDI RWD (907.221, 907.223) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	120	163	02.18-12.21	■	
SPRINTER III 3-Ton. (B910) 02.18-							Van (LCVs-N1 Segment)		
211 CDI (910.621, 910.623)	elec.brake detention	Diesel	FWD	1950	84	114	10.21-05.25	■	

LISTA DE APLICACIONES - BUYERS GUIDE

215 CDI (910.621, 910.623)	elec.brake detention	Diesel	FWD	1950	110	150	10.21-05.25	■	
211 CDI (910.621, 910.623) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
211 CDI (910.621, 910.623) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
214 CDI (910.621, 910.623) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
214 CDI (910.621, 910.623) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
SPRINTER III 3-Ton. Tourer (B907) 02.18-					Bus (Minibus-M2-Segment)				
211 CDI (907.721, 907.723)	elec.brake detention	Diesel	RWD	1950	84	114	10.21-	■	
215 CDI (907.721, 907.723)	elec.brake detention	Diesel	RWD	1950	110	150	10.21-	■	
217 CDI (907.721, 907.723)	elec.brake detention	Diesel	RWD	1950	125	170	10.21-	■	
211 CDI (907.721, 907.723)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■	
214 CDi (907.721, 907.723)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■	
SPRINTER III 3,5-Ton. (B907, B910) 02.18-					Platform/Chassis (LCVs-N1 Segment)				
311 CDI (910.131, 910.133)	elec.brake detention	Diesel	FWD	1950	84	114	10.21-	■	
311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233... (OM 654.920)	elec.brake detention	Diesel	RWD	1950	84	114	06.20-	■	
315 CDI (910.030)	elec.brake detention	Diesel	FWD	1950	110	150	06.20-	■	
315 CDI (910.131, 910.133)	elec.brake detention	Diesel	FWD	1950	110	150	10.21-	■	
315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233... (OM 654.920)	elec.brake detention	Diesel	RWD	1950	110	150	06.20-	■	
317 CDI (910.030)	elec.brake detention	Diesel	FWD	1950	125	170	06.20-	■	
317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233... (OM 654.920)	elec.brake detention	Diesel	RWD	1950	125	170	06.20-	■	
319 CDI A las 4 ruedas (907.733)	elec.brake detention	Diesel	4WD	1950	140	190	10.21-	■	
319 CDI RWD (907.133, 907.135, 907.233, 907.235)	elec.brake detention	Diesel	RWD	1950	140	190	10.21-	■	
311 CDI (910.131, 910.133) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
311 CDI (910.131, 910.133) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233... (OM 651.958)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■	
314 CDI (910.131, 910.133, 910.030) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
314 CDI (910.131, 910.133, 910.030) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
314 CDI A las 4 ruedas (907.733) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	105	143	01.19-12.21	■	
314 CDI RWD (907.131,907.133,907.135) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■	
316 CDI A las 4 ruedas (907.733) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	120	163	01.19-12.21	■	
316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233... (OM 651.958)	elec.brake detention	Diesel	RWD	2143	120	163	02.18-12.21	■	
317 CDI (910.030)	elec.brake detention	Diesel	FWD	2143	125	170	02.18-12.21	■	
318 CDI (910.030)	elec.brake detention	Diesel	FWD	2143	130	177	02.18-12.21	■	
319 CDI A las 4 ruedas (907.733) (OM 642.899)	elec.brake detention	Diesel	4WD	2987	140	190	01.19-12.21	■	
319 CDI RWD (907.133, 907.135, 907.233, 907.235) (OM 642.899)	elec.brake detention	Diesel	RWD	2987	140	190	02.18-12.21	■	
SPRINTER III 3,5-Ton. (B907, B910) 02.18-					Van (LCVs-N1 Segment)				
eSPRINTER 312 (910.633) (EM 780.703)	elec.brake detention	Eléctrico	FWD		85	116	02.20-12.23	■	
311 CDI (910.631, 910.633)	elec.brake detention	Diesel	FWD	1950	84	114	10.21-05.25	■	
311 CDI RWD (907.631, 907.633, 907.635, 907.637) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	84	114	06.20-	■	
315 CDI (910.631, 910.633)	elec.brake detention	Diesel	FWD	1950	110	150	10.21-05.25	■	
315 CDI RWD (907.631, 907.633, 907.635, 907.637) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	110	150	06.20-	■	
317 CDI RWD (907.631, 907.633, 907.635, 907.637) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	125	170	06.20-	■	
319 CDI A las 4 ruedas (907.733)	elec.brake detention	Diesel	4WD	1950	140	190	10.21-	■	
319 CDI RWD (907.633, 907.635, 907.637)	elec.brake detention	Diesel	RWD	1950	140	190	10.21-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

311 CDI (910.631, 910.633) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■
311 CDI (910.631, 910.633) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■
311 CDI RWD (907.633, 907.635, 907.631, 907.637) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■
314 CDI (910.631, 910.633) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■
314 CDI (910.631, 910.633) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■
314 CDI A las 4 ruedas (907.733) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	105	143	01.19-12.21	■
314 CDI RWD (907.631, 907.633, 907.635, 907.637) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■
316 CDI A las 4 ruedas (907.733) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	120	163	01.19-12.21	■
316 CDI RWD (907.631, 907.633, 907.635, 907.637) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	120	163	02.18-12.21	■
319 CDI A las 4 ruedas (907.733) (OM 642.899)	elec.brake detention	Diesel	4WD	2987	140	190	01.19-12.21	■
319 CDI RWD (907.633, 907.635, 907.637) (OM 642.899)	elec.brake detention	Diesel	RWD	2987	140	190	02.18-12.21	■
SPRINTER III 3,5-Ton. Tourer (B907) 02.18-				Bus (Minibus-M2-Segment)				
311 CDI (907.731, 907.733, 907.735)	elec.brake detention	Diesel	RWD	1950	84	114	10.21-	■
315 CDI (907.731, 907.733, 907.735)	elec.brake detention	Diesel	RWD	1950	110	150	10.21-	■
317 CDI (907.731, 907.733, 907.735)	elec.brake detention	Diesel	RWD	1950	125	170	10.21-	■
319 CDI (907.733, 907.735)	elec.brake detention	Diesel	RWD	1950	140	190	10.21-	■
319 CDI A las 4 ruedas (907.733)	elec.brake detention	Diesel	4WD	1950	140	190	10.21-	■
311 CDI (907.731, 907.733, 907.735) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■
314 CDI (907.731, 907.733, 907.735) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■
314 CDI A las 4 ruedas (907.733) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	105	143	01.19-12.21	■
316 CDI (907.731, 907.733, 907.735) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	120	163	02.18-12.21	■
316 CDI A las 4 ruedas (907.733) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	120	163	01.19-12.21	■
319 CDI (907.733, 907.735) (OM 642.899)	elec.brake detention	Diesel	RWD	2987	140	190	02.18-12.21	■
319 CDI A las 4 ruedas (907.733) (OM 642.899)	elec.brake detention	Diesel	4WD	2987	140	190	01.19-12.21	■
SPRINTER III 4-Ton. (B907, B910) 02.18-				Platform/Chassis (LCVs-N1 Segment)				
411 CDI RWD (907.141, 907.143, 907.145, 907.241, 907.243...)	elec.brake detention	Diesel	RWD	1950	84	114	10.21-	■
415 CDI (910.040)	elec.brake detention	Diesel	FWD	1950	110	150	06.20-	■
415 CDI (910.141, 910.143)	elec.brake detention	Diesel	FWD	1950	110	150	10.21-	■
415 CDI RWD (907.141, 907.143, 907.145, 907.241, 907.243...)	elec.brake detention	Diesel	RWD	1950	110	150	10.21-	■
417 CDI (910.040)	elec.brake detention	Diesel	FWD	1950	125	170	06.20-	■
417 CDI RWD (907.141, 907.143, 907.145, 907.241, 907.243...)	elec.brake detention	Diesel	RWD	1950	125	170	10.21-	■
419 CDI A las 4 ruedas (907.643, 907.645, 907.647)	elec.brake detention	Diesel	4WD	1950	140	190	10.21-	■
419 CDI RWD (907.143, 907.145, 907.243, 907.245)	elec.brake detention	Diesel	RWD	1950	140	190	10.21-	■
411 CDI (910.143, 910.141)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■
411 CDI RWD (907.141, 907.143, 907.145, 907.241, 907.243... (OM 651.958)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■
414 CDI (910.141, 910.143, 910.040) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■
414 CDI (910.141, 910.143, 910.040) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■
414 CDI A las 4 ruedas (907.643, 907.645, 907.647) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	105	143	01.19-12.21	■
414 CDI RWD (907.143, 907.145, 907.243, 907.245, 907.141... (OM 651.958)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■
416 CDI A las 4 ruedas (907.643, 907.645, 907.647) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	120	163	01.19-12.21	■

LISTA DE APLICACIONES - BUYERS GUIDE

416 CDI RWD (907.143, 907.145, 907.243, 907.141, 907.241... (OM 651.958)	elec.brake detention	Diesel	RWD	2143	120	163	02.18-12.21	■	
417 CDI (910.040)	elec.brake detention	Diesel	FWD	2143	125	170	02.18-12.21	■	
418 CDI (910.040)	elec.brake detention	Diesel	FWD	2143	130	177	02.18-12.21	■	
419 CDI A las 4 ruedas (907.643, 907.645, 907.647) (OM 642.899)	elec.brake detention	Diesel	4WD	2987	140	190	01.19-12.21	■	
419 CDI RWD (907.143, 907.145, 907.243, 907.245) (OM 642.899)	elec.brake detention	Diesel	RWD	2987	140	190	02.18-12.21	■	
SPRINTER III 4-Ton. (B907, B910) 02.18-					Van (LCVs-N1 Segment)				
411 CDI RWD (907.641, 907.643, 907.645, 907.647)	elec.brake detention	Diesel	RWD	1950	84	114	10.21-	■	
415 CDI (910.641, 910.643)	elec.brake detention	Diesel	FWD	1950	110	150	10.21-05.25	■	
415 CDI RWD (907.641, 907.643, 907.645, 907.647)	elec.brake detention	Diesel	RWD	1950	110	150	10.21-	■	
417 CDI RWD (907.641, 907.643, 907.645, 907.647) (OM 654.920)	elec.brake detention	Diesel	RWD	1950	125	170	06.20-	■	
419 CDI A las 4 ruedas (907.643, 907.645, 907.647)	elec.brake detention	Diesel	4WD	1950	140	190	10.21-	■	
419 CDI RWD (907.643, 907.645, 907.647)	elec.brake detention	Diesel	RWD	1950	140	190	10.21-	■	
411 CDI (910.641, 910.643) (OM 651.950)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
411 CDI (910.641, 910.643) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	84	114	02.18-12.21	■	
411 CDI RWD (907.643, 907.645) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■	
414 CDI (910.643, 910.641) (OM 651.958)	elec.brake detention	Diesel	FWD	2143	105	143	02.18-12.21	■	
414 CDI A las 4 ruedas (907.643, 907.645, 907.647) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	105	143	01.19-12.21	■	
414 CDI RWD (907.643, 907.645, 907.647) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	105	143	02.18-12.21	■	
416 CDI A las 4 ruedas (907.643, 907.645, 907.647) (OM 651.958)	elec.brake detention	Diesel	4WD	2143	120	163	01.19-12.21	■	
416 CDI RWD (907.643, 907.645, 907.647) (OM 651.958)	elec.brake detention	Diesel	RWD	2143	120	163	02.18-12.21	■	
419 CDI A las 4 ruedas (907.643, 907.645, 907.647) (OM 642.899)	elec.brake detention	Diesel	4WD	2987	140	190	01.19-12.21	■	
419 CDI RWD (907.643, 907.645, 907.647) (OM 642.899)	elec.brake detention	Diesel	RWD	2987	140	190	02.18-12.21	■	
SPRINTER III 4-Ton. Tourer (B907) 02.18-					Bus (Minibus-M2-Segment)				
411 CDI (907.741, 907.743, 907.745)	elec.brake detention	Diesel	RWD	2143	84	114	02.18-12.21	■	
414 CDI (907.741, 907.743, 907.745)	elec.brake detention	Diesel	RWD	2143	105	143	09.19-12.21	■	
416 CDI (907.843, 907.743, 907.745)		Diesel	RWD	2143	120	163	04.19-12.21	■	
419 CDI (907.743, 907.745)	elec.brake detention	Diesel	RWD	2987	140	190	02.18-12.21	■	
SPRINTER III 5-Ton. (B907) 02.18-					Van (LCVs-N1 Segment)				
511 CDI (907.653, 907.655, 907.657) (OM 651.958)		Diesel	RWD	2143	84	114	02.18-12.21	■	
514 CDI (907.653, 907.655, 907.657) (OM 651.958)		Diesel	RWD	2143	105	143	02.18-12.21	■	
516 CDI (907.653, 907.655, 907.657) (OM 651.958)		Diesel	RWD	2143	120	163	02.18-12.21	■	
516 CDI A las 4 ruedas (907.653, 907.655, 907.657) (OM 651.958)		Diesel	4WD	2143	120	163	01.19-12.21	■	
519 CDI (907.653, 907.655, 907.657) (OM 642.899)		Diesel	RWD	2987	140	190	02.18-12.21	■	
519 CDI A las 4 ruedas (907.653, 907.655, 907.657) (OM 642.899)		Diesel	4WD	2987	140	190	01.19-12.21	■	
SPRINTER III 5-Ton. Tourer (B907) 09.19-					Bus (Minibus-M2-Segment)				
516 CDI (907.855, 907.857)	elec.brake detention	Diesel	RWD	2143	120	163	09.19-12.23	■	
VW									
CRAFTER 30-35 (2E_) 04.06-12.16					Bus (Minibus-M2-Segment)				
2.0 TDI (CKTB)	PR 0WC, PR 0WL	Diesel	RWD	1968	80	109	05.11-12.16	■	
2.0 TDI (CSLA)	PR 0WC, PR 0WL	Diesel	RWD	1968	80	109	05.11-12.16	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TDI (CSLB)	PR 0WC, PR 0WL	Diesel	RWD	1968	84	114	11.13-12.16	■	
2.0 TDI (CKTC)	PR 0WC, PR 0WL	Diesel	RWD	1968	100	136	05.11-12.16	■	
2.0 TDI (CKUC)	PR 0WC, PR 0WL	Diesel	RWD	1968	105	142	10.11-12.16	■	
2.0 TDI (CKUB)	PR 0WC, PR 0WL	Diesel	RWD	1968	120	163	07.11-12.16	■	
2.0 TDI (CSNA)	PR 0WC, PR 0WL	Diesel	RWD	1968	120	163	07.11-12.16	■	
2.0 TDI 4motion (CKUB)	PR 0WC, PR 0WL	Diesel	4WD	1968	120	163	11.11-12.16	■	
2.0 TDI 4motion (CSNA)	PR 0WC, PR 0WL	Diesel	4WD	1968	120	163	11.11-12.16	■	
2.5 TDI (BJJ)	PR 0WC, PR 0WL	Diesel	RWD	2461	65	88	04.06-07.11	■	
2.5 TDI (CEBA)	PR 0WC, PR 0WL	Diesel	RWD	2461	65	88	04.06-07.11	■	
2.5 TDI (BJK)	PR 0WC, PR 0WL	Diesel	RWD	2461	80	109	04.06-05.13	■	
2.5 TDI (CEBB)	PR 0WC, PR 0WL	Diesel	RWD	2461	80	109	04.06-05.13	■	
2.5 TDI (BJL)	PR 0WC, PR 0WL	Diesel	RWD	2461	100	136	04.06-05.13	■	
2.5 TDI (CECA)	PR 0WC, PR 0WL	Diesel	RWD	2461	100	136	04.06-05.13	■	
2.5 TDI (BJM)	PR 0WC, PR 0WL	Diesel	RWD	2461	120	163	04.06-07.11	■	
2.5 TDI (CECB)	PR 0WC, PR 0WL	Diesel	RWD	2461	120	163	04.06-07.11	■	
CRAFTER 30-50 (2F_) 04.06-12.16							Platform/Chassis (LCVs-N1 Segment)		
2.0 TDI (CKTB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	80	109	05.11-12.16	■	
2.0 TDI (CSLA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	80	109	05.11-12.16	■	
2.0 TDI (CSLB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	84	114	11.13-12.16	■	
2.0 TDI (CKTC)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	100	136	05.11-12.16	■	
2.0 TDI (CSLC)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	103	140	11.15-12.16	■	
2.0 TDI (CKUC)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	105	142	10.11-12.16	■	
2.0 TDI (CKUB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	120	163	07.11-12.16	■	
2.0 TDI (CSNA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	120	163	07.11-12.16	■	
2.0 TDI 4motion (CKUB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	4WD	1968	120	163	11.11-12.16	■	
2.0 TDI 4motion (CSNA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	4WD	1968	120	163	11.11-12.16	■	
2.5 TDI (BJJ)	PR 0WC, PR 0WL	Diesel	RWD	2461	65	88	04.06-07.11	■	
2.5 TDI (CEBA)	PR 0WC, PR 0WL	Diesel	RWD	2461	65	88	04.06-07.11	■	
2.5 TDI (BJK)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	80	109	04.06-05.13	■	
2.5 TDI (CEBB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	80	109	04.06-05.13	■	
2.5 TDI (BJL)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	100	136	04.06-05.13	■	
2.5 TDI (CECA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	100	136	04.06-05.13	■	
2.5 TDI (BJM)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	120	163	04.06-07.11	■	
2.5 TDI (CECB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	120	163	04.06-07.11	■	
CRAFTER 30-50 (2E_) 04.06-12.16							Van (LCVs-N1 Segment)		
2.0 TDI (CKTB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	80	109	05.11-12.16	■	
2.0 TDI (CSLA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	80	109	05.11-12.16	■	
2.0 TDI (CSLB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	84	114	11.13-12.16	■	
2.0 TDI (CKTC)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	100	136	05.11-12.16	■	
2.0 TDI (CSLC)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	103	140	11.15-12.16	■	
2.0 TDI (CKUC)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	105	142	10.11-12.16	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TDI (CKUB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	120	163	07.11-12.16	■
2.0 TDI (CSNA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	1968	120	163	07.11-12.16	■
2.0 TDI 4motion (CKUB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	4WD	1968	120	163	07.11-12.16	■
2.0 TDI 4motion (CSNA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	4WD	1968	120	163	07.11-12.16	■
2.5 TDI (BJJ)	PR 0WC, PR 0WL	Diesel	RWD	2461	65	88	04.06-07.11	■
2.5 TDI (CEBA)	PR 0WC, PR 0WL	Diesel	RWD	2461	65	88	04.06-07.11	■
2.5 TDI (BJK)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	80	109	04.06-05.13	■
2.5 TDI (CEBB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	80	109	04.06-05.13	■
2.5 TDI (BJL)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	100	136	04.06-05.13	■
2.5 TDI (CECA)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	100	136	04.06-05.13	■
2.5 TDI (BJM)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	120	163	04.06-07.11	■
2.5 TDI (CECB)	Axle Crafter30,Crafter35, PR 0WC, PR 0WL	Diesel	RWD	2461	120	163	04.06-07.11	■