

LISTA DE APLICACIONES - BUYERS GUIDE

79PB4024 C



Weight: 1.032

O.E.M.	MAKE
272398	VOLVO
2723989	VOLVO
2742716	VOLVO
31262869	VOLVO
8623137	VOLVO
9612137	VOLVO

79PB4024 C

E1 90R-011046/166



MAKE
VOLVO



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

VOLVO

S60 (384) 07.00-04.10							Saloon (Compact executive car-D Segment)	
2.0 T (B 5204 T5)	Gasolina	FWD	1984	132	180	07.00-04.10	■	
2.3 T5 (B 5234 T3)	Gasolina	FWD	2319	176	239	09.00-12.04	■	
T5 (B 5234 T3)	Gasolina	FWD	2319	184	250	07.00-04.10	■	
T5 (B 5234 T7)	Gasolina	FWD	2319	195	265	07.00-09.02	■	
T5 (B 5244 T5)	Gasolina	FWD	2401	191	260	04.04-04.10	■	
2.4 (B 5244 S2)	Gasolina	FWD	2435	103	140	07.00-04.10	■	
2.4 (B 5244 S)	Gasolina	FWD	2435	125	170	11.00-04.10	■	
2.4 (B 5244 T4)	Gasolina	FWD	2435	132	180	01.05-10.06	■	
2.4 T (B 5244 T3)	Gasolina	FWD	2435	147	200	07.00-04.10	■	
2.4 T AWD (B 5244 T3)	Gasolina	4WD	2435	147	200	06.01-04.10	■	
2.5 T (B 5254 T2)	Gasolina	FWD	2521	154	210	01.03-04.10	■	
2.5 T AWD (B 5254 T2)	Gasolina	4WD	2521	154	210	07.02-04.10	■	
R 2,5 T AWD (B 5254 T4)	Gasolina	4WD	2521	221	300	01.03-04.10	■	
2.4 Bifuel (LPG) (B 5244 SG2)	Gasol./Gas (LPG)	FWD	2435	103	140	07.01-04.10	■	
2.4 Bifuel (CNG) (B 5244 SG)	Gasol./Gas (CNG)	FWD	2435	103	140	07.01-04.10	■	
2.4 D (D 5244 T7)	Diesel	FWD	2400	93	126	03.05-04.10	■	
2.4 D (D 5244 T5)	Diesel	FWD	2400	120	163	07.05-12.09	■	
D5 (D 5244 T)	Diesel	FWD	2400	120	163	01.01-04.10	■	
2.4 CDI (D 5244 T3)	Diesel	FWD	2401	85	116	10.03-12.05	■	
2.4 D (D 5244 T6)	Diesel	FWD	2401	90	122	05.05-12.06	■	
2.4 D (D 5244 T2)	Diesel	FWD	2401	96	130	05.01-04.10	■	

LISTA DE APLICACIONES - BUYERS GUIDE

D5 (D 5244 T4)		Diesel	FWD	2401	136	185	03.05-04.10	■
S80 (184) 05.98-02.08					Saloon (Executive car-E Segment)			
2.0 (B 5204 T4)		Gasolina	FWD	1984	120	163	06.98-07.06	■
2.0 T (B 5204 T5)		Gasolina	FWD	1984	132	180	12.99-07.06	■
2.0 T (B 5204 T3)		Gasolina	FWD	1984	166	226	06.98-07.06	■
2.3 R (B 5234 T7)		Gasolina	FWD	2319	195	265	04.00-08.05	■
2.4 (B 5244 S2)		Gasolina	FWD	2435	103	140	01.99-07.06	■
2.4 (B 5244 S)		Gasolina	FWD	2435	125	170	01.99-07.06	■
2.4 LTP		Gasolina	FWD	2435	132	179	06.04-07.06	■
2.4 T (B 5244 T3)		Gasolina	FWD	2435	147	200	06.00-07.06	■
T5 AWD (B 5244 T3)		Gasolina	4WD	2435	147	200	04.00-09.03	■
2.5 T (B 5254 T2)		Gasolina	FWD	2521	154	210	03.03-07.06	■
2.5 T AWD (B 5254 T2)		Gasolina	4WD	2521	154	210	07.03-07.06	■
T6 (B 6284 T)		Gasolina	FWD	2783	200	272	05.98-12.01	■
2.9		Gasolina	FWD	2922	144	196	05.98-02.08	■
3.0 (B 6294 S2)		Gasolina	FWD	2922	144	196	06.01-07.06	■
2.9 (B 6294 S)		Gasolina	FWD	2922	147	200	03.99-07.06	■
2.9 (B 6304 S3)		Gasolina	FWD	2922	150	204	05.98-07.06	■
T6 (B 6294 T)		Gasolina	FWD	2922	200	272	06.01-07.06	■
T6		Gasolina	FWD	2922	200	272	06.01-07.06	■
2.4 Bifuel (LPG) (B 5244 SG)		Gasol./Gas (LPG)	FWD	2435	103	140	09.01-07.06	■
2.4 Bifuel (CNG) (B 5244 SG2)		Gasol./Gas (CNG)	FWD	2435	103	140	09.01-07.06	■
2.4 D (D 5244 T2)		Diesel	FWD	2401	96	131	10.01-07.06	■
D5 (D 5244 T)		Diesel	FWD	2401	120	163	08.01-07.06	■
2.5 TDI (D 5252 T)		Diesel	FWD	2460	103	140	01.99-07.06	■
S80 II (124) 03.06-					Saloon (Executive car-E Segment)			
T4 (B 4164 T)	not elec.brak.detent	Gasolina	FWD	1596	132	180	10.10-04.14	■
T5 (B 4204 T15)	not elec.brak.detent	Gasolina	FWD	1969	162	220	01.14-12.16	■
2.0 Drive- E (B 4204 T11)	not elec.brak.detent	Gasolina	FWD	1969	180	245	12.14-12.16	■
T5 (B 4204 T11)	not elec.brak.detent	Gasolina	FWD	1969	180	245	09.13-05.14	■
2.0 (B 4204 S3)	not elec.brak.detent	Gasolina	FWD	1999	107	146	01.08-09.12	■
2.0 T (B 4204 T6)	not elec.brak.detent	Gasolina	FWD	1999	149	203	01.10-05.11	■
T5 (B 4204 T7)	not elec.brak.detent	Gasolina	FWD	1999	177	241	10.10-12.16	■
2.5 T (B 5254 T14)	not elec.brak.detent	Gasolina	FWD	2497	183	249	09.12-12.16	■
2.5 T (B 5254 T12)	not elec.brak.detent	Gasolina	FWD	2497	187	254	01.12-04.16	■
2.5 T (B 5254 T6)	not elec.brak.detent	Gasolina	FWD	2521	147	200	03.06-12.11	■
2.5 T (B 5254 T10)	not elec.brak.detent	Gasolina	FWD	2521	170	231	01.10-12.12	■
T6 AWD (B 6304 T2)	not elec.brak.detent	Gasolina	4WD	2953	210	286	01.07-12.10	■
T6 AWD (B 6304 T4)	not elec.brak.detent	Gasolina	4WD	2953	224	305	10.10-12.15	■
3.2 (B 6324 S4)	not elec.brak.detent	Gasolina	FWD	3192	171	233	09.10-12.11	■
3.2 (B 6324 S)	not elec.brak.detent	Gasolina	FWD	3192	175	238	03.06-12.10	■
3.2 AWD (B 6324 S)	not elec.brak.detent	Gasolina	4WD	3192	175	238	01.07-12.10	■
3.2 (B 6324 S5)	not elec.brak.detent	Gasolina	FWD	3192	179	243	01.10-12.14	■
3.2 AWD (B 6324 S5)	not elec.brak.detent	Gasolina	4WD	3192	179	243	01.10-12.14	■
4.4 V8 AWD (B 8444 S)	not elec.brak.detent	Gasolina	4WD	4414	232	316	03.06-03.12	■
T4F (B 4164 T2)	not elec.brak.detent	Gasol./Etanol	FWD	1596	132	180	05.11-01.14	■
2.0 FlexFuel (B 4204 S4)	not elec.brak.detent	Gasol./Etanol	FWD	1999	107	146	01.08-12.11	■
2.5 T FlexFuel (B 5254 T8)	not elec.brak.detent	Gasol./Etanol	FWD	2521	147	200	05.08-12.11	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.5 T FlexFuel (B 5254 T11)	not elec.brak.detent	Gasol./Etanol	FWD	2521	170	231	01.10-12.11	■
3.2 Flexifuel AWD	not elec.brak.detent	Gasol./Etanol	4WD	3192	177	241	01.09-03.10	■
1.6 D DRIVE (D 4164 T)	not elec.brak.detent	Diesel	FWD	1560	80	109	01.10-12.11	■
1.6 DRIVE (D 4162 T)	not elec.brak.detent	Diesel	FWD	1560	84	114	06.11-01.14	■
D2	not elec.brak.detent	Diesel	FWD	1560	85	116	01.14-12.16	■
D4 (D 4204 T5)	not elec.brak.detent	Diesel	FWD	1969	133	181	09.13-12.16	■
D3 (D 5204 T7)	not elec.brak.detent	Diesel	FWD	1984	100	136	05.12-05.14	■
D3 / D4 (D 5204 T2)	not elec.brak.detent	Diesel	FWD	1984	120	163	01.10-12.16	■
D3 / D4 (D 5204 T3)	not elec.brak.detent	Diesel	FWD	1984	120	163	01.10-12.16	■
2.0 TDI (D 4204 T)	not elec.brak.detent	Diesel	FWD	1998	100	136	02.08-03.11	■
2.4 D (D 5244 T19)	not elec.brak.detent	Diesel	FWD	2400	120	163	03.06-03.11	■
2.4 D (D 5244 T5)	not elec.brak.detent	Diesel	FWD	2400	120	163	03.06-03.11	■
2.4 D (D 5244 T14)	not elec.brak.detent	Diesel	FWD	2400	129	175	01.10-03.11	■
D5 (D 5244 T4)	not elec.brak.detent	Diesel	FWD	2400	136	185	03.06-08.09	■
D5 AWD (D 5244 T4)	not elec.brak.detent	Diesel	4WD	2400	136	185	01.07-05.09	■
D5 (D 5244 T10)	not elec.brak.detent	Diesel	FWD	2400	151	205	01.10-12.11	■
D5 AWD (D 5244 T10)	not elec.brak.detent	Diesel	4WD	2400	151	205	01.10-12.11	■
D5 (D 5244 T11)	not elec.brak.detent	Diesel	FWD	2400	158	215	06.11-04.15	■
D5 (D 5244 T15)	not elec.brak.detent	Diesel	FWD	2400	158	215	06.11-04.15	■
D5 AWD (D 5244 T15)	not elec.brak.detent	Diesel	4WD	2400	158	215	06.11-04.15	■
V70 II (285) 11.99-12.08					Estate (Executive car-E Segment)			
2.0 T (B 5204 T5)		Gasolina	FWD	1984	132	180	11.99-08.07	■
2.3 (B 5234 T3)		Gasolina	FWD	2319	176	239	03.02-12.04	■
T5 (B 5234 T3)		Gasolina	FWD	2319	184	250	11.99-12.04	■
2.3		Gasolina	FWD	2319	195	265	10.00-09.04	■
2.3 (B 5234 T7)		Gasolina	FWD	2319	195	265	10.00-09.04	■
T5 (B 5244 T5)		Gasolina	FWD	2401	191	260	04.04-08.07	■
2.4 (B 5244 S2)		Gasolina	FWD	2435	103	140	03.00-08.07	■
2.4		Gasolina	FWD	2435	121	165	03.00-09.03	■
2.4		Gasolina	FWD	2435	121	165	03.00-09.03	■
2.4 (B 5244 S)		Gasolina	FWD	2435	125	170	03.00-08.07	■
2.4 T (B 5244 T)		Gasolina	FWD	2435	142	193	09.00-12.02	■
2.4 T AWD (B 5244 T)		Gasolina	4WD	2435	142	193	09.00-12.02	■
2.4 T (B 5244 T3)		Gasolina	FWD	2435	147	200	11.99-08.03	■
2.4 T AWD (B 5244 T3)		Gasolina	4WD	2435	147	200	09.01-08.02	■
2.5 T (B 5254 T2)		Gasolina	FWD	2521	154	209	07.01-08.07	■
2.5 T AWD (B 5254 T2)		Gasolina	4WD	2521	154	209	07.02-08.07	■
2.5 (B 5254 T2)		Gasolina	FWD	2521	155	211	09.03-08.07	■
2.5 AWD (B 5254 T2)		Gasolina	4WD	2521	155	211	09.02-12.04	■
R 2,5 T AWD (B 5254 T4)		Gasolina	4WD	2521	221	300	03.03-08.07	■
2.4 Bifuel (LPG) (B 5244 SG2)		Gasol./Gas (LPG)	FWD	2435	103	140	09.01-08.07	■
2.4 Bifuel (CNG) (B 5244 SG)		Gasol./Gas (CNG)	FWD	2435	103	140	09.01-08.07	■
2.4 D (D 5244 T7)		Diesel	FWD	2400	93	126	04.05-12.08	■
2.4 CDI (D 5244 T6)		Diesel	FWD	2401	90	122	07.05-12.08	■
2.4 D (D 5244 T2)		Diesel	FWD	2401	96	131	07.01-08.07	■
D5 (D 5244 T)		Diesel	FWD	2401	120	163	01.01-12.08	■
D5 (D 5244 T2)		Diesel	FWD	2401	120	163	01.01-12.08	■
D5 (D 5244 T5)		Diesel	FWD	2401	120	163	01.01-12.08	■
D5 AWD (D 5244 T)		Diesel	4WD	2401	120	163	07.02-08.07	■

LISTA DE APLICACIONES - BUYERS GUIDE

D5 AWD (D 5244 T2)		Diesel	4WD	2401	120	163	07.02-08.07	■
D5 AWD (D 5244 T5)		Diesel	4WD	2401	120	163	07.02-08.07	■
D5 (D 5244 T4)		Diesel	FWD	2401	136	185	04.05-12.08	■
D5 AWD (D 5244 T4)		Diesel	4WD	2401	136	185	05.05-08.07	■
2.5 TDI (D 5252 T)		Diesel	FWD	2460	103	140	11.99-08.07	■
V70 III (135) 09.13-					Estate Van (Executive car-E Segment)			
2.0 D3 DRIVe (D 5204 T7)	not elec.brak.detent	Diesel	FWD	1984	100	136	09.13-12.15	■
2.4 D4 AWD	not elec.brak.detent	Diesel	4WD	2400	120	163	09.13-12.15	■
2.4 D5 (D 5244 T11)	not elec.brak.detent	Diesel	FWD	2400	158	215	09.13-12.15	■
2.4 D5 (D 5244 T15)	not elec.brak.detent	Diesel	FWD	2400	158	215	09.13-12.15	■
V70 III (135) 04.07-					Estate (Executive car-E Segment)			
T4 (B 4164 T)	not elec.brak.detent	Gasolina	FWD	1596	132	180	10.10-12.15	■
T4 (B 4204 T19)	not elec.brak.detent	Gasolina	FWD	1969	140	190	03.15-04.16	■
T5 (B 4204 T11)	not elec.brak.detent	Gasolina	FWD	1969	180	245	10.13-04.16	■
2.0 GDI (B 5204 T9)	not elec.brak.detent	Gasolina	FWD	1984	157	214	04.12-12.15	■
2.0 (B 4204 S3)	not elec.brak.detent	Gasolina	FWD	1999	107	145	10.07-12.11	■
2.0 T (B 4204 T6)	not elec.brak.detent	Gasolina	FWD	1999	149	203	09.09-12.11	■
T5 (B 4204 T7)	not elec.brak.detent	Gasolina	FWD	1999	177	241	01.10-12.14	■
2.5 T (B 5254 T6)	not elec.brak.detent	Gasolina	FWD	2521	147	200	08.07-12.09	■
2.5 T (B 5254 T10)	not elec.brak.detent	Gasolina	FWD	2521	170	231	04.09-12.12	■
T6 AWD (B 6304 T2)	not elec.brak.detent	Gasolina	4WD	2953	210	286	08.07-12.10	■
T6 AWD (B 6304 T4)	not elec.brak.detent	Gasolina	4WD	2953	224	305	01.10-12.15	■
T6 AWD (B 6304 T4)	not elec.brak.detent	Gasolina	4WD	2953	242	329	11.13-04.16	■
3.2 (B 6324 S2)	not elec.brak.detent	Gasolina	FWD	3192	168	228	09.09-12.10	■
3.2 (B 6324 S4)	not elec.brak.detent	Gasolina	FWD	3192	171	233	09.11-12.13	■
3.2 (B 6324 S)	not elec.brak.detent	Gasolina	FWD	3192	175	238	08.07-12.10	■
3.2 AWD (B 6324 S)	not elec.brak.detent	Gasolina	4WD	3192	175	238	04.07-12.10	■
3.2 (B 6324 S5)	not elec.brak.detent	Gasolina	FWD	3192	179	243	04.10-12.14	■
3.2 AWD (B 6324 S5)	not elec.brak.detent	Gasolina	4WD	3192	179	243	04.10-12.15	■
2.0 BiFuel (B 5204 T9)	not elec.brak.detent	Gasol./Gas (LPG)	FWD	1984	157	214	03.13-12.15	■
T4F (B 4164 T2)	not elec.brak.detent	Gasol./Etanol	FWD	1596	132	180	01.11-12.15	■
2.0 FlexiFuel (B 4204 S4)	not elec.brak.detent	Gasol./Etanol	FWD	1999	107	146	01.08-12.11	■
2.5 T FlexiFuel (B 5254 T8)	not elec.brak.detent	Gasol./Etanol	FWD	2521	147	200	05.08-12.09	■
2.5 T FlexiFuel (B 5254 T11)	not elec.brak.detent	Gasol./Etanol	FWD	2521	170	231	04.09-12.11	■
1.6 D (D 4164 T)	not elec.brak.detent	Diesel	FWD	1560	80	109	07.09-12.11	■
1.6 DRIVe / D2 (D 4162 T)	not elec.brak.detent	Diesel	FWD	1560	84	114	04.11-12.15	■
D2 (D 4204 T20)	not elec.brak.detent	Diesel	FWD	1969	88	120	03.15-04.16	■
D3 (D 4204 T9)	not elec.brak.detent	Diesel	FWD	1969	110	150	03.15-04.16	■
D4 (D 4204 T5)	not elec.brak.detent	Diesel	FWD	1969	133	181	10.13-04.16	■
D3 (D 5204 T7)	not elec.brak.detent	Diesel	FWD	1984	100	136	10.07-12.15	■
D3 / D4 (D 5204 T2)	not elec.brak.detent	Diesel	FWD	1984	120	163	03.10-12.15	■
D3 / D4 (D 5204 T3)	not elec.brak.detent	Diesel	FWD	1984	120	163	03.10-12.15	■
2.0 D (D 4204 T)	not elec.brak.detent	Diesel	FWD	1998	100	136	10.07-12.15	■
2.4 D (D 5244 T19)	not elec.brak.detent	Diesel	FWD	2400	120	163	04.07-12.10	■
2.4 D (D 5244 T5)	not elec.brak.detent	Diesel	FWD	2400	120	163	04.07-12.10	■
D4 AWD (D 5244 T17)	not elec.brak.detent	Diesel	4WD	2400	120	163	10.07-12.15	■
2.4 D (D 5244 T14)	not elec.brak.detent	Diesel	FWD	2400	129	175	04.09-12.10	■
D4 AWD (D 5244 T12)	not elec.brak.detent	Diesel	4WD	2400	133	181	10.13-04.16	■

LISTA DE APLICACIONES - BUYERS GUIDE

D5 (D 5244 T4)	not elec.brak.detent	Diesel	FWD	2400	136	185	04.07-12.09	■
D5 (D 5244 T10)	not elec.brak.detent	Diesel	FWD	2400	151	205	10.08-12.11	■
D5 AWD (D 5244 T10)	not elec.brak.detent	Diesel	4WD	2400	151	205	12.09-12.11	■
D5 (D 5244 T11)	not elec.brak.detent	Diesel	FWD	2400	158	215	04.11-12.15	■
D5 (D 5244 T15)	not elec.brak.detent	Diesel	FWD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)	not elec.brak.detent	Diesel	4WD	2400	158	215	04.11-12.15	■
D5	not elec.brak.detent	Diesel	FWD	2400	169	230	03.11-04.16	■
D5 AWD	not elec.brak.detent	Diesel	4WD	2400	169	230	03.11-04.16	■
D5 AWD (D 5244 T4)	not elec.brak.detent	Diesel	4WD	2401	136	185	04.07-12.09	■
XC70 III (136) 04.07-					Estate (Executive car-E Segment)			
T6 AWD (B 6304 T2)	not elec.brak.detent	Gasolina	4WD	2953	210	286	01.08-12.16	■
T6 AWD (B 6304 T4)	not elec.brak.detent	Gasolina	4WD	2953	224	304	01.10-04.15	■
T6 Polestar AWD	not elec.brak.detent	Gasolina	4WD	2953	242	329	11.13-12.16	■
3.2 AWD (B 6324 S)	not elec.brak.detent	Gasolina	4WD	3192	175	238	08.07-12.11	■
3.2 AWD (B 6324 S5)	not elec.brak.detent	Gasolina	4WD	3192	179	243	05.10-12.14	■
D3 (D 5204 T2)	not elec.brak.detent	Diesel	FWD	1984	120	163	04.10-12.15	■
D3 (D 5204 T3)	not elec.brak.detent	Diesel	FWD	1984	120	163	04.10-12.15	■
2.4 D / D4 AWD (D 5244 T16)	not elec.brak.detent	Diesel	4WD	2400	120	163	08.07-04.16	■
2.4 D / D4 AWD (D 5244 T17)	not elec.brak.detent	Diesel	4WD	2400	120	163	08.07-04.16	■
2.4 D / D4 AWD (D 5244 T5)	not elec.brak.detent	Diesel	4WD	2400	120	163	08.07-04.16	■
2.4 D (D 5244 T14)	not elec.brak.detent	Diesel	FWD	2400	129	175	06.09-12.10	■
D4 AWD (D 5244 T12)	not elec.brak.detent	Diesel	4WD	2400	133	181	10.13-04.16	■
D5 AWD (D 5244 T4)	not elec.brak.detent	Diesel	4WD	2400	136	185	04.07-12.09	■
D5 AWD (D 5244 T10)	not elec.brak.detent	Diesel	4WD	2400	151	205	04.09-12.11	■
D5 AWD (D 5244 T11)	not elec.brak.detent	Diesel	4WD	2400	158	215	04.11-12.15	■
D5 AWD (D 5244 T15)	not elec.brak.detent	Diesel	4WD	2400	158	215	04.11-12.15	■
XC70 III VAN (136) 04.07-12.16					Estate Van (Executive car-E Segment)			
2.0 D4	not elec.brak.detent	Diesel	FWD	1984	120	163	09.13-12.16	■
2.4 D4 AWD	not elec.brak.detent	Diesel	4WD	2400	120	163	09.13-04.16	■
2.4 D5 AWD	not elec.brak.detent	Diesel	4WD	2400	158	215	09.13-12.16	■
XC70 CROSS COUNTRY / V70 XC (295) 10.97-10.07					Estate (Executive car-E Segment)			
T5 AWD (B 5204 T3)		Gasolina	4WD	1984	166	226	10.97-03.99	■
2.4 T XC AWD (B 5254 T)		Gasolina	4WD	2435	142	193	11.97-09.02	■
2.4 T XC AWD (B 5244 T3)		Gasolina	4WD	2435	147	200	03.00-09.02	■
2.5 T XC AWD (B 5254 T2)		Gasolina	4WD	2521	154	209	09.02-08.07	■
2.5 T		Gasolina	FWD	2521	162	220	08.02-07.07	■
D5 XC AWD (D 5244 T)		Diesel	4WD	2401	120	163	09.02-08.07	■
D5 AWD (D 5244 T4)		Diesel	4WD	2401	136	185	12.05-08.07	■